



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b>  <b>C07K 14/00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/61612</b>  <b>(43) International Publication Date:</b> 19 October 2000 (19.10.00)															
<b>(21) International Application Number:</b> PCT/US00/08896  <b>(22) International Filing Date:</b> 3 April 2000 (03.04.00)  <b>(30) Priority Data:</b> <table border="0"> <tr> <td>09/285,479</td> <td>2 April 1999 (02.04.99)</td> <td>US</td> </tr> <tr> <td>09/466,396</td> <td>17 December 1999 (17.12.99)</td> <td>US</td> </tr> <tr> <td>09/476,496</td> <td>30 December 1999 (30.12.99)</td> <td>US</td> </tr> <tr> <td>09/480,884</td> <td>10 January 2000 (10.01.00)</td> <td>US</td> </tr> <tr> <td>09/510,376</td> <td>22 February 2000 (22.02.00)</td> <td>US</td> </tr> </table> <b>(71) Applicant (for all designated States except US):</b> CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> WANG, Tongtong [US/US]; 8049 NE 28th Street, Medina, WA 98039 (US). FAN, Liqun [CN/US]; 14116 SE 46th Street, Bellevue, WA 98006 (US).  <b>(74) Agents:</b> MAKI, David, J.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US) et al.		09/285,479	2 April 1999 (02.04.99)	US	09/466,396	17 December 1999 (17.12.99)	US	09/476,496	30 December 1999 (30.12.99)	US	09/480,884	10 January 2000 (10.01.00)	US	09/510,376	22 February 2000 (22.02.00)	US	<b>(81) Designated States:</b> AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
09/285,479	2 April 1999 (02.04.99)	US															
09/466,396	17 December 1999 (17.12.99)	US															
09/476,496	30 December 1999 (30.12.99)	US															
09/480,884	10 January 2000 (10.01.00)	US															
09/510,376	22 February 2000 (22.02.00)	US															
<b>(54) Title:</b> COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER  <b>(57) Abstract</b>  <p>Compounds and methods for the treatment and diagnosis of lung cancer are provided. The inventive compounds include polypeptides containing at least a portion of a lung tumor protein. Vaccines and pharmaceutical compositions for immunotherapy of lung cancer comprising such polypeptides, or DNA molecules encoding such polypeptides, are also provided, together with DNA molecules for preparing the inventive polypeptides.</p>																	

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## COMPOUNDS AND METHODS FOR THERAPY AND DIAGNOSIS OF LUNG CANCER

### TECHNICAL FIELD

5           The present invention relates generally to therapy and diagnosis of cancer, such as lung cancer. The invention is more specifically related to polypeptides comprising at least a portion of a lung tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of lung cancer, and for the  
10       diagnosis and monitoring of such cancers.

### BACKGROUND OF THE INVENTION

          Lung cancer is the primary cause of cancer death among both men and women in the U.S., with an estimated 172,000 new cases being reported in 1994. The five-year survival rate among all lung cancer patients, regardless of the stage of disease  
15       at diagnosis, is only 13%. This contrasts with a five-year survival rate of 46% among cases detected while the disease is still localized. However, only 16% of lung cancers are discovered before the disease has spread.

          Early detection is difficult since clinical symptoms are often not seen until the disease has reached an advanced stage. Currently, diagnosis is aided by the  
20       use of chest x-rays, analysis of the type of cells contained in sputum and fiberoptic examination of the bronchial passages. Treatment regimens are determined by the type and stage of the cancer, and include surgery, radiation therapy and/or chemotherapy. In spite of considerable research into therapies for the disease, lung cancer remains difficult to treat.

25           Accordingly, there remains a need in the art for improved vaccines, treatment methods and diagnostic techniques for lung cancer.

### SUMMARY OF THE INVENTION

          Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as lung cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a lung tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises a sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; (b) variants of a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253-337, 345, 347 and 349; and (c) complements of a sequence of (a) or (b). In specific embodiments, the polypeptides of the present invention comprise at least a portion of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 152, 155, 156, 165, 166, 169, 170, 172, 174, 176, 226-252, 338-344 and 346, and variants thereof.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a lung tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines for prophylactic or therapeutic use are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and an immunostimulant.



The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a lung tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical  
5 compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an  
10 antigen presenting cell that expresses a polypeptide as described above, and (b) an immunostimulant.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

15 Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with an  
20 immunostimulant.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for  
25 removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the  
30 development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Determined T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells determined from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a lung tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be lung cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the

sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

5

#### SEQUENCE IDENTIFIERS

SEQ ID NO: 1 is the determined cDNA sequence for LST-S1-2

SEQ ID NO: 2 is the determined cDNA sequence for LST-S1-28

SEQ ID NO: 3 is the determined cDNA sequence for LST-S1-90

10 

SEQ ID NO: 4 is the determined cDNA sequence for LST-S1-144

SEQ ID NO: 5 is the determined cDNA sequence for LST-S1-133

SEQ ID NO: 6 is the determined cDNA sequence for LST-S1-169

SEQ ID NO: 7 is the determined cDNA sequence for LST-S2-6

SEQ ID NO: 8 is the determined cDNA sequence for LST-S2-11

15 

SEQ ID NO: 9 is the determined cDNA sequence for LST-S2-17

SEQ ID NO: 10 is the determined cDNA sequence for LST-S2-25

SEQ ID NO: 11 is the determined cDNA sequence for LST-S2-39

SEQ ID NO: 12 is a first determined cDNA sequence for LST-S2-43

SEQ ID NO: 13 is a second determined cDNA sequence for LST-S2-43

20 

SEQ ID NO: 14 is the determined cDNA sequence for LST-S2-65

SEQ ID NO: 15 is the determined cDNA sequence for LST-S2-68

SEQ ID NO: 16 is the determined cDNA sequence for LST-S2-72

SEQ ID NO: 17 is the determined cDNA sequence for LST-S2-74

SEQ ID NO: 18 is the determined cDNA sequence for LST-S2-103

25 

SEQ ID NO: 19 is the determined cDNA sequence for LST-S2-N1-1F

SEQ ID NO: 20 is the determined cDNA sequence for LST-S2-N1-2A

SEQ ID NO: 21 is the determined cDNA sequence for LST-S2-N1-4H

SEQ ID NO: 22 is the determined cDNA sequence for LST-S2-N1-5A

SEQ ID NO: 23 is the determined cDNA sequence for LST-S2-N1-6B

30 

SEQ ID NO: 24 is the determined cDNA sequence for LST-S2-N1-7B

SEQ ID NO: 25 is the determined cDNA sequence for LST-S2-N1-7H

- SEQ ID NO: 26 is the determined cDNA sequence for LST-S2-N1-8A  
SEQ ID NO: 27 is the determined cDNA sequence for LST-S2-N1-8D  
SEQ ID NO: 28 is the determined cDNA sequence for LST-S2-N1-9A  
SEQ ID NO: 29 is the determined cDNA sequence for LST-S2-N1-9E  
5 SEQ ID NO: 30 is the determined cDNA sequence for LST-S2-N1-10A  
SEQ ID NO: 31 is the determined cDNA sequence for LST-S2-N1-10G  
SEQ ID NO: 32 is the determined cDNA sequence for LST-S2-N1-11A  
SEQ ID NO: 33 is the determined cDNA sequence for LST-S2-N1-12C  
SEQ ID NO: 34 is the determined cDNA sequence for LST-S2-N1-12E  
10 SEQ ID NO: 35 is the determined cDNA sequence for LST-S2-B1-3D  
SEQ ID NO: 36 is the determined cDNA sequence for LST-S2-B1-6C  
SEQ ID NO: 37 is the determined cDNA sequence for LST-S2-B1-5D  
SEQ ID NO: 38 is the determined cDNA sequence for LST-S2-B1-5F  
SEQ ID NO: 39 is the determined cDNA sequence for LST-S2-B1-6G  
15 SEQ ID NO: 40 is the determined cDNA sequence for LST-S2-B1-8A  
SEQ ID NO: 41 is the determined cDNA sequence for LST-S2-B1-8D  
SEQ ID NO: 42 is the determined cDNA sequence for LST-S2-B1-10A  
SEQ ID NO: 43 is the determined cDNA sequence for LST-S2-B1-9B  
SEQ ID NO: 44 is the determined cDNA sequence for LST-S2-B1-9F  
20 SEQ ID NO: 45 is the determined cDNA sequence for LST-S2-B1-12D  
SEQ ID NO: 46 is the determined cDNA sequence for LST-S2-I2-2B  
SEQ ID NO: 47 is the determined cDNA sequence for LST-S2-I2-5F  
SEQ ID NO: 48 is the determined cDNA sequence for LST-S2-I2-6B  
SEQ ID NO: 49 is the determined cDNA sequence for LST-S2-I2-7F  
25 SEQ ID NO: 50 is the determined cDNA sequence for LST-S2-I2-8G  
SEQ ID NO: 51 is the determined cDNA sequence for LST-S2-I2-9E  
SEQ ID NO: 52 is the determined cDNA sequence for LST-S2-I2-12B  
SEQ ID NO: 53 is the determined cDNA sequence for LST-S2-H2-2C  
SEQ ID NO: 54 is the determined cDNA sequence for LST-S2-H2-1G  
30 SEQ ID NO: 55 is the determined cDNA sequence for LST-S2-H2-4G  
SEQ ID NO: 56 is the determined cDNA sequence for LST-S2-H2-3H

- SEQ ID NO: 57 is the determined cDNA sequence for LST-S2-H2-5G  
SEQ ID NO: 58 is the determined cDNA sequence for LST-S2-H2-9B  
SEQ ID NO: 59 is the determined cDNA sequence for LST-S2-H2-10H  
SEQ ID NO: 60 is the determined cDNA sequence for LST-S2-H2-12D  
5 SEQ ID NO: 61 is the determined cDNA sequence for LST-S3-2  
SEQ ID NO: 62 is the determined cDNA sequence for LST-S3-4  
SEQ ID NO: 63 is the determined cDNA sequence for LST-S3-7  
SEQ ID NO: 64 is the determined cDNA sequence for LST-S3-8  
SEQ ID NO: 65 is the determined cDNA sequence for LST-S3-12  
10 SEQ ID NO: 66 is the determined cDNA sequence for LST-S3-13  
SEQ ID NO: 67 is the determined cDNA sequence for LST-S3-14  
SEQ ID NO: 68 is the determined cDNA sequence for LST-S3-16  
SEQ ID NO: 69 is the determined cDNA sequence for LST-S3-21  
SEQ ID NO: 70 is the determined cDNA sequence for LST-S3-22  
15 SEQ ID NO: 71 is the determined cDNA sequence for LST-S1-7  
SEQ ID NO: 72 is the determined cDNA sequence for LST-S1-A-1E  
SEQ ID NO: 73 is the determined cDNA sequence for LST-S1-A-1G  
SEQ ID NO: 74 is the determined cDNA sequence for LST-S1-A-3E  
SEQ ID NO: 75 is the determined cDNA sequence for LST-S1-A-4E  
20 SEQ ID NO: 76 is the determined cDNA sequence for LST-S1-A-6D  
SEQ ID NO: 77 is the determined cDNA sequence for LST-S1-A-8D  
SEQ ID NO: 78 is the determined cDNA sequence for LST-S1-A-10A  
SEQ ID NO: 79 is the determined cDNA sequence for LST-S1-A-10C  
SEQ ID NO: 80 is the determined cDNA sequence for LST-S1-A-9D  
25 SEQ ID NO: 81 is the determined cDNA sequence for LST-S1-A-10D  
SEQ ID NO: 82 is the determined cDNA sequence for LST-S1-A-9H  
SEQ ID NO: 83 is the determined cDNA sequence for LST-S1-A-11D  
SEQ ID NO: 84 is the determined cDNA sequence for LST-S1-A-12D  
SEQ ID NO: 85 is the determined cDNA sequence for LST-S1-A-11E  
30 SEQ ID NO: 86 is the determined cDNA sequence for LST-S1-A-12E  
SEQ ID NO: 87 is the determined cDNA sequence for L513S (T3).

- SEQ ID NO: 88 is the determined cDNA sequence for L513S contig 1.
- SEQ ID NO: 89 is a first determined cDNA sequence for L514S.
- SEQ ID NO: 90 is a second determined cDNA sequence for L514S.
- SEQ ID NO: 91 is a first determined cDNA sequence for L516S.
- 5 SEQ ID NO: 92 is a second determined cDNA sequence for L516S.
- SEQ ID NO: 93 is the determined cDNA sequence for L517S.
- SEQ ID NO: 94 is the extended cDNA sequence for LST-S1-169 (also known as L519S).
- SEQ ID NO: 95 is a first determined cDNA sequence for L520S.
- 10 SEQ ID NO: 96 is a second determined cDNA sequence for L520S.
- SEQ ID NO: 97 is a first determined cDNA sequence for L521S.
- SEQ ID NO: 98 is a second determined cDNA sequence for L521S.
- SEQ ID NO: 99 is the determined cDNA sequence for L522S.
- SEQ ID NO: 100 is the determined cDNA sequence for L523S.
- 15 SEQ ID NO: 101 is the determined cDNA sequence for L524S.
- SEQ ID NO: 102 is the determined cDNA sequence for L525S.
- SEQ ID NO: 103 is the determined cDNA sequence for L526S.
- SEQ ID NO: 104 is the determined cDNA sequence for L527S.
- SEQ ID NO: 105 is the determined cDNA sequence for L528S.
- 20 SEQ ID NO: 106 is the determined cDNA sequence for L529S.
- SEQ ID NO: 107 is a first determined cDNA sequence for L530S.
- SEQ ID NO: 108 is a second determined cDNA sequence for L530S.
- SEQ ID NO: 109 is the determined full-length cDNA sequence for L531S short form
- SEQ ID NO: 110 is the predicted amino acid sequence encoded by SEQ ID NO: 109.
- 25 SEQ ID NO: 111 is the determined full-length cDNA sequence for L531S long form
- SEQ ID NO: 112 is the predicted amino acid sequence encoded by SEQ ID NO: 111.
- SEQ ID NO: 113 is the determined full-length cDNA sequence for L520S.
- SEQ ID NO: 114 is the predicted amino acid sequence encoded by SEQ ID NO: 113.
- SEQ ID NO: 115 is the determined cDNA sequence for contig 1.
- 30 SEQ ID NO: 116 is the determined cDNA sequence for contig 3.
- SEQ ID NO: 117 is the determined cDNA sequence for contig 4.

- SEQ ID NO: 118 is the determined cDNA sequence for contig 5.  
SEQ ID NO: 119 is the determined cDNA sequence for contig 7.  
SEQ ID NO: 120 is the determined cDNA sequence for contig 8.  
SEQ ID NO: 121 is the determined cDNA sequence for contig 9.  
5 SEQ ID NO: 122 is the determined cDNA sequence for contig 10.  
SEQ ID NO: 123 is the determined cDNA sequence for contig 12.  
SEQ ID NO: 124 is the determined cDNA sequence for contig 11.  
SEQ ID NO: 125 is the determined cDNA sequence for contig 13.  
SEQ ID NO: 126 is the determined cDNA sequence for contig 15.  
10 SEQ ID NO: 127 is the determined cDNA sequence for contig 16.  
SEQ ID NO: 128 is the determined cDNA sequence for contig 17.  
SEQ ID NO: 129 is the determined cDNA sequence for contig 19.  
SEQ ID NO: 130 is the determined cDNA sequence for contig 20.  
SEQ ID NO: 131 is the determined cDNA sequence for contig 22.  
15 SEQ ID NO: 132 is the determined cDNA sequence for contig 24.  
SEQ ID NO: 133 is the determined cDNA sequence for contig 29.  
SEQ ID NO: 134 is the determined cDNA sequence for contig 31.  
SEQ ID NO: 135 is the determined cDNA sequence for contig 33.  
SEQ ID NO: 136 is the determined cDNA sequence for contig 38.  
20 SEQ ID NO: 137 is the determined cDNA sequence for contig 39.  
SEQ ID NO: 138 is the determined cDNA sequence for contig 41.  
SEQ ID NO: 139 is the determined cDNA sequence for contig 43.  
SEQ ID NO: 140 is the determined cDNA sequence for contig 44.  
SEQ ID NO: 141 is the determined cDNA sequence for contig 45.  
25 SEQ ID NO: 142 is the determined cDNA sequence for contig 47.  
SEQ ID NO: 143 is the determined cDNA sequence for contig 48.  
SEQ ID NO: 144 is the determined cDNA sequence for contig 49.  
SEQ ID NO: 145 is the determined cDNA sequence for contig 50.  
SEQ ID NO: 146 is the determined cDNA sequence for contig 53.  
30 SEQ ID NO: 147 is the determined cDNA sequence for contig 54.  
SEQ ID NO: 148 is the determined cDNA sequence for contig 56.



- SEQ ID NO: 149 is the determined cDNA sequence for contig 57.
- SEQ ID NO: 150 is the determined cDNA sequence for contig 58.
- SEQ ID NO: 151 is the full-length cDNA sequence for L530S.
- SEQ ID NO: 152 is the amino acid sequence encoded by SEQ ID NO: 151
- 5 SEQ ID NO: 153 is the full-length cDNA sequence of a first variant of L514S
- SEQ ID NO: 154 is the full-length cDNA sequence of a second variant of L514S
- SEQ ID NO: 155 is the amino acid sequence encoded by SEQ ID NO: 153.
- SEQ ID NO: 156 is the amino acid sequence encoded by SEQ ID NO: 154.
- SEQ ID NO: 157 is the determined cDNA sequence for contig 59.
- 10 SEQ ID NO: 158 is the full-length cDNA sequence for L763P (also referred to as contig 22).
- SEQ ID NO: 159 is the amino acid sequence encoded by SEQ ID NO: 158.
- SEQ ID NO: 160 is the full-length cDNA sequence for L762P (also referred to as contig 17).
- 15 SEQ ID NO: 161 is the amino acid sequence encoded by SEQ ID NO: 160.
- SEQ ID NO: 162 is the determined cDNA sequence for L515S.
- SEQ ID NO: 163 is the full-length cDNA sequence of a first variant of L524S.
- SEQ ID NO: 164 is the full-length cDNA sequence of a second variant of L524S.
- SEQ ID NO: 165 is the amino acid sequence encoded by SEQ ID NO: 163.
- 20 SEQ ID NO: 166 is the amino acid sequence encoded by SEQ ID NO: 164.
- SEQ ID NO: 167 is the full-length cDNA sequence of a first variant of L762P.
- SEQ ID NO: 168 is the full-length cDNA sequence of a second variant of L762P.
- SEQ ID NO: 169 is the amino acid sequence encoded by SEQ ID NO: 167.
- SEQ ID NO: 170 is the amino acid sequence encoded by SEQ ID NO: 168.
- 25 SEQ ID NO: 171 is the full-length cDNA sequence for L773P (also referred to as contig 56).
- SEQ ID NO: 172 is the amino acid sequence encoded by SEQ ID NO: 171.
- SEQ ID NO: 173 is an extended cDNA sequence for L519S.
- SEQ ID NO: 174 is the predicted amino acid sequence encoded by SEQ ID NO: 174.
- 30 SEQ ID NO: 175 is the full-length cDNA sequence for L523S.
- SEQ ID NO: 176 is the predicted amino acid sequence encoded by SEQ ID NO: 175.

- SEQ ID NO: 177 is the determined cDNA sequence for LST-sub5-7A.  
SEQ ID NO: 178 is the determined cDNA sequence for LST-sub5-8G.  
SEQ ID NO: 179 is the determined cDNA sequence for LST-sub5-8H.  
SEQ ID NO: 180 is the determined cDNA sequence for LST-sub5-10B.  
5 SEQ ID NO: 181 is the determined cDNA sequence for LST-sub5-10H.  
SEQ ID NO: 182 is the determined cDNA sequence for LST-sub5-12B.  
SEQ ID NO: 183 is the determined cDNA sequence for LST-sub5-11C.  
SEQ ID NO: 184 is the determined cDNA sequence for LST-sub6-1c.  
SEQ ID NO: 185 is the determined cDNA sequence for LST-sub6-2f.  
10 SEQ ID NO: 186 is the determined cDNA sequence for LST-sub6-2G.  
SEQ ID NO: 187 is the determined cDNA sequence for LST-sub6-4d.  
SEQ ID NO: 188 is the determined cDNA sequence for LST-sub6-4e.  
SEQ ID NO: 189 is the determined cDNA sequence for LST-sub6-4f.  
SEQ ID NO: 190 is the determined cDNA sequence for LST-sub6-3h.  
15 SEQ ID NO: 191 is the determined cDNA sequence for LST-sub6-5d.  
SEQ ID NO: 192 is the determined cDNA sequence for LST-sub6-5h.  
SEQ ID NO: 193 is the determined cDNA sequence for LST-sub6-6h.  
SEQ ID NO: 194 is the determined cDNA sequence for LST-sub6-7a.  
SEQ ID NO: 195 is the determined cDNA sequence for LST-sub6-8a.  
20 SEQ ID NO: 196 is the determined cDNA sequence for LST-sub6-7d.  
SEQ ID NO: 197 is the determined cDNA sequence for LST-sub6-7e.  
SEQ ID NO: 198 is the determined cDNA sequence for LST-sub6-8e.  
SEQ ID NO: 199 is the determined cDNA sequence for LST-sub6-7g.  
SEQ ID NO: 200 is the determined cDNA sequence for LST-sub6-9f.  
25 SEQ ID NO: 201 is the determined cDNA sequence for LST-sub6-9h.  
SEQ ID NO: 202 is the determined cDNA sequence for LST-sub6-11b.  
SEQ ID NO: 203 is the determined cDNA sequence for LST-sub6-11c.  
SEQ ID NO: 204 is the determined cDNA sequence for LST-sub6-12c.  
SEQ ID NO: 205 is the determined cDNA sequence for LST-sub6-12e.  
30 SEQ ID NO: 206 is the determined cDNA sequence for LST-sub6-12f.  
SEQ ID NO: 207 is the determined cDNA sequence for LST-sub6-11g.

- SEQ ID NO: 208 is the determined cDNA sequence for LST-sub6-12g.  
SEQ ID NO: 209 is the determined cDNA sequence for LST-sub6-12h.  
SEQ ID NO: 210 is the determined cDNA sequence for LST-sub6-II-1a.  
SEQ ID NO: 211 is the determined cDNA sequence for LST-sub6-II-2b.  
5 SEQ ID NO: 212 is the determined cDNA sequence for LST-sub6-II-2g.  
SEQ ID NO: 213 is the determined cDNA sequence for LST-sub6-II-1h.  
SEQ ID NO: 214 is the determined cDNA sequence for LST-sub6-II-4a.  
SEQ ID NO: 215 is the determined cDNA sequence for LST-sub6-II-4b.  
SEQ ID NO: 216 is the determined cDNA sequence for LST-sub6-II-3e.  
10 SEQ ID NO: 217 is the determined cDNA sequence for LST-sub6-II-4f.  
SEQ ID NO: 218 is the determined cDNA sequence for LST-sub6-II-4g.  
SEQ ID NO: 219 is the determined cDNA sequence for LST-sub6-II-4h.  
SEQ ID NO: 220 is the determined cDNA sequence for LST-sub6-II-5c.  
SEQ ID NO: 221 is the determined cDNA sequence for LST-sub6-II-5e.  
15 SEQ ID NO: 222 is the determined cDNA sequence for LST-sub6-II-6f.  
SEQ ID NO: 223 is the determined cDNA sequence for LST-sub6-II-5g.  
SEQ ID NO: 224 is the determined cDNA sequence for LST-sub6-II-6g.  
SEQ ID NO: 225 is the amino acid sequence for L528S.  
SEQ ID NO: 226-251 are synthetic peptides derived from L762P.  
20 SEQ ID NO: 252 is the expressed amino acid sequence of L514S.  
SEQ ID NO: 253 is the DNA sequence corresponding to SEQ ID NO: 252.  
SEQ ID NO: 254 is the DNA sequence of a L762P expression construct.  
SEQ ID NO: 255 is the determined cDNA sequence for clone 23785.  
SEQ ID NO: 256 is the determined cDNA sequence for clone 23786.  
25 SEQ ID NO: 257 is the determined cDNA sequence for clone 23788.  
SEQ ID NO: 258 is the determined cDNA sequence for clone 23790.  
SEQ ID NO: 259 is the determined cDNA sequence for clone 23793.  
SEQ ID NO: 260 is the determined cDNA sequence for clone 23794.  
SEQ ID NO: 261 is the determined cDNA sequence for clone 23795.  
30 SEQ ID NO: 262 is the determined cDNA sequence for clone 23796.  
SEQ ID NO: 263 is the determined cDNA sequence for clone 23797.

- SEQ ID NO: 264 is the determined cDNA sequence for clone 23798.  
SEQ ID NO: 265 is the determined cDNA sequence for clone 23799.  
SEQ ID NO: 266 is the determined cDNA sequence for clone 23800.  
SEQ ID NO: 267 is the determined cDNA sequence for clone 23802.  
5 SEQ ID NO: 268 is the determined cDNA sequence for clone 23803.  
SEQ ID NO: 269 is the determined cDNA sequence for clone 23804.  
SEQ ID NO: 270 is the determined cDNA sequence for clone 23805.  
SEQ ID NO: 271 is the determined cDNA sequence for clone 23806.  
SEQ ID NO: 272 is the determined cDNA sequence for clone 23807.  
10 SEQ ID NO: 273 is the determined cDNA sequence for clone 23808.  
SEQ ID NO: 274 is the determined cDNA sequence for clone 23809.  
SEQ ID NO: 275 is the determined cDNA sequence for clone 23810.  
SEQ ID NO: 276 is the determined cDNA sequence for clone 23811.  
SEQ ID NO: 277 is the determined cDNA sequence for clone 23812.  
15 SEQ ID NO: 278 is the determined cDNA sequence for clone 23813.  
SEQ ID NO: 279 is the determined cDNA sequence for clone 23815.  
SEQ ID NO: 280 is the determined cDNA sequence for clone 25298.  
SEQ ID NO: 281 is the determined cDNA sequence for clone 25299.  
SEQ ID NO: 282 is the determined cDNA sequence for clone 25300.  
20 SEQ ID NO: 283 is the determined cDNA sequence for clone 25301  
SEQ ID NO: 284 is the determined cDNA sequence for clone 25304  
SEQ ID NO: 285 is the determined cDNA sequence for clone 25309.  
SEQ ID NO: 286 is the determined cDNA sequence for clone 25312.  
SEQ ID NO: 287 is the determined cDNA sequence for clone 25317.  
25 SEQ ID NO: 288 is the determined cDNA sequence for clone 25321.  
SEQ ID NO: 289 is the determined cDNA sequence for clone 25323.  
SEQ ID NO: 290 is the determined cDNA sequence for clone 25327.  
SEQ ID NO: 291 is the determined cDNA sequence for clone 25328.  
SEQ ID NO: 292 is the determined cDNA sequence for clone 25332.  
30 SEQ ID NO: 293 is the determined cDNA sequence for clone 25333.  
SEQ ID NO: 294 is the determined cDNA sequence for clone 25336.

- SEQ ID NO: 295 is the determined cDNA sequence for clone 25340.  
SEQ ID NO: 296 is the determined cDNA sequence for clone 25342.  
SEQ ID NO: 297 is the determined cDNA sequence for clone 25356.  
SEQ ID NO: 298 is the determined cDNA sequence for clone 25357.  
5 SEQ ID NO: 299 is the determined cDNA sequence for clone 25361.  
SEQ ID NO: 300 is the determined cDNA sequence for clone 25363.  
SEQ ID NO: 301 is the determined cDNA sequence for clone 25397.  
SEQ ID NO: 302 is the determined cDNA sequence for clone 25402.  
SEQ ID NO: 303 is the determined cDNA sequence for clone 25403.  
10 SEQ ID NO: 304 is the determined cDNA sequence for clone 25405.  
SEQ ID NO: 305 is the determined cDNA sequence for clone 25407.  
SEQ ID NO: 306 is the determined cDNA sequence for clone 25409.  
SEQ ID NO: 307 is the determined cDNA sequence for clone 25396.  
SEQ ID NO: 308 is the determined cDNA sequence for clone 25414.  
15 SEQ ID NO: 309 is the determined cDNA sequence for clone 25410.  
SEQ ID NO: 310 is the determined cDNA sequence for clone 25406.  
SEQ ID NO: 311 is the determined cDNA sequence for clone 25306.  
SEQ ID NO: 312 is the determined cDNA sequence for clone 25362.  
SEQ ID NO: 313 is the determined cDNA sequence for clone 25360.  
20 SEQ ID NO: 314 is the determined cDNA sequence for clone 25398.  
SEQ ID NO: 315 is the determined cDNA sequence for clone 25355.  
SEQ ID NO: 316 is the determined cDNA sequence for clone 25351.  
SEQ ID NO: 317 is the determined cDNA sequence for clone 25331.  
SEQ ID NO: 318 is the determined cDNA sequence for clone 25338.  
25 SEQ ID NO: 319 is the determined cDNA sequence for clone 25335.  
SEQ ID NO: 320 is the determined cDNA sequence for clone 25329.  
SEQ ID NO: 321 is the determined cDNA sequence for clone 25324.  
SEQ ID NO: 322 is the determined cDNA sequence for clone 25322.  
SEQ ID NO: 323 is the determined cDNA sequence for clone 25319.  
30 SEQ ID NO: 324 is the determined cDNA sequence for clone 25316.  
SEQ ID NO: 325 is the determined cDNA sequence for clone 25311.

- SEQ ID NO: 326 is the determined cDNA sequence for clone 25310.  
SEQ ID NO: 327 is the determined cDNA sequence for clone 25302.  
SEQ ID NO: 328 is the determined cDNA sequence for clone 25315.  
SEQ ID NO: 329 is the determined cDNA sequence for clone 25308.  
5 SEQ ID NO: 330 is the determined cDNA sequence for clone 25303.  
SEQ ID NO: 331-337 are the cDNA sequences of isoforms of the p53 tumor suppressor homologue, p63 (also referred to as L530S).  
SEQ ID NO: 338-344 are the amino acid sequences encoded by SEQ ID NO: 331-337, respectively.  
10 SEQ ID NO: 345 is a second cDNA sequence for the antigen L763P.  
SEQ ID NO: 346 is the amino acid sequence encoded by the sequence of SEQ ID NO: 345.  
SEQ ID NO: 347 is a determined full-length cDNA sequence for L523S.  
SEQ ID NO: 348 is the predicted amino acid sequence encoded by SEQ ID NO: 347.  
15 SEQ ID NO: 349 is the cDNA sequence encoding the N-terminal portion of L773P.  
SEQ ID NO: 350 is the amino acid sequence of the N-terminal portion of L773P.

#### DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to  
20 compositions and methods for the therapy and diagnosis of cancer, such as lung cancer. The compositions described herein may include lung tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic  
25 portion) of a lung tumor protein or a variant thereof. A "lung tumor protein" is a protein that is expressed in lung tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain lung tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western  
30 blot) with antisera of a patient afflicted with lung cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of

such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery human lung tumor proteins. Sequences of polynucleotides encoding specific tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154,157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

#### LUNG TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a lung tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a lung tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a lung tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a lung tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the

encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native lung tumor protein or a portion thereof. The term “variants” also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be “identical” if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A “comparison window” as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20



positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native lung tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that

is at least two fold greater in a lung tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and  
5 Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as lung tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

10 An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a lung tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be  
15 preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with <sup>32</sup>P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured  
20 bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using  
25 a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be  
30 generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs

may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding portions of lung tumor proteins are provided in SEQ ID NO: 1-109, 111, 113, 115-151, 153,  
5 154,157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may  
10 also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a lung tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as  
15 T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a lung tumor polypeptide, and administering the transfected cells to the patient).

20 A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor  
25 protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to  
30 hybridize with a control region of a gene (e.g., promoter, enhancer or transcription

initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled  
5 with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*.  
10 Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

15 Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation  
20 vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to  
25 permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not  
30 limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). The polynucleotides may also be administered as naked

plasmid vectors. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

#### 15 LUNG TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a lung tumor protein or a variant thereof, as described herein. As noted above, a "lung tumor protein" is a protein that is expressed by lung tumor cells. Proteins that are lung tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with lung cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a lung tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may

contain a small N- and/or C-terminal deletion (e.g., 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-  
5 247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (i.e., they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins).  
10 Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native lung tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (e.g., in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is  
15 similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the  
20 sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, <sup>125</sup>I-labeled Protein A.

As noted above, a composition may comprise a variant of a native lung tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native lung tumor protein in one or more substitutions, deletions, additions  
25 and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above  
30 polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include

those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

5 Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydrophobic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydrophobic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the



polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above  
5 may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host  
10 cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or  
15 more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example,  
20 such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems  
25 Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known  
30 tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans,

or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be  
5 targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused  
10 protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase.  
15 This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is  
20 incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with  
25 the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S.  
30 Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second

polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med., 336:86-91, 1997*).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible

for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see* 5 *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides 10 as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is 15 considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

#### BINDING AGENTS

The present invention further provides agents, such as antibodies and 20 antigen-binding fragments thereof, that specifically bind to a lung tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a lung tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a lung tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association 25 between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding 30 constant for complex formation exceeds about  $10^3$  L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as lung cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a lung tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, sputum urine and/or tumor biopsies ) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically.

Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest  
5 may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as  
10 described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid  
15 cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

20 Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by  
25 conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be  
30 prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane,

*Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or  
5 more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include  $^{90}\text{Y}$ ,  $^{123}\text{I}$ ,  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{211}\text{At}$ , and  $^{212}\text{Bi}$ . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers  
10 include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a  
15 substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an  
20 antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents,  
25 which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups,  
30 sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.



A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody  
5 used, the antigen density on the tumor, and the rate of clearance of the antibody.

### T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a lung tumor protein. Such cells may generally be prepared *in vitro* or  
10 *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the Isolex™ System, available from Nexell Therapeutics, Inc. Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO  
15 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a lung tumor polypeptide, polynucleotide encoding a lung tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a  
20 time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a lung tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a lung tumor polypeptide if the T cells specifically proliferate, secrete cytokines or kill target cells coated with the  
25 polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et  
30 al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell

proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a lung tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a lung tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4<sup>+</sup> and/or CD8<sup>+</sup>. Lung tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4<sup>+</sup> or CD8<sup>+</sup> T cells that proliferate in response to a lung tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a lung tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a lung tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a lung tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

#### PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant

may be any substance that enhances or potentiates an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl.*

*Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 5 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier 10 will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. 15 For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (*e.g.*, polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres 20 are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (*e.g.*, neutral buffered saline or phosphate buffered saline), carbohydrates (*e.g.*, glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (*e.g.*, aluminum hydroxide) 25 and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a 30 substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A,

*Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA);  
5 aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

10           Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (*e.g.*, IFN- $\gamma$ , TNF $\alpha$ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (*e.g.*, IL-4, IL-5, IL-6 and IL-10) tend to favor the  
15 induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using  
20 standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt.  
25 MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (*see* US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555 and WO 99/33488. Immunostimulatory DNA sequences  
30 are also described, for example, by Sato et al., *Science* 273:352, 1996. Another preferred adjuvant is a saponin, preferably QS21 (Aquila Biopharmaceuticals Inc.,

Framingham, MA), which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with  
5 cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210.

Other preferred adjuvants include Montanide ISA 720 (Seppic, France),  
10 SAF (Chiron, California, United States), ISCOMS (CSL), MF-59 (Chiron), the SBAS series of adjuvants (*e.g.*, SBAS-2 or SBAS-4, available from SmithKline Beecham, Rixensart, Belgium), Detox (Ribi ImmunoChem Research Inc., Hamilton, MT), RC-529 (Ribi ImmunoChem Research Inc., Hamilton, MT) and Aminoalkyl glucosaminide 4-phosphates (AGPs).

15 Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient. The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides, for example) that effects a slow release of compound  
20 following administration). Such formulations may generally be prepared using well known technology (*see, e.g.* Coombes et al., *Vaccine* 14:1429-1438, 1996) and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained  
25 within a reservoir surrounded by a rate controlling membrane.

Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. Such carriers include microparticles of poly(lactide-co-glycolide), as well as polyacrylate, latex, starch, cellulose and dextran. Other delayed-  
30 release carriers include supramolecular biovectors, which comprise a non-liquid hydrophilic core (*e.g.*, a cross-linked polysaccharide or oligosaccharide) and, optionally,

an external layer comprising an amphiphilic compound, such as a phospholipid (*see e.g.*, U.S. Patent No. 5,151,254 and PCT applications WO 94/20078, WO/94/23701 and WO 96/06638). The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood,

bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF $\alpha$  to cultures of monocytes  
5 harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF $\alpha$ , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

10 Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which  
15 correlates with the high expression of Fc $\gamma$  receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

20 APCs may generally be transfected with a polynucleotide encoding a lung tumor protein (or portion or other variant thereof) such that the lung tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein.  
25 Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell*  
30 *Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the lung tumor polypeptide, DNA



(naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

Vaccines and pharmaceutical compositions may be presented in unit-dose or multi-dose containers, such as sealed ampoules or vials. Such containers are preferably hermetically sealed to preserve sterility of the formulation until use. In general, formulations may be stored as suspensions, solutions or emulsions in oily or aqueous vehicles. Alternatively, a vaccine or pharmaceutical composition may be stored in a freeze-dried condition requiring only the addition of a sterile liquid carrier immediately prior to use.

## 15 CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as lung cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8<sup>+</sup> cytotoxic T lymphocytes and CD4<sup>+</sup> T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast and/or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive

long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 25  $\mu$ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free

survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a lung tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using  
5 samples obtained from a patient before and after treatment.

#### METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more lung tumor proteins and/or polynucleotides encoding such proteins in a  
10 biological sample (for example, blood, sera, sputum urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as lung cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the  
15 biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a lung tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in  
20 the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c)  
25 comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding  
30 agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent

that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length lung tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 µg, and preferably about 100 ng to about 1 µg, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the

binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at  
5 A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody.  
10 Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to  
20 bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.,* incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with lung cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of  
25 that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

30 Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second

antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as lung cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered

positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

5           In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution  
10   containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent.  
15   Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the  
20   biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 $\mu$ g, and more preferably from about 50 ng to about  
25   500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to  
30   those of ordinary skill in the art that the above protocols may be readily modified to use lung tumor polypeptides to detect antibodies that bind to such polypeptides in a



biological sample. The detection of such lung tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a lung tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient is incubated with a lung tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of lung tumor polypeptide to serve as a control. For CD4<sup>+</sup> T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8<sup>+</sup> T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a lung tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a lung tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (i.e., hybridizes to) a polynucleotide encoding the lung tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a lung tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%,

preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a lung tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed  
5 herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a  
10 sequence recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

15 One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification  
20 may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered  
25 positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be  
30 performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the

level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor.

- 5 One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

- As noted above, to improve sensitivity, multiple lung tumor protein  
10 markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins  
15 provided herein may be combined with assays for other known tumor antigens.

#### DIAGNOSTIC KITS

- The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components  
20 necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a lung tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements,  
25 such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

- Alternatively, a kit may be designed to detect the level of mRNA encoding a lung tumor protein in a biological sample. Such kits generally comprise at  
30 least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a lung tumor protein. Such an oligonucleotide may be used,

for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a lung tumor protein.

The following Examples are offered by way of illustration and not by  
5 way of limitation.

EXAMPLE 1  
ISOLATION AND CHARACTERIZATION OF cDNA SEQUENCES  
ENCODING LUNG TUMOR POLYPEPTIDES

5

This example illustrates the isolation of cDNA molecules encoding lung tumor-specific polypeptides from lung tumor cDNA libraries.

A. ISOLATION OF cDNA SEQUENCES FROM A LUNG SQUAMOUS CELL  
10 CARCINOMA LIBRARY

A human lung squamous cell carcinoma cDNA expression library was constructed from poly A<sup>+</sup> RNA from a pool of two patient tissues using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD) following the manufacturer's protocol. Specifically, lung carcinoma  
15 tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A<sup>+</sup> RNA was then purified using an oligo dT cellulose column as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. First-strand cDNA was  
20 synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with BstXI/EcoRI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with cDNA size fractionation columns (BRL Life Technologies), the cDNA was ligated into the BstXI/NotI site of pcDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life  
25 Technologies) by electroporation.

Using the same procedure, a normal human lung cDNA expression library was prepared from a pool of four tissue specimens. The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The lung  
30 squamous cell carcinoma library contained  $2.7 \times 10^6$  independent colonies, with 100% of clones having an insert and the average insert size being 2100 base pairs. The normal

lung cDNA library contained  $1.4 \times 10^6$  independent colonies, with 90% of clones having inserts and the average insert size being 1800 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA

5 cDNA library subtraction was performed using the above lung squamous cell carcinoma and normal lung cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a lung squamous cell carcinoma-specific subtracted cDNA library was generated as follows. Normal tissue cDNA library (80  $\mu$ g) was digested with BamHI and XhoI, followed by a filling-in  
10 reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 133  $\mu$ l of H<sub>2</sub>O, heat-denatured and mixed with 133  $\mu$ l (133  $\mu$ g) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (67  $\mu$ l) was added  
15 and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23  $\mu$ l H<sub>2</sub>O to form the driver DNA.

To form the tracer DNA, 10  $\mu$ g lung squamous cell carcinoma cDNA library was digested with NotI and SpeI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech, Palo Alto, CA). Typically, 5  $\mu$ g of  
20 cDNA was recovered after the sizing column. Following ethanol precipitation, the tracer DNA was dissolved in 5  $\mu$ l H<sub>2</sub>O. Tracer DNA was mixed with 15  $\mu$ l driver DNA and 20  $\mu$ l of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and  
25 incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12  $\mu$ l H<sub>2</sub>O, mixed with 8  $\mu$ l driver DNA and 20  $\mu$ l of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After  
30 removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into NotI/SpeI site of chloramphenicol resistant pBCSK<sup>+</sup> (Stratagene, La Jolla, CA) and

transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a lung squamous cell carcinoma specific subtracted cDNA library (herein after referred to as "lung subtraction I").

A second lung squamous cell carcinoma specific subtracted cDNA library (referred to as "lung subtraction II") was generated in a similar way to the lung subtraction library I, except that eight frequently recovered genes from lung subtraction I were included in the driver DNA, and 24,000 independent clones were recovered.

To analyze the subtracted cDNA libraries, plasmid DNA was prepared from 320 independent clones, randomly picked from the subtracted lung squamous cell carcinoma specific libraries. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A and/or Model 377 (Foster City, CA). The cDNA sequences for sixty isolated clones are provided in SEQ ID NO: 1-60. These sequences were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). No significant homologies were found to the sequences provided in SEQ ID NO: 2, 3, 19, 38 and 46. The sequences of SEQ ID NO: 1, 6-8, 10-13, 15, 17, 18, 20-27, 29, 30, 32, 34-37, 39-45, 47-49, 51, 52, 54, 55 and 57-59 were found to show some homology to previously identified expressed sequence tags (ESTs). The sequences of SEQ ID NO: 9, 28, 31 and 33 were found to show some homology to previously identified non-human gene sequences and the sequences of SEQ ID NO: 4, 5, 14, 50, 53, 56 and 60 were found to show some homology to gene sequences previously identified in humans.

The subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and the above normal lung tissue cDNA library and a cDNA library from normal liver and heart (constructed from a pool of one sample of each tissue as described above), plus twenty other cDNA clones that were frequently recovered in lung subtractions I and II, as the driver DNA (lung subtraction III). The normal liver and heart cDNA library contained  $1.76 \times 10^6$  independent colonies, with 100% of clones having inserts and the average insert size being 1600 base pairs. Ten additional clones were isolated (SEQ ID NO: 61-70). Comparison of these cDNA sequences with those in the gene bank as described above,

revealed no significant homologies to the sequences provided in SEQ ID NO: 62 and 67. The sequences of SEQ ID NO: 61, 63-66, 68 and 69 were found to show some homology to previously isolated ESTs and the sequence provided in SEQ ID NO: 70 was found to show some homology to a previously identified rat gene.

5           In further studies, the subtraction procedure described above was repeated using the above lung squamous cell carcinoma cDNA library as the tracer DNA, and a cDNA library from a pool of normal lung, kidney, colon, pancreas, brain, resting PBMC, heart, skin and esophagus as the driver DNA, with esophagus cDNAs making up one third of the driver material. Since esophagus is enriched in normal  
10   epithelial cells, including differentiated squamous cells, this procedure is likely to enrich genes that are tumor specific rather than tissues specific. The cDNA sequences of 48 clones determined in this subtraction are provided in SEQ ID NO: 177-224. The sequences of SEQ ID NO: 177, 178, 180, 181, 183, 187, 192, 195-197, 208, 211, 212, 215, 216, 218 and 219 showed some homology to previously identified genes. The  
15   sequences of SEQ ID NO: 179, 182, 184-186, 188-191, 193, 194, 198-207, 209 210, 213, 214, 217, 220 and 224 showed some homology to previously determined ESTs. The sequence of SEQ ID NO: 221-223 showed no homology to any previously determined sequence.

## 20   B.   ISOLATION   OF   cDNA   SEQUENCES   FROM   A   LUNG ADENOCARCINOMA LIBRARY

A human lung adenocarcinoma cDNA expression library was constructed as described above. The library contained  $3.2 \times 10^6$  independent colonies, with 100% of clones having an insert and the average insert size being 1500 base pairs.  
25   Library subtraction was performed as described above using the normal lung and normal liver and heart cDNA expression libraries described above as the driver DNA. Twenty-six hundred independent clones were recovered.

Initial cDNA sequence analysis from 100 independent clones revealed many ribosomal protein genes. The cDNA sequences for fifteen clones isolated in this  
30   subtraction are provided in SEQ ID NO: 71-86. Comparison of these sequences with those in the gene bank as described above revealed no significant homologies to the



sequence provided in SEQ ID NO: 84. The sequences of SEQ ID NO: 71, 73, 74, 77, 78 and 80-82 were found to show some homology to previously isolated ESTs, and the sequences of SEQ ID NO: 72, 75, 76, 79, 83 and 85 were found to show some homology to previously identified human genes.

5           In further studies, a cDNA library (referred to as mets3616A) was constructed from a metastatic lung adenocarcinoma. The determined cDNA sequences of 25 clones sequenced at random from this library are provided in SEQ ID NO: 255-279. The mets3616A cDNA library was subtracted against a cDNA library prepared from a pool of normal lung, liver, pancreas, skin, kidney, brain and resting PBMC. To  
10   increase the specificity of the subtraction, the driver was spiked with genes that were determined to be most abundant in the mets3616A cDNA library, such as EF1-alpha, integrin-beta and anticoagulant protein PP4, as well as with cDNAs that were previously found to be differentially expressed in subtracted lung adenocarcinoma cDNA libraries. The determined cDNA sequences of 51 clones isolated from the  
15   subtracted library (referred to as mets3616A-S1) are provided in SEQ ID NO: 280-330.

          Comparison of the sequences of SEQ ID NO: 255-330 with those in the public databases revealed no significant homologies to the sequences of SEQ ID NO: 255-258, 260, 262-264, 270, 272, 275, 276, 279, 281, 287, 291, 296, 300 and 310. The sequences of SEQ ID NO: 259, 261, 265-269, 271, 273, 274, 277, 278, 282-285, 288-  
20   290, 292, 294, 297-299, 301, 303-309, 313, 314, 316, 320-324 and 326-330 showed some homology to previously identified gene sequences, while the sequences of SEQ ID NO: 280, 286, 293, 302, 310, 312, 315, 317-319 and 325 showed some homology to previously isolated expressed sequence tags (ESTs).

25

## EXAMPLE 2

### DETERMINATION OF TISSUE SPECIFICITY OF LUNG TUMOR POLYPEPTIDES

          Using gene specific primers, mRNA expression levels for seven  
30   representative lung tumor polypeptides described in Example 1 were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 2  $\mu$ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR,  $\beta$ -actin was used as an internal control for each of the tissues examined. 1  $\mu$ l of 1:30 dilution of cDNA was employed to enable the linear range amplification of the  $\beta$ -actin template and was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the  $\beta$ -actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in five different types of tumor tissue (lung squamous cell carcinoma from 3 patients, lung adenocarcinoma, colon tumor from 2 patients, breast tumor and prostate tumor), and thirteen different normal tissues (lung from 4 donors, prostate, brain, kidney, liver, ovary, skeletal muscle, skin, small intestine, stomach, myocardium, retina and testes). Using a 10-fold amount of cDNA, the antigen LST-S1-90 (SEQ ID NO: 3) was found to be expressed at high levels in lung squamous cell carcinoma and in breast tumor, and at low to undetectable levels in the other tissues examined.

The antigen LST-S2-68 (SEQ ID NO: 15) appears to be specific to lung and breast tumor, however, expression was also detected in normal kidney. Antigens LST-S1-169 (SEQ ID NO: 6) and LST-S1-133 (SEQ ID NO: 5) appear to be very abundant in lung tissues (both normal and tumor), with the expression of these two genes being decreased in most of the normal tissues tested. Both LST-S1-169 and LST-S1-133 were also expressed in breast and colon tumors. Antigens LST-S1-6 (SEQ ID NO: 7) and LST-S2-I2-5F (SEQ ID NO: 47) did not show tumor or tissue specific expression, with the expression of LST-S1-28 being rare and only detectable in a few tissues. The antigen LST-S3-7 (SEQ ID NO: 63) showed lung and breast tumor specific expression, with its message only being detected in normal testes when the PCR was performed for 30 cycles. Lower level expression was detected in some

normal tissues when the cycle number was increased to 35. Antigen LST-S3-13 (SEQ ID NO: 66) was found to be expressed in 3 out of 4 lung tumors, one breast tumor and both colon tumor samples. Its expression in normal tissues was lower compared to tumors, and was only detected in 1 out of 4 normal lung tissues and in normal tissues  
5 from kidney, ovary and retina. Expression of antigens LST-S3-4 (SEQ ID NO: 62) and LST-S3-14 (SEQ ID NO: 67) was rare and did not show any tissue or tumor specificity. Consistent with Northern blot analyses, the RT-PCT results on antigen LAT-S1-A-10A (SEQ ID NO: 78) suggested that its expression is high in lung, colon, stomach and small intestine tissues, including lung and colon tumors, whereas its expression was low  
10 or undetectable in other tissues.

A total of 2002 cDNA fragments isolated in lung subtractions I, II and III, described above, were colony PCR amplified and their mRNA expression levels in lung tumor, normal lung, and various other normal and tumor tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification  
15 products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization  
20 intensity. Seventeen non-redundant cDNA clones showed over-expression in lung squamous tumors, with expression in normal tissues tested (lung, skin, lymph node, colon, liver, pancreas, breast, heart, bone marrow, large intestine, kidney, stomach, brain, small intestine, bladder and salivary gland) being either undetectable, or 10-fold less compared to lung squamous tumors. The determined partial cDNA sequences for  
25 the clone L513S are provided in SEQ ID NO: 87 and 88; those for L514S are provided in SEQ ID NO: 89 and 90; those for L516S in SEQ ID NO: 91 and 92; that for L517S in SEQ ID NO: 93; that for L519S in SEQ ID NO: 94; those for L520S in SEQ ID NO: 95 and 96; those for L521S in SEQ ID NO: 97 and 98; that for L522S in SEQ ID NO: 99; that for L523S in SEQ ID NO: 100; that for L524S in SEQ ID NO: 101; that for  
30 L525S in SEQ ID NO: 102; that for L526S in SEQ ID NO: 103; that for L527S in SEQ ID NO: 104; that for L528S in SEQ ID NO: 105; that for L529S in SEQ ID NO: 106;

and those for L530S in SEQ ID NO: 107 and 108. Additionally, the full-length cDNA sequence for L530S is provided in SEQ ID NO: 151, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 152. L530S shows homology to a splice variant of a p53 tumor suppressor homologue, p63. The cDNA sequences of 7  
5 known isoforms of p63 are provided in SEQ ID NO: 331-337, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 338-344, respectively.

Due to polymorphisms, the clone L531S appears to have two forms. A first determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 109, with the corresponding predicted amino acid sequence being provided in SEQ ID NO:  
10 110. A second determined full-length cDNA sequence for L531S is provided in SEQ ID NO: 111, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 112. The sequence of SEQ ID NO: 111 is identical to that of SEQ ID NO: 109, except that it contains a 27 bp insertion. Similarly, L514S also has two alternatively spliced forms; the first variant cDNA is listed as SEQ ID NO: 153, with  
15 the corresponding amino acid sequence being provided in SEQ ID NO: 155. The second variant form of L514S full-length cDNA is provided in SEQ ID NO: 154, with its corresponding amino acid sequence being provided in SEQ ID NO: 156.

Full length cloning for L524S (SEQ ID NO: 101) yielded two variants (SEQ ID NO: 163 and 164) with the corresponding predicted amino acid sequences of  
20 SEQ ID NO: 165 and 166, respectively. Both variants have been shown to encode parathyroid hormone-related peptide.

Attempts to isolate the full-length cDNA for L519S, resulted in the isolation of the extended cDNA sequence provided in SEQ ID NO: 173, which contains a potential open reading frame. The predicted amino acid sequence encoded by the  
25 sequence of SEQ ID NO: 173 is provided in SEQ ID NO: 174. Additionally, the full-length cDNA sequence for the clone of SEQ ID NO: 100 (known as L523S), a known gene, is provided in SEQ ID NO: 175, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 176. In further studies, a full-length cDNA sequence for L523S was isolated from a L523S-positive tumor cDNA library by PCR  
30 amplification using gene specific primers designed from the sequence of SEQ ID NO: 175. The determined cDNA sequence is provided in SEQ ID NO: \*\*. The amino acid

sequence encoded by this sequence is provided in SEQ ID NO: \*\*. This protein sequence differs from the previously published protein sequence at two amino acid positions, namely at positions 158 and 410.

Comparison of the sequences of L514S and L531S (SEQ ID NO: 87 and 88, 89 and 90, and 109, respectively) with those in the gene bank, as described above, revealed no significant homologies to known sequences. The sequences of L513S, L516S, L517S, L519S, L520S and L530S (SEQ ID NO: 87 and 88, 91 and 92, 93, 94, 95 and 96, 107 and 108, respectively) were found to show some homology to previously identified ESTs. The sequences of L521S, L522S, L523S, L524S, L525S, L526S, L527S, L528S and L529S (SEQ ID NO: 97 and 98, 99, 99, 101, 102, 103, 104, 105, and 106, respectively) were found to represent known genes. The determined full-length cDNA sequences for L520S is provided in SEQ ID NO: 113, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 114. Subsequent microarray analysis has shown L520S to be overexpressed in breast tumors in addition to lung squamous tumors.

Further analysis has demonstrated that L529S (SEQ ID NO: 106 and 115), L525S (SEQ ID NO: 102 and 120) and L527S (SEQ ID NO: 104) are cytoskeletal components and potentially squamous cell specific proteins. L529S is connexin 26, a gap junction protein. It is highly expressed in lung squamous tumor 9688T, and moderately over-expressed in two others. However, lower level expression of connexin 26 is also detectable in normal skin, colon, liver and stomach. The over-expression of connexin 26 in some breast tumors has been reported and a mutated form of L529S may result in over-expression in lung tumors. L525S is plakophilin 1, a desmosomal protein found in plaque-bearing adhering junctions of the skin. Expression levels for L525S mRNA is highly elevated in three out of four lung squamous tumors tested, and in normal skin. L527S has been identified as keratin 6 isoform, type II 58 Kd keratin, and cytokeratin 13 and shows over-expression in squamous tumors and low expression in normal skin, breast and colon tissues. Notably, keratin and keratin-related genes have been extensively documented as potential markers for lung cancer including CYFRA2.1 (Pastor, A., et al, *Eur. Respir. J.*, 10:603-609, 1997). L513S (SEQ ID NO: 87 and 88)

shows moderate over-expression in several tumor tissues tested, and encodes a protein that was first isolated as a pemphigus vulgaris antigen.

L520S (SEQ ID NO: 95 and 96) and L521S (SEQ ID NO: 97 and 98) are highly expressed in lung squamous tumors, and L520S is up-regulated in normal salivary gland and L521S is over-expressed in normal skin. Both belong to a family of small proline rich proteins and represent markers for fully differentiated squamous cells. L521S has been described as a specific marker for lung squamous tumor (Hu, R., et al, *Lung Cancer*, 20:25-30, 1998). L515S (SEQ ID NO: 162) encodes IGF- $\beta$ 2 and L516S is an aldose reductase homologue and both are moderately expressed in lung squamous tumors and in normal colon. Notably, L516S (SEQ ID NO: 91 and 92) is up-regulated in metastatic tumors but not primary lung adenocarcinoma, an indication of its potential role in metatasis and a potential prognostic marker. L522S (SEQ ID NO: 99) is moderately over-expressed in lung squamous tumors with minimum expression in normal tissues. L522S has been shown to belong to a class IV alcohol dehydrogenase, ADH7, and its expression profile suggests it is a squamous cell specific antigen. L523S (SEQ ID NO: 100) is moderately over-expressed in lung squamous tumor, human pancreatic cancer cell lines and pancreatic cancer tissues, suggesting this gene may be a shared antigen between pancreatic and lung squamous cell cancer.

L524S (SEQ ID NO: 101) is over-expressed in the majority of squamous tumors tested and is homologous with parathyroid hormone-related peptide (PTHrP), which is best known to cause humoral hypercalcaemia associated with malignant tumors such as leukemia, prostate and breast cancer. It is also believed that PTHrP is most commonly associated with squamous carcinoma of lung and rarely with lung adenocarcinoma (Davidson, L.A., et al, *J. Pathol.*, 178: 398-401, 1996). L528S (SEQ ID NO: 105) is highly over-expressed in two lung squamous tumors with moderate expression in two other squamous tumors, one lung adenocarcinoma and some normal tissues, including skin, lymph nodes, heart, stomach and lung. It encodes the NMB gene that is similar to the precursor of melanocyte specific gene Pmel17, wfhich is reported to be preferentially expressed in low-metastatic potential melanoma cell lines. This suggests that L528S may be a shared antigen in both melanoma and lung squamous cell carcinoma. L526S (SEQ ID NO: 103) is overexpressed in all lung

squamous cell tumor tissues tested and has been shown to share homology with a gene (ATM) in which a mutation causes ataxia telangiectasia, a genetic disorder in humans causing a predisposition to cancer, among other symptoms. ATM encodes a protein that activates p53 mediated cell-cycle checkpoint through direct binding and phosphorylation of the p53 molecule. Approximately 40% of lung cancer is associated with p53 mutations, and it is speculated that over-expression of ATM is a result of compensation for loss of p53 function, but it is unknown whether over-expression is the cause of result of lung squamous cell carcinoma. Additionally, expression of L526S (ATM) is also detected in a metastatic but not lung adenocarcinoma, suggesting a role in metastasis.

Expression of L523S (SEQ ID NO: 175), was also examined by real time RT-PCR as described above. In a first study using a panel of lung squamous tumors, L523S was found to be expressed in 4/7 lung squamous tumors, 2/3 head and neck squamous tumors and 2/2 lung adenocarcinomas, with low level expression being observed in skeletal muscle, soft palate and tonsil. In a second study using a lung adenocarcinoma panel, expression of L523S was observed in 4/9 primary adenocarcinomas, 2/2 lung pleural effusions, 1/1 metastatic lung adenocarcinomas and 2/2 lung squamous tumors, with little expression being observed in normal tissues.

Expression of L523S in lung tumors and various normal tissues was also examined by Northern blot analysis, using standard techniques. In a first study, L523S was found to be expressed in a number of lung adenocarcinomas and squamous cell carcinomas, as well as normal tonsil. No expression was observed in normal lung. In a second study using a normal tissue blot (HB-12) from Clontech, no expression was observed in brain, skeletal muscle, colon, thymus, spleen, kidney, liver, small intestine, lung or PBMC, although there was strong expression in placenta.

### EXAMPLE 3

#### ISOLATION AND CHARACTERIZATION OF LUNG TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

Eight hundred and fifty seven clones from a cDNA subtraction library, containing cDNA from a pool of two human lung squamous tumors subtracted against eight normal human tissue cDNAs including lung, PBMC, brain, heart, kidney, liver, pancreas, and skin, (Clontech, Palo Alto, CA) were derived and submitted to a first round of PCR amplification. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector P7- Adv vector (Clontech, Palo Alto, CA) and transformed into DH5 $\alpha$  *E. coli* (Gibco, BRL). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

One hundred and sixty two positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the the EMBL and GenBank databases, as described above, revealed no significant homologies to 13 of these clones, hereinafter referred to as Contigs 13, 16, 17, 19, 22, 24, 29, 47, 49, 56-59. The determined cDNA sequences for these clones are provided in SEQ ID NO: 125, 127-129, 131-133, 142, 144, 148-150, and 157, respectively. Contigs 1, 3-5, 7-10, 12, 11, 15, 20, 31, 33, 38, 39, 41, 43, 44, 45, 48, 50, 53, 54 (SEQ ID NO: 115-124, 126, 130, 134-141, 143, 145-147, respectively) were found to show some degree of homology to previously identified DNA sequences. Contig 57 (SEQ ID NO: 149) was found to represent the clone L519S (SEQ ID NO: 94) disclosed in US. Patent Application No. 09/123,912, filed July 27, 1998. To the best of the inventors' knowledge, none of these sequences have been previously shown to be differentially over-expressed in lung tumors.

mRNA expression levels for representative clones in lung tumor tissues, normal lung tissues (n=4), resting PBMC, salivary gland, heart, stomach, lymph nodes, skeletal muscle, soft palate, small intestine, large intestine, bronchial, bladder, tonsil, kidney, esophagus, bone marrow, colon, adrenal gland, pancreas, and skin, (all derived from human) were determined by RT-PCR as described above. Expression levels using microarray technology, as described above, were examined in one sample of each tissue type unless otherwise indicated.



Contig 3 (SEQ ID NO: 116) was found to be highly expressed in all head and neck squamous cell tumors tested (17/17), and expressed in the majority (8/12) of lung squamous tumors, (high expression in 7/12, moderate in 2/12, and low in 2/12), while showing negative expression for 2/4 normal lung tissues and low expression in the remaining two samples. Contig 3 showed moderate expression in skin and soft palate, and lowered expression levels in resting PBMC, large intestine, salivary gland, tonsil, pancreas, esophagus, and colon. Contig 11 (SEQ ID NO: 124) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 14/17, and moderately expressed in 3/17. Additionally, expression in lung squamous tumors showed high expression in 3/12 and moderate in 4/12. Contig 11 was negative for 3/4 normal lung samples, with the remaining sample having only low expression. Contig 11 showed low to moderate reactivity to salivary gland, soft palate, bladder, tonsil, skin, esophagus, and large intestine. Contig 13 (SEQ ID NO: 125) was found to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 12/17, and moderately expressed in 5/17. Contig 13 was expressed in 7/12 lung squamous tumors, with high expression in 4/12 and moderate expression in three samples. Analysis of normal lung samples showed negative expression for 2/4 and low to moderate expression in the remaining two samples. Contig 13 did show low to moderate reactivity to resting PBMC, salivary gland, bladder, pancreas, tonsil, skin, esophagus, and large intestine, as well as high expression in soft palate. Contig 16 (SEQ ID NO: 127) was found to be moderately expressed in some head and neck squamous cell tumors (6/17) and one lung squamous tumor; while showing no expression in any normal lung samples tested. Contig 16 did show low reactivity to resting PBMC, large intestine, skin, salivary gland, and soft palate. Contig 17 (SEQ ID NO: 128) was shown to be expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 5/17, and moderately expressed in 12/17. Expression levels in lung squamous tumors showed one tumor sample with high expression and 3/12 with moderate levels. Contig 17 was negative for 2/4 normal lung samples, with the remaining samples having only low expression. Additionally, low level expression was found in esophagus and soft palate. Contig 19 (SEQ ID NO: 129) was found to be expressed in most head and neck squamous cell tumors tested (11/17); with two

samples having high levels, 6/17 showing moderate expression, and low expression being found in 3/17. Testing in lung squamous tumors revealed only moderate expression in 3/12 samples. Expression levels in 2/4 of normal lung samples were negative, the two other samples having only low expression. Contig 19 showed low expression levels in esophagus, resting PBMC, salivary gland, bladder, soft palate and pancreas.

Contig 22 (SEQ ID NO: 131), was shown to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in four of these samples, moderate expression in 6/17, and low expression in 3/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression in two normal lung samples and low expression in two other samples (n=4). Contig 22 showed low expression in skin, salivary gland and soft palate. Similarly, Contig 24 (SEQ ID NO: 132) was found to be expressed in most head and neck squamous cell tumors tested (13/17) with high expression in three of these samples, moderate expression in 6/17, and low expression in 4/17. Expression levels in lung squamous tumors were found to be moderate to high for 3/12 tissues tested, with negative expression for three normal lung samples and low expression in one sample (n=4). Contig 24 showed low expression in skin, salivary gland and soft palate. Contig 29 (SEQ ID NO: 133) was expressed in nearly all head and neck squamous cell tumors tested (16/17): highly expressed in 4/17, moderately expressed in 11/17, with low expression in one sample. Also, it was moderately expressed in 3/12 lung squamous tumors, while being negative for 2/4 normal lung samples. Contig 29 showed low to moderate expression in large intestine, skin, salivary gland, pancreas, tonsil, heart and soft palate. Contig 47 (SEQ ID NO: 142) was expressed in most head and neck squamous cell tumors tested (12/17): moderate expression in 10/17, and low expression in two samples. In lung squamous tumors, it was highly expressed in one sample and moderately expressed in two others (n=13). Contig 47 was negative for 2/4 normal lung samples, with the remaining two samples having moderate expression. Also, Contig 47 showed moderate expression in large intestine, and pancreas, and low expression in skin, salivary gland, soft palate, stomach, bladder, resting PBMC, and tonsil.

Contig 48 (SEQ ID NO: 143) was expressed in all head and neck squamous cell tumors tested (17/17): highly expressed in 8/17 and moderately expressed in 7/17, with low expression in two samples. Expression levels in lung squamous tumors were high to moderate in three samples (n=13). Contig 48 was negative for one out of four normal lung samples, the remaining showing low or moderate expression. Contig 48 showed moderate expression in soft palate, large intestine, pancreas, and bladder, and low expression in esophagus, salivary gland, resting PBMC, and heart. Contig 49 (SEQ ID NO: 144) was expressed at low to moderate levels in 6/17 head and neck squamous cell tumors tested. Expression levels in lung squamous tumors were moderate in three samples (n=13). Contig 49 was negative for 2/4 normal lung samples, the remaining samples showing low expression. Moderate expression levels in skin, salivary gland, large intestine, pancreas, bladder and resting PBMC were shown, as well as low expression in soft palate, lymph nodes, and tonsil. Contig 56 (SEQ ID NO: 148) was expressed in low to moderate levels in 3/17 head and neck squamous cell tumors tested, and in lung squamous tumors, showing low to moderate levels in three out of thirteen samples. Notably, low expression levels were detected in one adenocarcinoma lung tumor sample (n=2). Contig 56 was negative for 3/4 normal lung samples, and showed moderate expression levels in only large intestine, and low expression in salivary gland, soft palate, pancreas, bladder, and resting PBMC. Contig 58, also known as L769P, (SEQ ID NO: 150) was expressed at moderate levels in 11/17 head and neck squamous cell tumors tested and low expression in one additional sample. Expression in lung squamous tumors showed low to moderate levels in three out of thirteen samples. Contig 58 was negative for 3/4 normal lung samples, with one sample having low expression. Moderate expression levels in skin, large intestine, and resting PBMC were demonstrated, as well as low expression in salivary gland, soft palate, pancreas, and bladder. Contig 59 (SEQ ID NO: 157) was expressed in some head, neck, and lung squamous tumors. Low level expression of Contig 59 was also detected in salivary gland and large intestine.

The full-length cDNA sequence for Contig 22, also referred to as L763P, is provided in SEQ ID NO: 158, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 159. Real-time RT-PCR analysis of L763P revealed

that it is highly expressed in 3/4 lung squamous tumors as well as 4/4 head and neck squamous tumors, with low level expression being observed in normal brain, skin, soft pallet and trachea. Subsequent database searches revealed that the sequence of SEQ ID NO: 158 contains a mutation, resulting in a frameshift in the corresponding protein sequence. A second cDNA sequence for L763P is provided in SEQ ID NO: 345, with the corresponding amino acid sequence being provided in SEQ ID NO: 346. The sequences of SEQ ID NO: 159 and 346 are identical with the exception of the C-terminal 33 amino acids of SEQ ID NO: 159.

The full-length cDNA sequence incorporating Contigs 17, 19, and 24, referred to as L762P, is provided in SEQ ID NO: 160, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 161. Further analysis of L762P has determined it to be a type I membrane protein and two additional variants have been sequenced. Variant 1 (SEQ ID NO: 167, with the corresponding amino acid sequence in SEQ ID NO: 169) is an alternatively spliced form of SEQ ID NO: 160 resulting in deletion of 503 nucleotides, as well as deletion of a short segment of the expressed protein. Variant 2 (SEQ ID NO: 168, with the corresponding amino acid sequence in SEQ ID NO: 170) has a two nucleotide deletion at the 3' coding region in comparison to SEQ ID NO: 160, resulting in a secreted form of the expressed protein. Real-time RT-PCR analysis of L762P revealed that is over-expressed in 3/4 lung squamous tumors and 4/4 head & neck tumors, with low level expression being observed in normal skin, soft pallet and trachea.

The full-length cDNA sequence for contig 56 (SEQ ID NO: 148), also referred to as L773P, is provided in SEQ ID NO: 171, with the predicted amino acid sequence in SEQ ID NO: 172. L773P was found to be identical to dihydroxyl dehydrogenase at the 3' portion of the gene, with divergent 5' sequence. As a result, the 69 N-terminal amino acids are unique. The cDNA sequence encoding the 69 N-terminal amino acids is provided in SEQ ID NO: 349, with the N-terminal amino acid sequence being provided in SEQ ID NO: 350. Real-time PCR revealed that L773P is highly expressed in lung squamous tumor and lung adenocarcinoma, with no detectable expression in normal tissues. Subsequent Northern blot analysis of L773P demonstrated that this transcript is differentially over-expressed in squamous tumors

and detected at approximately 1.6 Kb in primary lung tumor tissue and approximately 1.3 Kb in primary head and neck tumor tissue.

Subsequent microarray analysis has shown Contig 58, also referred to as L769S (SEQ ID NO: 150), to be overexpressed in breast tumors in addition to lung  
5 squamous tumors.

#### EXAMPLE 4

##### SYNTHESIS OF POLYPEPTIDES

10 Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems Division 430A peptide synthesizer using FMOC chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide.  
15 Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse  
20 phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

25

#### EXAMPLE 5

##### PREPARATION OF ANTIBODIES AGAINST LUNG CANCER ANTIGENS

Polyclonal antibodies against the lung cancer antigens L514S, L528S and L531S (SEQ ID NO: 155, 225 and 112, respectively) were prepared as follows.

30

Rabbits were immunized with recombinant protein expressed in and purified from *E. coli* as described above. For the initial immunization, 400 µg of

antigen combined with muramyl dipeptide (MDP) was injected subcutaneously (S.C.). Animals were boosted S.C. 4 weeks later with 200 µg of antigen mixed with incomplete Freund's Adjuvant (IFA). Subsequent boosts of 100 µg of antigen mixed with IFA were injected S.C. as necessary to induce high antibody titer responses. Serum bleeds  
5 from immunized rabbits were tested for antigen-specific reactivity using ELISA assays with purified protein. Polyclonal antibodies against L514S, L528S and L531S were affinity purified from high titer polyclonal sera using purified protein attached to a solid support.

Immunohistochemical analysis using polyclonal antibodies against  
10 L514S was performed on a panel of 5 lung tumor samples, 5 normal lung tissue samples and normal colon, kidney, liver, brain and bone marrow. Specifically, tissue samples were fixed in formalin solution for 24 hours and embedded in paraffin before being sliced into 10 micron sections. Tissue sections were permeabilized and incubated with antibody for 1 hr. HRP-labeled anti-mouse followed by incubation with DAB  
15 chromogen was used to visualize L514S immunoreactivity. L514S was found to be highly expressed in lung tumor tissue with little or no expression being observed in normal lung, brain or bone marrow. Light staining was observed in colon and kidney. Staining was seen in normal liver but no mRNA has been detected in this tissue making this result suspect.

20

## EXAMPLE 6

### PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

Immunogenic peptides from the lung cancer antigen L762P (SEQ ID  
25 NO: 161) for HLA-A2/K<sup>b</sup>-restricted CD8<sup>+</sup> T cells were identified as follows.

The location of HLA-A2 binding peptides within the lung cancer antigen L762P (SEQ ID NO: 161) was predicted using a computer program which predicts peptides sequences likely to being to HLA-A\*0201 by fitting to the known peptide binding motif for HLA-A\*0201 (Rupert *et al.* (1993) *Cell* 74:929; Rammensee *et al.*  
30 (1995) *Immunogenetics* 41:178-228). A series of 19 synthetic peptides corresponding to a selected subset of the predicted HLA-A\*0201 binding peptides was prepared as described above.

Mice expressing the transgene for human HLA A2/K<sup>b</sup> (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with the synthetic peptides, as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with  
5 50µg of L726P peptide and 120µg of an I-A<sup>b</sup> binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared. Cells were then resuspended at  $7 \times 10^6$  cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL),  
10 non-essential amino acids (Gibco BRL),  $2 \times 10^{-5}$  M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) L762P peptide- (5µg/ml) and 10mg/ml B<sub>2</sub>-microglobulin- (3 µg/ml) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). After six days, cells ( $5 \times 10^5$ /ml) were restimulated with  $2.5 \times 10^6$ /ml  
15 peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and  $5 \times 10^6$ /ml irradiated (3000 rads) A2/K<sup>b</sup>-transgenic spleen feeder cells. Cells were cultured in the presence of 10U/ml IL-2. Cells were restimulated on a weekly basis as described, in preparation for cloning the line.

Peptide-specific cell lines were cloned by limiting dilution analysis with  
20 irradiated (20,000 rads) L762P peptide-pulsed EL4 A2Kb tumor cells ( $1 \times 10^4$  cells/well) as stimulators and irradiated (3000 rads) A2/K<sup>b</sup>-transgenic spleen cells as feeders ( $5 \times 10^5$  cells/ well) grown in the presence of 10U/ml IL-2. On day 7, cells were restimulated as before. On day 14, clones that were growing were isolated and maintained in culture.

25 Cell lines specific for L762P-87 (SEQ ID NO: 226; corresponding to amino acids 87-95 of SEQ ID NO: 161), L726P-145 (SEQ ID NO: 227; corresponding to amino acids 145-153 of SEQ ID NO: 161), L726P-585 (SEQ ID NO: 228; corresponding to amino acids 585-593 of SEQ ID NO: 161), L762P-425 (SEQ ID NO: 229; corresponding to amino acids 425-433 of SEQ ID NO: 161), L762P(10)-424 (SEQ  
30 ID NO: 230; corresponding to amino acids 424-433 of SEQ ID NO: 161) and L762P(10)-458 (SEQ ID NO: 231; corresponding to amino acids 458-467 of SEQ ID

NO: 161) demonstrated significantly higher reactivity (as measured by percent specific lysis) against L762P peptide-pulsed EL4-A2/K<sup>b</sup> tumor target cells than control peptide-pulsed EL4-A2/K<sup>b</sup> tumor target cells.

5

## EXAMPLE 7

IDENTIFICATION OF CD4 IMMUNOGENIC T CELL EPITOPES DERIVED  
FROM THE LUNG CANCER ANTIGEN L762P

CD4 T cell lines specific for the antigen L762P (SEQ ID NO: 161) were  
10 generated as follows.

A series of 28 overlapping peptides were synthesized that spanned approximately 50% of the L762P sequence. For priming, peptides were combined into pools of 4-5 peptides, pulsed at 20 micrograms/ml into dendritic cells for 24 hours. The dendritic cells were then washed and mixed with positively selected CD4<sup>+</sup> T cells in 96  
15 well U-bottomed plates. Forty cultures were generated for each peptide pool. Cultures were restimulated weekly with fresh dendritic cells loaded with peptide pools. Following a total of 3 stimulation cycles, cells were rested for an additional week and tested for specificity to antigen presenting cells (APC) pulsed with peptide pools using interferon-gamma ELISA and proliferation assays. For these assays, adherent  
20 monocytes loaded with either the relevant peptide pool or an irrelevant peptide were used as APC. T cell lines that appeared to specifically recognize L762P peptide pools both by cytokine release and proliferation were identified for each pool. Emphasis was placed on identifying T cells with proliferative responses. T cell lines that demonstrated either both L762P-specific cytokine secretion and proliferation, or strong proliferation  
25 alone were further expanded to be tested for recognition of individual peptides from the pools, as well as for recognition of recombinant L762P. The source of recombinant L762P was *E. coli*, and the material was partially purified and endotoxin positive. These studies employed 10 micrograms of individual peptides, 10 or 2 micrograms of an irrelevant peptide, and 2 or 0.5 micrograms of either L762P protein or an irrelevant,  
30 equally impure, *E. coli* generated recombinant protein. Significant interferon-gamma production and CD4 T cell proliferation was induced by a number of L762P-derived



peptides in each pool. The amino acid sequences for these peptides are provided in SEQ ID NO: 232-251. These peptides correspond to amino acids 661-680, 676-696, 526-545, 874-893, 811-830, 871-891, 856-875, 826-845, 795-815, 736-755, 706-725, 706-725, 691-710, 601-620, 571-590, 556-575, 616-635, 646-665, 631-650, 541-560  
5 and 586-605, respectively, of SEQ ID NO: 161.

CD4 T cell lines that demonstrated specificity for individual L762P-derived peptides were further expanded by stimulation with the relevant peptide at 10 micrograms/ml. Two weeks post-stimulation, T cell lines were tested using both proliferation and IFN-gamma ELISA assays for recognition of the specific peptide. A  
10 number of previously identified T cells continued to demonstrate L762P-peptide specific activity. Each of these lines was further expanded on the relevant peptide and, following two weeks of expansion, tested for specific recognition of the L762P-peptide in titration experiments, as well as for recognition of recombinant *E. coli*-derived L762P protein. For these experiments, autologous adherent monocytes were pulsed with either  
15 the relevant L762P-derived peptide, an irrelevant mammaglobin-derived peptide, recombinant *E. coli*-derived L762P (approx. 50% pure), or an irrelevant *E. coli*-derived protein. The majority of T cell lines were found to show low affinity for the relevant peptide, since specific proliferation and IFN-gamma ratios dramatically decreased as L762P peptide was diluted. However, four lines were identified that demonstrated  
20 significant activity even at 0.1 micrograms/ml peptide. Each of these lines (referred to as A/D5, D/F5, E/A7 and E/B6) also appeared to specifically proliferate in response to the *E. coli*-derived L762P protein preparation, but not in response to the irrelevant protein preparation. The amino acid sequences of the L762P-derived peptides recognized by these lines are provided in SEQ ID NO: 234, 249, 236 and 245,  
25 respectively. No protein specific IFN-gamma was detected for any of the lines. Lines A/D5, E/A7 and E/B6 were cloned on autologous adherent monocytes pulsed with the relevant peptide at 0.1 (A/D5 and E/A7) or 1 (D/F5) microgram/ml. Following growth, clones were tested for specificity for the relevant peptide. Numerous clones specific for the relevant peptide were identified for lines A/D5 and E/A7.

## EXAMPLE 8

## PROTEIN EXPRESSION OF LUNG TUMOR-SPECIFIC ANTIGENS

5 a) Expression of L514S in *E. coli*

The lung tumor antigen L514S (SEQ ID NO: 89) was subcloned into the expression vector pE32b at NcoI and NotI sites, and transformed into *E. coli* using standard techniques. The protein was expressed from residues 3-153 of SEQ ID NO: 89. The expressed amino acid sequence and the corresponding DNA sequence are  
10 provided in SEQ ID NO: 252 and 253, respectively.

b) Expression of L762P

Amino acids 32-944 of the lung tumor antigen L762P (SEQ ID NO: 161), with a 6X His Tag, were subcloned into a modified pET28 expression vector,  
15 using kanamycin resistance, and transformed into BL21 CodonPlus using standard techniques. Low to moderate levels of expression were observed. The determined DNA sequence of the L762P expression construct is provided in SEQ ID NO: 254.

From the foregoing it will be appreciated that, although specific  
20 embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.

## CLAIMS

1. An isolated polypeptide, comprising at least an  
5 immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor  
protein comprises an amino acid sequence that is encoded by a polynucleotide sequence  
selected from the group consisting of:

(a) sequences recited in SEQ ID NO: 1-3, 6-8, 10-13, 15-  
27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78,  
10 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133,  
142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175,  
179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214,  
217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-  
281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317,  
15 323, 345, 347 and 349;

(b) sequences that hybridize to a sequence recited in any  
one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52,  
54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109,  
111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154,  
20 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191,  
193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258,  
260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295,  
296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 under  
moderately stringent conditions; and

25 (c) complements of sequences of (a) or (b).

2. An isolated polypeptide according to claim 1,  
wherein the polypeptide comprises an amino acid sequence that is encoded by a  
polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29,  
30 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-  
109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158,

160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences.

5

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 110, 112, 114, 152, 155, 156, 159, 161, 165, 166, 169, 170, 172, 174, 176, 226-252, 346, 348 and 350.

4. An isolated polynucleotide encoding at least 15 amino acid  
10 residues of a lung tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29,  
15 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a  
20 complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NO:  
25 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317,  
30 323, 345, 347 and 349 or a complement of any of the foregoing sequences.

6. An isolated polynucleotide, comprising a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

7. An isolated polynucleotide, comprising a sequence that hybridizes to a sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349\_ under moderately stringent conditions.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector, comprising a polynucleotide according to any one of claims claim 4-8.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a lung tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84,

86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and  
5 349\_ or a complement of any of the foregoing polynucleotide sequences.

12. A fusion protein, comprising at least one polypeptide according to claim 1.

10 13. A fusion protein according to claim 12, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

14. A fusion protein according to claim 12, wherein the fusion  
15 protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

15 15. A fusion protein according to claim 12, wherein the fusion protein comprises an affinity tag.

20

16. An isolated polynucleotide encoding a fusion protein according to claim 12.

17. A pharmaceutical composition, comprising a physiologically  
25 acceptable carrier and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- 30 (e) a polynucleotide according to claim 16.

18. A vaccine comprising an immunostimulant and at least one component selected from the group consisting of:

- (a) a polypeptide according to claim 1;
- 5 (b) a polynucleotide according to claim 4;
- (c) an antibody according to claim 11;
- (d) a fusion protein according to claim 12; and
- (e) a polynucleotide according to claim 16.

10 19. A vaccine according to claim 18, wherein the immunostimulant is an adjuvant.

20. A vaccine according to any claim 18, wherein the immunostimulant induces a predominantly Type I response.

15

21. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 17.

20 22. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 18.

23. A pharmaceutical composition comprising an antigen-presenting  
25 cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

30

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

5 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171,  
10 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii);  
in combination with an immunostimulant.

15 26. A vaccine according to claim 25, wherein the immunostimulant is an adjuvant.

27. A vaccine according to claim 25, wherein the immunostimulant induces a predominantly Type I response.

20

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient,  
25 comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

30 (a) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and



349;

(b) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(c) complements of sequences of (i) or (ii) encoded by a polynucleotide recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and thereby inhibiting the development of a cancer in the patient.

30. A method according to claim 29, wherein the antigen-presenting cell is a dendritic cell.

31. A method according to any one of claims 21, 22 and 29, wherein the cancer is lung cancer.

32. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349; and

(ii) complements of the foregoing polynucleotides; wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the antigen from the sample.

33. A method according to claim 32, wherein the biological sample is blood or a fraction thereof.

34. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 32.

5

35. A method for stimulating and/or expanding T cells specific for a lung tumor protein, comprising contacting T cells with at least one component selected from the group consisting of:

(a) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(ii) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(iii) complements of sequences of (i) or (ii);

(b) polynucleotides encoding a polypeptide of (a); and

(c) antigen presenting cells that express a polypeptide of (a);

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

25

36. An isolated T cell population, comprising T cells prepared according to the method of claim 35.

37. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 36.

30

38. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient  
5 with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

10 (1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;

(2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158,  
15 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and

(3) complements of sequences of (1) or (2);  
(ii) polynucleotides encoding a polypeptide of (i); and  
(iii) antigen presenting cells that expresses a polypeptide of  
20 (i);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

25 39. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with at least one component selected from the group consisting of:

(i) polypeptides comprising at least an immunogenic portion  
30 of a lung tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence

selected from the group consisting of:

- (1) sequences recited in SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349;
- 5 (2) sequences that hybridize to a sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 under moderately stringent conditions; and
- (3) complements of sequences of (1) or (2);
- 10 (ii) polynucleotides encoding a polypeptide of (i); and
- (iii) antigen presenting cells that express a polypeptide of (i);  
such that T cells proliferate;
- (b) cloning at least one proliferated cell to provide cloned T cells;
- and
- 15 (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

40. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 20 (a) contacting a biological sample obtained from a patient with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the
- 25 foregoing polynucleotide sequences;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

30

41. A method according to claim 40, wherein the binding agent is an

antibody.

42. A method according to claim 43, wherein the antibody is a monoclonal antibody.

5

43. A method according to claim 40, wherein the cancer is lung cancer.

44. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347 and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

45. A method according to claim 44, wherein the binding agent is an antibody.

46. A method according to claim 45, wherein the antibody is a monoclonal antibody.

30

47. A method according to claim 44, wherein the cancer is a lung

cancer.

48. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- 5 (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347  
10 and 349 or a complement of any of the foregoing polynucleotide sequences;
- (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and
- (c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the  
15 presence or absence of a cancer in the patient.

49. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

20

50. A method according to claim 48, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

25 51. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

- (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a  
30 polynucleotide sequence recited in any one of SEQ ID NO: 1-109, 111, 113, 115-151, 153, 154, 157, 158, 160, 162-164, 167, 168, 171, 173, 175, 177-224, 255-337, 345, 347

and 349 or a complement of any of the foregoing polynucleotide sequences;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained  
5 from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

10 52. A method according to claim 51, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

53. A method according to claim 51, wherein the amount of  
15 polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

54. A diagnostic kit, comprising:

(a) one or more antibodies according to claim 11; and  
20 (b) a detection reagent comprising a reporter group.

55. A kit according to claim 54, wherein the antibodies are immobilized on a solid support.

25 56. A kit according to claim 54, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

57. A kit according to claim 54, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent  
30 groups, enzymes, biotin and dye particles.

58. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a lung tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349 or a complement of any of the foregoing polynucleotides.

59. A oligonucleotide according to claim 58, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NO: 1-3, 6-8, 10-13, 15-27, 29, 30, 32, 34-49, 51, 52, 54, 55, 57-59, 61-69, 71, 73, 74, 77, 78, 80-82, 84, 86-96, 107-109, 111, 113, 125, 127, 128, 129, 131-133, 142, 144, 148-151, 153, 154, 157, 158, 160, 167, 168, 171, 173, 175, 179, 182, 184-186, 188-191, 193, 194, 198-207, 209, 210, 213, 214, 217, 220-224, 253, 254-258, 260, 262-264, 270, 272, 275, 276, 279-281, 286, 287, 291, 293, 295, 296, 300, 302, 308-310, 313, 315-317, 323, 345, 347 and 349.

20

60. A diagnostic kit, comprising:

(a) an oligonucleotide according to claim 59; and

(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

25



## SEQUENCE LISTING

<110> Corixa Corporation et al.

<120> COMPOUNDS AND METHODS FOR THERAPY  
AND DIAGNOSIS OF LUNG CANCER

<130> 210121.45501PC

<140> PCT

<141> 2000-04-03

<160> 350

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 315

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(315)

<223> n = A,T,C or G

<400> 1

gcagagacag	actggtggtt	gaacctggag	gtgccaaaaa	agccagctgc	gggccaggga	60
cagctgccgt	gagactcccg	atgtcacagg	cagtctgtgt	ggttacagcg	cccctcagtg	120
ttcatctcca	gcagagacaa	cggaggaggc	tcccaccagg	acggttctca	ttatttatat	180
gttaatatgt	ttgtaaactc	atgtacagtt	ttttttgggg	gggaagcaat	gggaanggta	240
naaattacaa	atagaatcat	ttgctgtaat	ccttaaattg	caaacgggtca	ggccacgtga	300
aaaaaaaaaa	aaaaaa					315

<210> 2

<211> 380

<212> DNA

<213> Homo sapien

<400> 2

atttaggctt	aagattttgt	ttacccttgt	tactaaggag	caaattagta	ttaaagtata	60
atatatataa	acaaatacaa	aaagttttga	gtgggttcagc	ttttttatatt	tttttaattgg	120
cataactttt	aacaacactg	ctctgtaatg	ggttgaactg	tggactcag	actgagataa	180
ctgaaatgag	tggatgtata	gtgttattgc	ataattatcc	cactatgaag	caaaggggact	240
ggataaattc	ccagtctaga	ttattagcct	ttgttaacca	tcaagcacct	agaagaagaa	300
ttattggaaa	ttttgtcctc	tgtaactggc	actttgggggt	gtgacttatc	ttttgccttt	360
gtaaaaaaaa	aaaaaaaaaa					380

<210> 3

<211> 346

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<220>  
 <221> misc\_feature  
 <222> (1) ... (346)  
 <223> n = A,T,C or G

<400> 3  
 ttgtaagtat acaatttttag aaaggattaa atgttattga tcatttttact gaatactgca 60  
 catcctcacc atacaccatc cactttccaa taacattttaa tccttttctaa aattgtaagt 120  
 atacaattgt acttttcttg gattttcata acaaatatac catagactgt taattttatt 180  
 gaagtttccct taatggaatg agtcattttt gtcttgtgct tttgaggtta cctttgcttt 240  
 gacttccaac aatttgatca tatagtgttg agctgtggaa atctttaagt ttattctata 300  
 gcaataattt ctattnnnag annccngggn naaaannann annaaa 346

<210> 4  
 <211> 372  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (372)  
 <223> n = A,T,C or G

<400> 4  
 actagtctca ttactccaga attatgctct tgtacctgtg tggctggggt tcttagtcgt 60  
 tgggtttgggt tgggttttttg aactggtatg taggggtgggt cacagttcta atgtaagcac 120  
 tctcttctcc aagttgtgct ttgtggggac aatcattctt tgaacattag agaggaaggc 180  
 agttcaagct gttgaaaaga ctattgctta tttttgtttt taaagacctt cttgacgtca 240  
 tgtggacagt gcacgtgcct tacgtacat cttgttttct aggaagaagg ggatgcnggg 300  
 aaggantggg tgctttgtga tggataaaac gnctaaataa cacaccttta cattttgaaa 360  
 aaaacaaaac aa 372

<210> 5  
 <211> 698  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (698)  
 <223> n = A,T,C or G

<400> 5  
 actagtanga tagaaacact gtgtccccag agtaaggaga gaagotacta ttgattagag 60  
 cctaaccacag gttaactgca agaagaggcg ggatactttc agctttccat gtaactgtat 120  
 gcataaagcc aatgtagtcc agtttctaag atcatgttcc aagctaactg aatcccactt 180  
 caatacacac tcatgaactc ctgatggaac aataacaggc ccaagcctgt ggtatgatgt 240  
 gcacacttgc tagactcaga aaaaatacta ctctcataaa tgggtgggag tattttgggt 300  
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatnttcat ttattccatg 360  
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgcact cttgtgtata 420  
 tntccaaatn ttngtnengt cgctgcacat atctgaaatc ctatattaag antttcccaa 480  
 natgangtcc ctgggtttttc cagccactt gatcngtcaa ngatctcacc tctgtntgtc 540  
 ctaaaacctn ctncnngang gttagaacng acctctcttc tcccttcccg aanaatnaag 600  
 tgtngngaaga nanccnncn ccccccncn tncnncctng ccngctnnnc cnctgtngg 660

gggngccgcc cccgcggggg gacccccccn ttttcccc

698

<210> 6  
<211> 740  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(740)  
<223> n = A,T,C or G

<400> 6  
actagtcaaa aatgctaaaa taatttgga gaaaatattt ttttaagtagt gttatagttt 60  
catgtttatc ttttattatg tnttgtgaag ttgtgtcttt tcactaatta cctatactat 120  
gccaatatct ccttatactc atccataaca tttatactac atttgtaaga gaatatgcac 180  
gtgaaactta acactttata aggtaaaaat gaggtttcca agatttaata atctgatcaa 240  
gttcttggtt tttccaaata gaatggactt ggtctgttaa ggggctaagg gagaagaaga 300  
agataagggt aaaagttggt aatgaccaa cattctaaaa gaaatgcaa aaaaaattta 360  
ttttcaagcc ttcgaactat ttaaggaaag caaaatcatt tcctanatgc atatcatttg 420  
tgagantttc tcantaatat cctgaatcat tcatttcagc tnaggcttca tgttgactcg 480  
atatgtcatc tagggaaagt ctatttcag gtccaaacct gttgccatag ttggttaggc 540  
tttcctttta ntgtgaanta ttnacangaa attttctctt tnanagttct tnatagggtt 600  
aggggtgtgg gaaaagcttc taacaatctg tagtgtnncc tggtatctgt ncagaaccan 660  
aatnacggat cgnangaagg actgggtcta tttacangaa cgaatnatct ngttnnntgt 720  
gtnnncaact ccngggagcc 740

<210> 7  
<211> 670  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(670)  
<223> n = A,T,C or G

<400> 7  
gctggggagc tcggcatggc ggtccccgct gcagccatgg ggccctcggc gttggggcag 60  
agcggcccg gctcgatggc cccgtggtgc tcagtgaaga gcggcccgtc gcgctacgtg 120  
cttgggatgc aggagctggt ccggggccac agcaagaccg cgagttcctg gcgcacagcg 180  
ccaagggtgca ctcggtggcc tggagttgag acgggcgtcg cctacctcgg ggtcttcgac 240  
aagacgccac gtcttcttgc tgganaanga ccgttggtca aagaaaacaa ttatcgggga 300  
catggggata gtgtggacca ctttggtggc atccaagtaa tcctgacctt tttgttacgg 360  
cgtctggaga taaaaccatt cgcctctggg atgtgaggac tacaaaatgc attgccactg 420  
tgaacactaa aggggagAAC attaatatct gctggantcc tgatgggcan accattgctg 480  
tagnacaaag gatgatgtgg tgactttatt gatgccaaag aaccccggtc caaagcaaaa 540  
aaacanttcc aanttcgaag tcaccnaaat ctctggaac aatgaacatn aatatnttct 600  
tcctgacaat ggnccctggg tgtntcacat cctcagctnc cccaaaactg aancctgtnc 660  
natccacccc 670

<210> 8  
<211> 689  
<212> DNA  
<213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(689)  
 <223> n = A,T,C or G

<400> 8  
 actagtatct aggaatgaac agtaaaagag gagcagttgg ctacttgatt acaacagagt 60  
 aaatgaagta ctggatttgg gaaaacctgg ttttattaga acatatggaa tgaaagccta 120  
 cacctagcat tgcctactta gccccctgaa ttaacagagc ccaattgaga caaacccctg 180  
 gcaacaggaa attcaaggga gaaaaagtaa gcaacttggg ctaggatgag ctgactccct 240  
 tagagcaaag ganagacagc cccattacc aaataccatt tttgcctggg gcttgtgcag 300  
 ctggcagtgt tcctgcccc gcatggcacc ttatngtttt gatagcaact tcgttgaatt 360  
 ttcaccaact tattacttga aattataata tagcctgtcc gtttgctgtg tccaggctgt 420  
 gatataatnt cctagtgggt tgacttttaa aataaatnag gtttantttt ctccccccnn 480  
 cnntnctncc nntcnctenn cnntcccccc cnctcngtcc tccnnnnntn gggggggccn 540  
 ccccnccggn ggacccccct ttggtccctt agtggagggt natggccctt ggnnttatcc 600  
 nggcctann tttccccgtn nnaaatgntt cccctccca ntccnccac ctcaanccgg 660  
 aagcctaagt ttntaccctg ggggtcccc 689

<210> 9  
 <211> 674  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(674)  
 <223> n = A,T,C or G

<400> 9  
 gtccactctc ctttgagtgt actgtcttac tgtgcactct gtttttcaac tttctagata 60  
 taaaaaatgc ttgttctata gtggagtaag agctcacaca cccaaggcag caagataact 120  
 gaaaaaagcg aggtcttttt gccaccttgg taaaggccag ttcactgcta tagaactgct 180  
 ataagcctga agggaagtag ctatgagact ttccattttt cttagtcttc ccaataggct 240  
 ccttcattga aaaaggcttc ctgtaataat tttcacctaa tgaattagca gtgtgattat 300  
 ttctgaaata agagacaaat tggggccgcag agtccttctg tgatttaaaa taaacaaccc 360  
 aaagttttgt ttggtcttca ccaaaggaca tactctaggg ggtatgttgt tgaagacatt 420  
 caaaaacatt agctgttctg tctttcaatt tcaagttatt ttggagactg cctccatgtg 480  
 agttaattac tttgctctgg aactagcatt attgtcatta tcatcacatt ctgtcatcat 540  
 catctgaata atattgtgga tttccccctc tgcttgcatc ttcttttgac tcctctggga 600  
 anaaatgtca aaaaaaaagg tcgatctact cngcaaggnc catctaata ctgcgctgga 660  
 aggaccnct gcc 674

<210> 10  
 <211> 346  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(346)  
 <223> n = A,T,C or G

<400> 10

```

actagtctgc tgatagaaag cactatacat cctattgttt ctttctttcc aaaatcagcc      60
ttctgtctgt aacaaaaatg tactttatag agatggagga aaaggtctaa tactacatag      120
ccttaagtgt ttctgtcatt gttcaagtgt attttctgta acagaaacat atttggaatg      180
tttttctttt ccccttataa attgtaattc ctgaaatact gctgctttta aaagtccac      240
tgtcagatta tattatctaa caattgaata ttgtaaatat acttgtctta cctctcaata      300
aaaggggtact tttctattan nnagnngnnn gnnnnataaa anaaaaa      346

```

```

<210> 11
<211> 602
<212> DNA
<213> Homo sapien

```

```

<400> 11
actagtaaaa agcagcattg ccaaataatc cctaattttc cactaaaaat ataatgaaat      60
gatgttaagc tttttgaaaa gtttaggtta aacctactgt tgtagatta atgtatttgt      120
tgcttccctt tatctggaat gtggcattag cttttttatt ttaacctctt ttaattctta      180
ttcaattcca tgacttaagg ttggagagct aaacactggg atttttggat aacagactga      240
cagttttgca taattataat cggcattgta catagaaagg atatggctac cttttgtaa      300
atctgcactt tctaaatata aaaaaaggga aatgaagtta taaatcaatt tttgtataat      360
ctgtttgaaa catgagtttt atttgcttaa tattagggtt ttgccccttt tctgtaagtc      420
tcttgggata ctgtgtagaa ctgttctcat taaacaccaa acagttaagt ccattctctg      480
gtactagcta caaattcggg ttcatattct acttaacaat ttaaataaac tgaaatatatt      540
ctagatgggc tacttctgtt catataaaaa caaaacttga tttccaaaaa aaaaaaaaaa      600
aa                                                                                   602

```

```

<210> 12
<211> 685
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(685)
<223> n = A,T,C or G

```

```

<400> 12
actagtcttg tgaaagtaca actgaaggca gaaagtgtta ggattttgca tctaattgttc      60
attatcatgg tattgatgga cctaagaaaa taaaaattag actaagcccc caaataagct      120
gcatgcattt gtaacatgat tagtagattt gaatatatag atgtagtatn ttgggtatct      180
agggttttta tcattatgta aaggaattaa agtaaaggac tttgtagttg tttttattaa      240
atatgcatat agtagagtgc aaaaatatag caaaaatana aactaaagggt agaaaagcat      300
tttagatatg ccttaatnta nnaactgtgc cagggtggccc tcggaataga tgccaggcag      360
agaccagtgc ctgggtggtg cctccccttg tctgcccccc tgaagaactt ccctcacgtg      420
angtagtgcc ctcgtaggtg tcacgtggan tantggganc aggccgnncn gtnanaagaa      480
ancanngtga nagtttcncc gtngangcng aactgtccct gngccnnnac gctcccanaa      540
cntntccaat ngacaatoga gtttcennnc tccngnaacc tngccgnnnn cnngeccnnc      600
cantntgnta accccgcgcc cggatcgctc tcnnntcggt ctncncncaa ngggntttcn      660
cnnccgccgt cncnnccccg cnncc                                                                                   685

```

```

<210> 13
<211> 694
<212> DNA
<213> Homo sapien

```

```

<220>

```

<221> misc\_feature  
 <222> (1)...(694)  
 <223> n = A,T,C or G

<400> 13  
 cactagtcac tcattagcgt tttcaatagg gctcttaagt ccagtagatt acgggtagtc 60  
 agttgacgaa gatctggttt acaagaacta attaaatggt tcattgcatt tttgtaagaa 120  
 cagaataatt ttataaaatg tttgtagttt ataattgccg aaaataattt aaagacactt 180  
 tttctctgtg tgtgcaaagt tgtgtttgtg atccattttt tttttttttt taggacacct 240  
 gtttactagc tagctttaca atatgccaaa aaaggatttc tccctgacct catcctggtt 300  
 tcacctctct tcccccccat gctttttgcc ctagttttata acaaaggaat gatgatgatt 360  
 taaaaagtag ttctgtatct tcagtatctt ggtcttccag aacctctctg ttgggaaggg 420  
 gatcattttt tactggtcat ttcccttttg agtgactac tttaacagat ggaaagaact 480  
 cattggccat ggaaacagcc gangtggttg gagccagcag tgcattggac cgtccggcat 540  
 ctggcntgat tggctctggc gccgtcattg tcagcacagt gccatgggac atggggaana 600  
 ctgactgcac ngccaatggt tttcatgaag aatacngcat ncnngtgat cactgnancc 660  
 angacgctat gggggncana gggccanttg ctcc 694

<210> 14  
 <211> 679  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(679)  
 <223> n = A,T,C or G

<400> 14  
 cagccgctg catctgtatc cagcgccang tcccgcagc cccagctgcg cgcgcccccc 60  
 agtcccgnc cgttcggcc cangctnagt tagncctcac catnccggc aaaggangca 120  
 ccaagtgcac caaataacct cngtncggat ntaaatccat cttctggctt gccgggattg 180  
 ctgtccntgc cattggacta nggctccgat ncgactctca gaccanganc atcttcganc 240  
 naganactaa tnatnattnt tccagcttct acacaggagt ctatattctg atcggatccg 300  
 gcnccctcnt gatgctggtg ggcttcctga gctgctgcgg ggctgtgcaa gagtcccant 360  
 gcatgctggg actgttcttc ggcttctct tggatgatn cgccattgaa atacctgcgg 420  
 ccactctggg atattccact ncgatnatgt gattaaggaa ntccacggag ttttacaagg 480  
 acacgtacaa cnacctgaaa accnnggatg anccccaccg ggaancnctg aangccatcc 540  
 actatgcgtt gaactgcaat ggtttggctg gggnccttga acaatttaat cncatacatc 600  
 tggccccann aaaggacntn ctcgannct tcnccgtgna attcngttct gatnccatca 660  
 cagaagtctc gaacaatcc 679

<210> 15  
 <211> 695  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(695)  
 <223> n = A,T,C or G

<400> 15  
 actagtggat aaaggccagg gatgctgctc aacctcctac catgtacagg gacgtctccc 60  
 cattacaact acccaatccg aagtgtcaac tgtgtcagga ctaanaaacc ctggttttga 120

ttaaaaaagg	gcctgaaaaa	aggggagcca	caaattctgtc	tgcttctctca	cnttantcnt	180
tggaatatna	gcattctgtc	tcnttggetg	cngcctcanc	ncaaaaaanc	ngaactcnat	240
cnggccagcag	aatacatctc	ncaatnaacn	aaattganca	agcnnntggg	aaatgccnga	300
tggaattatc	ntccgcttgt	tgancttcta	agtttctntc	ccttcattcn	accctgccag	360
ccnagttctg	ttagaaaaat	gcengaattc	naacnccggt	tttctactc	ngaattttaga	420
tctncanaaa	cttcctggcc	acnattcnaa	ttnanggnca	cgnacanatn	ccttccatna	480
ancncacccc	acntttgana	gccangacaa	tgactgcntn	aantgaaggc	ntgaaggaan	540
aactttgaaa	ggaaaaaaa	ctttgtttcc	ggcccccttc	aacncttctg	tgtnnancac	600
tgcttctcng	naaccctgga	agcccnngga	cagtgttaca	tggtgttcta	nnaaacngac	660
ncttnaatnt	cnatcttccc	nanaacgatt	ncncc			695

&lt;210&gt; 16

&lt;211&gt; 669

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(669)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 16

cgccgaagca	gcagcgcagg	ttgtccccgt	tccccctccc	ccttcccttc	tccggttgcc	60
ttcccgggcc	ccttacactc	cacagtcccg	gtcccgccat	gtcccagaaa	caagaagaag	120
agaaccctgc	ggaggagacc	ggcgaggaga	agcaggacac	gcaggagaaa	gaaggtattc	180
tgcttgagag	agctgaagag	gcaaagctaa	aggccaaata	cccaagccta	ggacaaaagc	240
ctggaggctc	cgacttcctc	atgaagagac	tccagaaaag	gcaaaaagta	tttgactcng	300
gagactacaa	catggccaaa	gccaacatga	agaataagca	gctgccaagt	gcangaccag	360
acaagaacct	ggtgactggt	gatcacatcc	ccaccccaca	ggatctgccc	agagaaaagtc	420
ctcgtctgct	accagcaagc	ttgcgggttg	ccaagttgaa	tgatgctgcc	ggggctctgc	480
canatctgag	acgcttccct	ccctgcccc	cccgggtcct	gtgctggctc	ctgcccttcc	540
tgcttttgca	gccangggtc	aggaagtggc	ncnggtngtg	gctggaaagc	aaaacccttt	600
cctgttggtg	tcccacccat	ggagccccctg	gggcgagccc	angaacttga	ncctttttgt	660
tntcttncc						669

&lt;210&gt; 17

&lt;211&gt; 697

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(697)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 17

gcaagatatg	gacaactaag	tgagaaggta	atnctctact	gctctagntn	ctccnggenn	60
gaagcgctga	ggagannnac	gctggcccan	ctgcgggcca	cacacgggga	tcntggtnat	120
gcctgcccan	gggancccca	ncnctcggan	cccatntcac	acccgnnccn	tncgcccacn	180
nectggctcn	cnengcccn	nccagctenc	gnccccctcc	gecnnnctcn	ttnnctctc	240
cnncctctcc	nnaacnacct	cctaccencc	gtccctctcc	cagccccccc	ccgcaancct	300
ccacnacncc	ntcnncncca	anncnctc	genctengcc	cengccccct	gccccccgce	360
cnncacnncg	cgntcccccg	cgncngengc	ctnccccct	cccacnacag	ncncacccgc	420
agncaagcnc	tccgcccnc	gacgcccenn	cccgcgcgc	tcaccttcat	ggncnncng	480
ccccgctcnc	ncnctgcncc	gccgnccngg	cgcgccgccc	cnnccngntn	ccnccngnng	540

```

ccccngcngn angcngtgcg cnnccangncc gngccggnncn ncaccctccg nccnccgccc      600
cgcccgcgtgg gggctccccgc cncgcggntc antccccncc cntncgccc ctnccgntc      660
cnnctctcnc gctcngcgcn cgcccnccnc ccccccc      697

```

```

<210> 18
<211> 670
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (670)
<223> n = A,T,C or G

```

```

<400> 18
ctcgtgtgaa ggggtgcagta cctaagccgg agcggggtag aggcggggccg gcaccccctt      60
ctgacctcca gtgccgcccg cctcaagatc agacatggcc cagaacttga acgacttggc      120
gggacggctg cccgccgggc cccggggcat gggcacggcc ctgaagctgt tgctgggggc      180
cggcgccgtg gctacggtg tgcgcgaatc tgtgttcacc gtggaaggcg ggcncagagc      240
catcttcttc aatcggtatc gtggagtgc caggacacta tectggggcc anggccttca      300
cttcaggatc cttggttcca gtaccccanc atctatgaca ttcggggccag acctcgaaaa      360
aatctcctcc ctacaggctc caaagaccta cagatggtga atatctccct gcgagtgttg      420
tctcgaccaa tgctcangaa cttcctaaca tgttccancg cctaagggtt ggactacnaa      480
gaacgantgt tgccgtccat tgtcacgaag tgcctcaagaa tttnggtggc caagttcaat      540
gncctcacnn ctgatchccc agcggggcca agttanccct ggttgatccc cgggganctg      600
acnnaaaagg gccaaaggact tccctcctac ctggataatg tggcctcac aaagctcaac      660
tttanccacc

```

```

<210> 19
<211> 606
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1) ... (606)
<223> n = A,T,C or G

```

```

<400> 19
actagtgcc aacctcagtc ccaggccagt tctctgaatg tcgaggagtt ccaggatctc      60
tggectcagt tgtccttggg tattgatggg ggacaaattg gggatggcca gagccccgag      120
tgtcgecttg gctcaactgt ggttgatttg tctgtgcccg gaaagtttgg catcattcgt      180
ccaggetgtg ccctggaaag tactacagcc atcctccaac agaagtacgg actgctcccc      240
tcacatgcgt cctacctgtg aaactctggg aagcaggaag gccaagacc tgggtgctgga      300
tactatgtgt ctgtccactg acgactgtca aggcctcatt tgcagaggcc accggagcta      360
gggcactagc ctgactttta aggcagtgtg tttttctgag cactgtagac caagcccttg      420
gagctgctgg ttttagccttg cacctgggga aaggatgtat ttatttgtat tttcatatat      480
cagccaaaag ctgaatggaa aagttnagaa cattcctagg tggccttatt ctaataagtt      540
tcttctgtct gttttgtttt tcaattgaaa agttattaaa taacagattt agaatttagt      600
gagacc

```

```

<210> 20
<211> 449
<212> DNA
<213> Homo sapien

```



<400> 20  
 actagtaaac aacagcagca gaaacatcag tatcagcagc gtcgccagca ggagaatatg 60  
 cagcgccaga gccgaggaga acccccgcgc cctgaggagg acctgtccaa actcttcaaa 120  
 ccaccacagc cgcctgccag gatggactcg ctgctcattg caggccagat aaacacttac 180  
 tgccagaaca tcaaggagtt cactgcccac aacttaggca agctcttcat ggcccaggct 240  
 cttcaagaat acaacaacta agaaaaggaa gtttccagaa aagaagttaa catgaactct 300  
 tgaagtcaca ccagggcaac tcttggaaga aatatatttg catattgaaa agcacagagg 360  
 atttcttttag tgtcattgcc gattttggct ataacagtgt ctttctagcc ataataaaat 420  
 aaaacaaaat cttgactgct tgctcaaaa 449

<210> 21  
 <211> 409  
 <212> DNA  
 <213> Homo sapien

<400> 21  
 tatcaatcaa ctggtgaata attaaacaat gtgtggtgtg atcatacaaa gggtaggact 60  
 caatgataaa aggaacaagc tgcctatatg tggaacaaca tggatgcatt tcagaaactt 120  
 tatgttgagt gaaagaacaa acacggagaa catactatgt gggtctcttt atgtaacatt 180  
 acagaaataa aaacagaggc aaccaccttt gaggcagtat ggagtgagat agactggaaa 240  
 aaggaaggaa ggaaactcta cgctgatgga aatgtctgtg tcttcattgg gtggtagtta 300  
 tgtggggata tacatttgtc aaaatttatt gaactatata cttaaagaact ctgcatttta 360  
 ttgggatgta aataatacct caattaaaaa gacaaaaaaa aaaaaaaaaa 409

<210> 22  
 <211> 649  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (649)  
 <223> n = A,T,C or G

<400> 22  
 acaattttca ttattcttaag cacattgtac atttctacag aacctgtgat tattctcgca 60  
 tgataaggat ggtacttgca tatggtgaat tactactgtt gacagtttcc gcagaaatcc 120  
 tatttcagtg gaccaacatt gtggcatggc agcaaatgcc aacattttgt ggaatagcag 180  
 caaatctaca agagaccctg gttggttttt cgttttgttt tctttgtttt ttcccccttc 240  
 tctgaatca gcagggatgg aangagggtg gggaagttaa gaattactcc ttccagtagt 300  
 agctctgaag tgtcacattt aatatcagtt ttttttaaac atgattctag ttnaatgtag 360  
 aagagagaag aaagaggaag tgttcacttt ttaatacac tgatttagaa atttgatgtc 420  
 ttatatcagt agttctgagg tattgatagc ttgctttatt tctgccttta cgttgacagt 480  
 gttgaagcag ggtgaataac taggggcata tatatttttt ttttttgtaa gctgtttcat 540  
 gatgttttct ttggaatttc cggataagtt caggaaaaca tctgcatgtt gttatctagt 600  
 ctgaagtten tatccatctc attacaacaa aaacnccag aacggnntg 649

<210> 23  
 <211> 669  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature

&lt;222&gt; (1)...(669)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 23

actagtgcg	tactggctga	aatccctgca	ggaccaggaa	gagaaccagt	tcagactttg	60
tactctcagt	caccagctct	ggaattagat	aaattccttg	aagatgtcag	gaatgggac	120
tatcctctga	cagcctttgg	gctgcctcgg	ccccagcagc	cacagcagga	ggaggtgaca	180
tcacctgtcg	tgccccctc	tgtcaagact	ccgacacctg	aaccagctga	ggtgggagact	240
cgcaagggtg	tgtgatgca	gtgcaacatt	gagtcggtgg	aggagggagt	caaacaccac	300
ctgacacttc	tgctgaagtt	ggaggacaaa	ctgaaccggc	acctgagctg	tgacctgatg	360
ccaaatgaga	atatccccga	gttggcggct	gagctggtgc	agctgggctt	cattagttag	420
gctgaccaga	gccggttgac	ttctctgcta	gaagagactt	gaacaagttc	aattttgcc	480
ggaacagtag	cctcaactca	gccgctgtca	ccgtctcctc	ttagagctca	ctcgggccag	540
gccctgatct	gcgctgtggc	tgtcctggac	gtgctgcacc	ctctgtcctt	ccccccagtc	600
agtattacct	gtgaagccct	tcctcctttt	attattcagg	anggctgggg	gggtcctctg	660
nttctaacc						669

&lt;210&gt; 24

&lt;211&gt; 442

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 24

actagtacca	tcttgacaga	ggatacatgc	tcccaaaacg	tttgttacca	cacttaaaaa	60
tcactgccat	cattaagcat	cagtttcaaa	attatagcca	ttcatgattt	actttttcca	120
gatgactatc	attattctag	tcctttgaat	ttgtaagggg	aaaaaaaaca	aaaacaaaaa	180
cttacgatgc	actttttctc	agcacatcag	atttcaaatt	gaaaattaaa	gacatgctat	240
ggtaatgcac	ttgctagtac	tacacacttt	ggtacaacaa	aaaacagagg	caagaaacaa	300
cggaaagaga	aaagccttcc	tttgttggcc	cttaaactga	gtcaagatct	gaaatgtaga	360
gatgatctct	gacgatacct	gtatgttctt	attgtgtaaa	taaaattgct	ggtatgaaat	420
gacctaaaaa	aaaaaaaaaga	aa				442

&lt;210&gt; 25

&lt;211&gt; 656

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(656)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 25

tgcaagtacc	acacactggt	tgaattttgc	acaaaaagtg	actgtaggat	caggtgatag	60
ccccggaatg	tacagtgtct	tggtgcacca	agatgccttc	taaaggctga	cataccttgg	120
accctaattg	ggcagagagt	atagccctag	cccagtgggtg	acatgaccac	tccttttggg	180
aggcctgagg	tagaggggag	tggtatgtgt	tttctcagtg	gaagcagcac	atgagtgggt	240
gacaggatgt	tagataaagg	ctctagttag	ggtgtcattg	tcatttgaga	gactgacaca	300
ctcctagcag	ctggtaaagg	ggtgctggan	gccatggagg	anctctagaa	acattagcat	360
gggctgatct	gattacttcc	tggcatcccc	ctcacttttta	tgggaagtct	tatttagangg	420
atgggacagt	tttccatata	cttgctgtgg	agctctggaa	cactctctaa	atttcctctt	480
attaaaaatc	actgccctaa	ctacacttcc	tccttgaaagg	aatagaaatg	gaactttctc	540
tgacatannt	cttggcatgg	ggagccagcc	acaaatgana	atctgaacgt	gtccaggttt	600
ctcctganac	tcactctacat	agaatttggtt	aaaccctccc	ttggaataag	gaaaaa	656

```

<210> 26
<211> 434
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(434)
<223> n = A,T,C or G

<400> 26
actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc      60
ctaggtgttt ccatctatgt ttcaatctgt ccatctacca ggcctcgga taaaaacaaa      120
acaaaaaac gctgccaggt tttagaagca gttctggtct caaaaccatc aggatcctgc      180
caccagggtt cttttgaaat agtaccacat gtaaaagggg atttggcttt cacttcatct      240
aataactgaa ttgtcaggct ttgattgata attgtagaaa taagtagcct tctgttgagg      300
gaataagtta taatcagtat tcatctcttt gttttttgtc actcttttct ctctaattgt      360
gtcatttgta ctgtttgaaa aatatttctt ctatnaaatt aaactaacct gccttaaaaa      420
aaaaaaaaa aaaa                                         434

<210> 27
<211> 654
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(654)
<223> n = A,T,C or G

<400> 27
actagtccaa cacagtcaga aacattgttt tgaatcctct gtaaaccaag gcattaatct      60
taataaacca ggatccattt aggtaccact tgatataaaa aggatatcca taatgaatat      120
tttatactgc atccttttaca ttagccacta aatacgttat tgcttgatga agacctttca      180
cagaatccta tggattgcag catttcactt ggctacttca taccatgcc ttaaagaggg      240
gcagttttctc aaaagcagaa acatgccgcc agttctcaag ttttcctcct aactccattt      300
gaatgtaagg gcagctggcc cccaatgtgg ggaggtcgga acattttctg aattcccatt      360
ttcttggtcg cggctaaatg acagtttctg tcattactta gattccgatc tttcccaaag      420
gtgttgattt acaaagaggc cagctaatag cagaaatcat gaccctgaaa gagagatgaa      480
attcaagctg tgagccaggc agganctcag tatggcagaag gtcttgagaa tcngccattt      540
ggtacaaaaa aaatttttaa gcntttatgt tataccatgg aaccatagaa anggcaaggg      600
aattgttaag aanaatttta agtgtccaga ccanaanga aaaaaaaaaa aaaa          654

<210> 28
<211> 670
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(670)
<223> n = A,T,C or G

<400> 28
cgtgtgcaca tactgggagg atttcacag ctgcacggtc acagccetta cggattgcc      60

```

```

ggaaggggcg aaagatatgt gggataaact gagaaaagaa nccaaaaacc tcaacatcca      120
aggcagctta ttcgaactct gcggcagcgg caacggggcg gcgggggtccc tgctcccggc      180
gttcccgggtg ctctctgggtg ctctctcggc agcttttagcg acctgncttt ccttctgagc      240
gtggggccag ctccccccgc ggcgcccacc cacnctcact ccatgctccc ggaaatcgag      300
aggaagatca ttagttcttt ggggacgttn gtgattctct gtgatgctga aaaacactca      360
tatagggaat gtgggaaatc ctganctctt tnttatntcg tntgatttct tgtgttttat      420
ttgccaaaat gttaccaatc agtgaccaac cnagcacagc caaaaatcgg acntcngett      480
tagtccgtct tcacacacag aataagaaaa cggcaaaacc accccacttt tnantttnat      540
tattactaan ttttttctgt tgggcaaaag aatctcagga acngccctgg ggccnccgta      600
ctanagttaa ccnagctagt tncatgaaaa atgatgggct ccnccatcaat gggaaagcca      660
agaaaaagnc                                     670

```

```

<210> 29
<211> 551
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(551)
<223> n = A,T,C or G

```

```

<400> 29
actagtctctc cacagcctgt gaatccccct agacctttca agcatagtga gcggagaaga      60
agatctcagc gtttagccac cttacccatg cctgatgatt ctgtagaaaa ggtttcttct      120
ccctctccag ccactgatgg gaaagtattc tccatcagtt ctcaaatca gcaagaatct      180
tcagtaccag aggtgcctga tgttgacatc ttgccacttg agaagctggg accctgtctc      240
cctcttgact taagtcgtgg ttcagaagtt acagcaccgg tagcctcaga ttctctttac      300
cgtaatgaat gtcccagggc agaaaaagag gatacnacaga tgcttccaaa tccttcttcc      360
aaagcaatag ctgatgggaa gaggagctcc agcagcagca ggaatatcga aaacagaaaa      420
aaaagtgaaa ttgggaagac aaaagctcaa cagcatttgg taaggagaaa aganaagatg      480
aggaaggaag agagaagaga gacnaagatc nctacggacc gnnncggaag aagaagaagn      540
aaaaaanaaa a                                     551

```

```

<210> 30
<211> 684
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(684)
<223> n = A,T,C or G

```

```

<400> 30
actagttcta tctggaaaaa gcccggttg gaagaagctg tggagagtgc gtgtgcaatg      60
cgagactcat ttcttggaag catccctggc aaaaatgcag ctgagtacaa ggttatcact      120
gtgatagaac ctggactgct ttttgagata atagagatgc tgcagtctga agagacttcc      180
agcacctctc agttgaatga attaattgat gcttctgagt caactttact ggctcaggaa      240
ccacgagaga tgactgcaga tgtaatcgag cttaaaggga aattcctcat caacttagaa      300
gggtggtgata ttcgtgaaga gtcttcctat aaagtaattg tcatgccgac tacgaaagaa      360
aaatgcccc gttgttgga gatacagcgg ggagtcttca gatacactgt gtctctgatg      420
tgcagaagtt gtcagtggga aaatagtatt aacagctcac tcgagcaaga acctcctga      480
cagtactggg ctagaagttt ggatggatta tttacaatat aggaaagaaa gccaaagaatt      540
aggtnatgag tggatgagta aatggtggan gatgggggaat tcaaatcaga attatggaag      600

```

aagtntttcc tgttactata gaaaggaatt atgtttatattt acatgcagaa aatatanatg 660  
 tgtgggtgtg accgtggatg gaan 684

<210> 31  
 <211> 654  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)... (654)  
 <223> n = A,T,C or G

<400> 31  
 gcgcagaaaa ggaaccaata tttcagaaac aagcttaata ggaacagctg cctgtacatc 60  
 aacatcttct cagaatgacc cagaagttat catcgtggga gctggcgtgc ttggctctgc 120  
 tttggcagct gtgctttcca gagatggaag aaaggtgaca gtcattgaga gagacttaaa 180  
 agagcctgac agaatagttg gagaattcct gcagccgggt gggtatcatg ttctcaaaga 240  
 ccttggtctt ggagatacag tggaaggtct tgatgccag gttgtaaatg gttacatgat 300  
 tcatgatcag ggaaagcaaa tcagangttc agattcctta ccctctgtca gaaaacaatc 360  
 aagtgcagag tggaagagct ttccatcacg gaagattcat catgagtctc cggaaagcag 420  
 ctatggcaga gcccaatgca aagtttattg aaggtgttgt gttacagtta ttagaggaag 480  
 atgatgttgt gatgggagtt cagtacaagg ataaagagac tgggagatat caaggaaactc 540  
 catgctccac tgactgttgt tgcagatggg cttttctcca anttcaggaa aagcctggtc 600  
 tcaataaagt ttctgtatca ctcatcttggg tggcttctta tgaagaatgc nccc 654

<210> 32  
 <211> 673  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)... (673)  
 <223> n = A,T,C or G

<400> 32  
 actagtgaag aaaaagaaat tctgatacgg gacaaaaatg ctcttcaaaa catcattctt 60  
 tatcacctga caccaggagt tttcattgga aaaggatttg aacctggtgt tactaacatt 120  
 ttaaagacca cacaaggaag caaaatcttt ctgaaagaag taaatgatac acttctgggtg 180  
 aatgaattga aatcaaaaaga atctgacatc atgacaacaa atggtgtaat tcatgttgta 240  
 gataaactcc tctatccagc agacacacct gttggaaatg atcaactgct ggaaataactt 300  
 aataaattaa tcaaatacat ccaaattaag tttgttcgtg gtagcacctt caaagaaatc 360  
 cccgtgactg tctatnagcc aattattaaa aaatacacca aaatcattga tgggagtgcc 420  
 tgtgggaaat aactgaaaaa gagaccgaga agaacgaatc attacagggtc ctgaaataaa 480  
 atacctagga tttctactgg aggtggagaa acagaagaac tctgaagaaa ttgttacaag 540  
 aagangtccc aaggtcacca aattcattga aggtggtgat ggtctttatt tgaagatgaa 600  
 gaaattaaaa gacgtttcag ggagacnccc catgaaggaa ttgccagcca caaaaaaatt 660  
 cagggattag aaa 673

<210> 33  
 <211> 673  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(673)  
 <223> n = A,T,C or G

<400> 33  
 actagttatt tactttcttc cgcttcagaa ggtttttcag actgagagcc taagcatact 60  
 ggatctgttg tttcttttggt gtctcacctc atcagtgtgc atagtggcag aaattataaa 120  
 gaaggttgaa aggagcaggg aaaagatcca gaagcatgtt agttcgacat catcatcttt 180  
 tcttgaagta tgatgcatat tgcattattt tatttgcaaa ctaggaattg cagtctgagg 240  
 atcatttaga agggcaagtt caagaggata tgaagatttg agaacttttt aactattcat 300  
 tgactaaaaa tgaacattaa tgttnaagac ttaagacttt aacctgctgg cagtcccaaa 360  
 tgaaattatg caactttgat atcatattcc ttgatttaaa ttgggctttt gtgattgant 420  
 gaaactttat aaagcatatg gtcagttatt tnattaaaaa ggcaaacctt gaaccacctt 480  
 ctgcacttaa agaagtctaa cagtacaaat acctatctat cttagatgga tntatttntt 540  
 tntattttta aatattgtac tatttatggg nggtggggct ttcttactaa tacacaaatn 600  
 aatttatcat ttcaanggca ttctatttgg gtttagaagt tgattccaag nantgcatat 660  
 ttcgctactg tnt 673

<210> 34  
 <211> 684  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(684)  
 <223> n = A,T,C or G

<400> 34  
 actagtttat tcaagaaaag aacttactga ttctctgtgt cctaaagcaa gaggggcagg 60  
 tgatcagggc tgggtgtagca tccggttcct ttagtgagc taactgcatt tgcactgat 120  
 gaccaaggag gaaatcacta agacatttga gaagcagtgg tatgaacggt cttggacaag 180  
 ccacagttct gagccttaac cctgtagttt gcacacaaga acgagctcca cctccccctt 240  
 ttcaggagga atctgtgcgg atagattggc tggacttttc aatgggtctg ggttgcaagt 300  
 gggcactggt atggctgggt atggagcggg cagccccagg aatcagagcc tcagcccggc 360  
 tgcttggttg gaaggtacag gtgttcagca ccttcggaaa aagggcataa agtngtgggg 420  
 gacaattctc agtccaagaa gaatgcattg accattgctg gctatttgct tncctagtan 480  
 gaattggatn catttttgac cangatnntt ctncatgct tntttgcaat gaaatcaaat 540  
 ccgcatttat ctacaagtgg tatgaagtcc tgcnnccccc agagaggctg ttcaggcnat 600  
 gtcttccaag ggcagggtgg gttacacat tttacctccc ctctcccccc agattatgna 660  
 cncagaagga atttntttcc tccc 684

<210> 35  
 <211> 614  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(614)  
 <223> n = A,T,C or G

<400> 35  
 actagtccaa cgcgttngcn aatatccccc tggtagccta ctctcttacc cccgaatatt 60

```

ggtaagatcg agcaatggct tcaggacatg ggttctcttc tcctgtgatc attcaagtgc      120
tactgcatg aagactggct tgtctcagtg tntcaacctc accagggctg tctcttggtc      180
cacacctcgc tccctgttag tgccgtatga cagcccccat canatgacct tggccaagtc      240
acggttttctc tgtgggtcaat gttggtnggc tgattgggtg aaagtanggt ggaccaaagg      300
aagncncgtg agcagncanc nccagttctg caccagcagc gcctccgtcc tactnggggtg      360
ttcngtttcc tcctggccct gngtgggcta nggectgatt cgggaanatg cctttgcang      420
gaagggganga taantgggat ctaccaattg attctggcaa aacnatntct aagattnttn      480
tgctttatgt ggganacana tctanctctc atttntgtct gnanatnaca cctactcgt      540
gntcgancnc gtcttcgatt ttcgganaca cnccantnaa tactggcggt ctgttggttaa      600
aaaaaaaaaa aaaa                                         614

```

```

<210> 36
<211> 686
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (686)
<223> n = A,T,C or G

```

```

<400> 36
gtggctggcc cggttctccg cttctcccca tcccctactt tcctccctcc ctccctttcc      60
ctccctcgtc gactgttgct tgctggtcgc agactccctg accctccct caccctctcc      120
taacctcggg gccaccgat tgcccttctt ttctgttgcc ccagcccagc cctagtgtca      180
gggcgggggc ctggagcagc ccgaggcact gcagcagaag ananaaaaga cagcacnaac      240
ctcagctcgc cagtcgggtc gctngcttcc cgccgcatgg caatnagaca gacgcgcctc      300
acctgctctg ggcacacgcg acccgtgggt gatttggcct tcagtggcat cacccttatg      360
ggtatttctt aatcagcgtc tgcaaagatg gttaacctat gctacgccag ggagatacag      420
gagactggat tggaacattt ttggggctca aaggctctgt tggggtgcaa cactgaataa      480
ggatgccacc aaagcagcta cagcagctgc agatttcaca gcccaagtgt gggatgctgt      540
ctcagganat naattgataa cctggctcat aacacattgt caagaatgtg gatttcccca      600
ggatattatt atttgtttac cggggganag gataactgtt tcncttattt taattgaaca      660
aactnaaaca aaanctaagg aaatcc                                         686

```

```

<210> 37
<211> 681
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (681)
<223> n = A,T,C or G

```

```

<400> 37
gagacanacn naacgtcang agaanaaaag angcatggaa cacaanccag gncgatggc      60
caccttccca ccagcancca gcgcccccca gngccccca ngncggang accangactc      120
cancctgnat caatctganc tctattcctg gccatncct acctcggagg tggangccgn      180
aaaggtcgca cnnncagaga agctgctgcc ancaccancc gcccnnccc tgnccggctn      240
nataggaaac tgggtgacnn gctgcanaat tcatacagga gcacgcgang ggcacnnct      300
cacactgagt tnnngatgan gctnaccan ggacctnccc cagcnnattg annacnggac      360
tgccggaggaa ggaagacccc gnacnggatc ctggccgcn tgccaccccc ccaccctag      420
gattatnccc cttgactgag tctctgaggg gctaccggaa ccgcctcca ttcctacca      480
natnntgctc natcgggact gacangctgg ggatnggagg ggctatcccc cancatcccc      540

```

```

tnanaccaac agcnacngan natnggggct cccnngggtc gnggcaacnc tctncacccc 600
cgggcgenggc cttegggtgnt gtctctcctc aacnaattcc naaangggcg gccccccngt 660
ggactectcn ttgttcctc c 681

```

```

<210> 38
<211> 687
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (687)
<223> n = A,T,C or G

```

```

<400> 38
canaaaaaaaaa aaaacatggc cgaaaccagn aagctgcgcg atggcgccac gggccctctt 60
ctccgggcct gtgtccggaa ggtttccctc cgaggcgccc cggtcccgcc aagcggagga 120
gagggcgggg cntgccgggg ccggagctca nagggccctg ggccgctctg ctctcccgcc 180
atcgcaaggg cggcgctaac ctnaggcctc cccgcaaagg tcccnangc gngggcgggc 240
gggggctgtg anaaccgcaa aaanaacgct gggcgcgng cgaaccgctc ccccccgcg 300
aaggananac ttccacagan gcagcgtttc cacagccan agccacnttt ctagggtgat 360
gcaccccgat aagttcctgn cggggaagct caccgctgtc aaaaaanctc ttcgctccac 420
cggcgcacna aggggangan ggcangangc tgccgcccgc acaggtcac tgatcacgtc 480
gcccgccta ntctgctttt gtgaatctcc actttgttca accccaccgc cegtctctc 540
ctccttgccg ctctctctna ccttaanaac cagcttctc taccnctng tanttctct 600
gcncnngtng aaattaattc ggtcncnccg aacctcttnc ctgtggcaac tgctnaaaga 660
aactgctgtt ctgnttactg cngtccc 687

```

```

<210> 39
<211> 695
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (695)
<223> n = A,T,C or G

```

```

<400> 39
actagtctgg cctacaatag tgtgattcat gtaggacttc tttcatcaat tcaaaacccc 60
tagaaaaacg tatacagatt atataagtag ggataagatt tctaacattt ctgggctctc 120
tgacccctgc gctagactgt ggaaaggagg tattattata gtatacaaca ctgctgttgc 180
cttattagtt ataacatgat aggtgctgaa ttgtgattca caatttaaaa acactgtaat 240
ccaaactttt ttttttaact gtagatcatg catgtgaatg ttaatgttaa tttgttcaan 300
gttgttatgg gtagaaaaaa ccacatgcct taaaatttta aaaagcaggg cccaaactta 360
ttagtttaaa attaggggta tgtttccagt ttgttattaa ntgggttatag ctctgtttag 420
aanaaatcna ngaacangat ttngaaantt aagntgacat tatttnccag tgacttgtaa 480
atgtgaaatc anacacggca cttccggtt ttgtnctatt ggnntttgaa tccaancngg 540
ntccaaatct tnttggaac ngtcnntta acttttttac nanatcttat ttttttattt 600
tggaatggcc ctatttaang ttaaaagggg ggggnnccac naccattcnt gaataaaact 660
naatatatat ccttggtccc ccaaaattta agng 695

```

```

<210> 40
<211> 674
<212> DNA

```



<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(674)

<223> n = A,T,C or G

<400> 40

actagtagtc	agttgggagt	ggttgctata	ccttgacttc	atttatatga	atttcactt	60
tattaaataa	tagaaaagaa	aatcccgggtg	cttgtagtag	agttatagga	cattctatgc	120
ttacagaaaa	tatagccatg	attgaaatca	aatagtaaag	gctgttctgg	ctttttatct	180
tcttagctca	tcttaaataa	gtagtacact	tgggatgcag	tgctctgaa	gtgctaatca	240
gttgtaacaa	tagcacaaat	cgaacttagg	atgtgtttct	tctcttctgt	gtttcgattt	300
tgatcaattc	tttaattttg	ggaacctata	atacagtttt	cctattcttg	gagataaaaa	360
ttaaatggat	cactgatatt	taagtcattc	tgcttctcat	ctnaatattc	catattctgt	420
attagganaa	antacctccc	agcacagccc	cctctcaaac	cccacccaaa	accaagcatt	480
tggatgagt	ctccttttatt	tccgaantgt	ggatgggtata	acccatatch	ctccaatttc	540
tgnttgggtt	gggtattaat	ttgaactgtg	catgaaaagn	ggnaatcttt	nccttgggtc	600
aaantttnc	ggttaatttg	ncnngncaaa	tccaatttnc	tttaaggggtg	tctttataaa	660
atttgctatt	cngg					674

<210> 41

<211> 657

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(657)

<223> n = A,T,C or G

<400> 41

gaaacatgca	agtaccacac	actgtttgaa	ttttgcacaa	aaagtgactg	tagggatcag	60
gtgatagccc	cggaatgtac	agtgtcttgg	tgcaccaaga	tgcttcttaa	aggctgacat	120
accttgggg	cctaattggg	cagagagtat	agccctagcc	cagtgggtgac	atgaccactc	180
cctttgggag	gctgaagtta	aaggggaatg	tatgtgtttt	ctcatggaag	cagcacatga	240
atnggtnaca	ngatgttaaa	ntaaggntct	antttgggtg	tcttgtcatt	tgaaaaantg	300
acacactcct	ancantgggt	aaaggggtgc	tggaagccat	ggaagaactc	taaaaacatt	360
agcatgggct	gatctgatta	cttctgggca	tcccgtcac	ttttatggga	agtcttatta	420
naaggatggg	ananttttcc	atatccttgc	tggttggaaact	ctggaacact	ctctaaattt	480
ccctctatta	aaaatcactg	nccttactac	acttctcct	tganggaata	gaaatggacc	540
tttctctgac	ttagttcttg	gcatggganc	cagcccaaat	taaaatctga	cttntccgggt	600
ttctcngaa	ctcacctact	tgaattggta	aaacctcctt	tggaattagn	aaaaacc	657

<210> 42

<211> 389

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(389)

<223> n = A,T,C or G

<400> 42

```

actagtgtctg aggaatgtaa acaagtttgc tgggccttgc gagacttcac caggttgttt      60
cgatagctca cactcctgca ctgtgcctgt caccaggaa tgtctttttt aattagaaga      120
caggaagaaa acaaaaacca gactgtgtcc cacaatcaga aacctccgtt gtggcagang      180
ggccttcacc gccaccaggg tgtcccgcca gacagggaga gactccagcc ttctgaggcc      240
atcctgaaga attcctgttt gggggttgtg aaggaaaatc acctcgattt aaaaagatgc      300
tgttgcttgc ccgcgtngtn gggaagggaac tggtttcctg gtgaatttct taaaagaaaa      360
atattttaag ttaagaaaaa aaaaaaaaaa      389

```

```

<210> 43
<211> 279
<212> DNA
<213> Homo sapien

```

```

<400> 43
actagtgaca agctcctggc cttgagatgt cttctcgtaa aggagatggg ccttttggag      60
gtaaaggata aaatgaatga gttctgtcat gattcactat tctagaactt gcatgacctt      120
tactgtgtta gctctttgaa tgttcttgaa attttagact ttctttgtaa acaataata      180
tgtccttatac attgtataaa agctgttatg tgcaacagtg tggagatcct tgtctgattt      240
aataaaatac ttaaacactg aaaaaaaaaa aaaaaaaaaa      279

```

```

<210> 44
<211> 449
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(449)
<223> n = A,T,C or G

```

```

<400> 44
actagtagca tcttttctac aacgttaaaa ttgcagaagt agcttatcat taaaaaacia      60
caacaacaac aataacaata aatcctaagt gtaaatcagt tattctaccc cctaccaagg      120
atatcagcct gttttttccc ttttttctcc tgggaataat tgtgggcttc ttcccaaatt      180
tctacagcct ctttctctct ctcattgctt agcttccctg tttgcacgca tgcgttgtgc      240
aagantgggc tgtttnngct ggantnccgt ccnagtggaa ncatgctttc ccttgttact      300
ggttgaagaa actcaaacct tcnancccta ggtgttncca ttttgtcaag tcatcactgt      360
atttttgtac tggcattaac aaaaaaagaa atnaaatatt gttccattaa actttaataa      420
aacttttaaaa gggaaaaaaa aaaaaaaaaa      449

```

```

<210> 45
<211> 559
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(559)
<223> n = A,T,C or G

```

```

<400> 45
actagtgtgg gggaatcacg gacacttaaa gtcaatctgc gaaataattc ttttattaca      60
cactcactga agttttttgag tcccagagag ccattctatg tcaaacattc caagtactct      120
ttgagagccc agcattacat caacatgccc gtgcagttca aaccgaagtc cgcaggcaaa      180
tttgaagctt tgcttgtcat tcaaacagat gaaggcaaga gtattgctat tcgactaatt      240

```

```

ggtgaagctc ttggaaaaaa ttnactagaa tactttttgt gttaagttaa ttacataagt 300
tgtattttgt taacttttatc tttctacact acaattatgc ttttgtatat atattttcta 360
tgatggatat ctataattgt agattttgtt tttacaagct aatactgaag actcgactga 420
aatattatgt atctagccca tagtattgta cttaactttt acagggtgaa aaaaaaatc 480
tgtgttttga ttgattatga tattctgaat aaatatggga atatatatta atgtgggtaa 540
aaaaaaaaa aaaaaggaa 559

```

```

<210> 46
<211> 731
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(731)
<223> n = A,T,C or G

```

```

<400> 46
actagttcta gtaccatggc tgatcatagat gcaaccatta tattccattt agttttcttcc 60
tcagggtccc taacaattgt ttgaaactga atatatatgt ttatgtatgt gtgtgtgttc 120
actgtcatgt atatgggtga tatgggatgt gtgcagtttt cagttatata tatattcata 180
tatacatatg catatatatg tataatatac atatatatcat gcatacactt gtataatata 240
catatatata cacatatatg cacacatatn atcactgagt tccaaagtga gtctttattt 300
ggggcaattg tattctctcc ctctgtctgc tcaactgggc tttgcaagac atagcaattg 360
cttgatttcc tttggataag agtcttatct tcggcactct tgactctagc cttaacttta 420
gatttctatt ccagaatacc tctcatatct atcttaaaac ctaaganggg taaagangtc 480
ataagattgt agtatgaaag antttgctta gttaaattat atctcaggaa actcattcat 540
ctacaaatta aattgtaaaa tgatgggttg ttgtatctga aaaaatgttt agaacaagaa 600
atgtaactgg gtacctgtta tatcaaagaa cctcnattta ttaagtctcc tcatagccan 660
atccttatat ngccctctct gacctgannt aatananact tgaataatga atagttaatt 720
taggnntggg c 731

```

```

<210> 47
<211> 640
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(640)
<223> n = A,T,C or G

```

```

<400> 47
tgcgngccgg tttggccctt ctttgtanga cactttcacc cgccctgaaa tcttcccgat 60
cgtaataaac tcctcaggtc cctgcctgca cagggttttt tcttantttg ttgcctaaca 120
gtacacaaaa tgtgacatcc tttcaccaat atngattnct tcataccaca tcntcnatgg 180
anacgactnc aacaattttt tgatnaccn aaanactggg ggctnnaana agtacantct 240
ggagcagcat ggacctgtcn gcnactaang gaacaanagt nntgaacatt tacacaacct 300
ttggtatgtc ttactgaaag anagaaacat gcttctnncc ctagaccacg aggncaaccg 360
caganattgc caatgccaaag tccgagcggg tagatcaggt aatacattcc atggatgcat 420
tacatacntt gtccccgaaa nanaagatgc cctaangget tcttcanact ggccngaaa 480
acanctacac ctggtgcttg ganaacanac tctttggaag atcatctggc acaagttccc 540
cccagtgggt tttnccttgg cacctanctt accanatcna ttcggaance attctttgcc 600
ntggcnttnt nttgggacca ntcttctcac aactgnaccc 640

```

<210> 48  
 <211> 257  
 <212> DNA  
 <213> Homo sapien

<400> 48  
 actagtatatat gaaaatgtaa atatcacttg tgtactcaaa caaaagttgg tcttaagctt 60  
 ccaccttgag cagccttgga aacctaacct gcctctttta gcataatcac attttctaaa 120  
 tgattttctt tgttcttgaa aaagtgattt gtattagttt tacatttggt ttttggaaga 180  
 ttatatattgt atatgtatca tcataaaaata tttaaataaa aagtatcttt agagtgaaaa 240  
 aaaaaaaaaa aaaaaaa 257

<210> 49  
 <211> 652  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(652)  
 <223> n = A,T,C or G

<400> 49  
 actagttcag atgagtggct gctgaagggg ccccttctgc attttcatta taaccaatt 60  
 tccacttatt tgaactctta agtcataaat gtataatgac ttatgaatta gcacagttaa 120  
 gttgacacta gaaactgccc atttctgtat tacactatca aataggaaac attggaaaga 180  
 tggggaaaaa aatcttattt taaaatggct tagaaagttt tcagattact ttgaaaattc 240  
 taaacttctt tctgtttcca aaacttgaaa atatgtagat ggactcatgc attaagactg 300  
 ttttcaaagc tttcctcaca tttttaaagt gtgattttcc ttttaataata catatttatt 360  
 ttctttaaag cagctatatc ccaacccatg actttggaga tatacctatn aaaccaatat 420  
 aacagcangg ttattgaagc agcttttctc aatgttgctt cagatgtgca agttgcaaat 480  
 tttattgtat ttgtanaata caatttttgt tttaaactgt atttcaatct atttctccaa 540  
 gatgcttttc atatagagtg aaatatccca ngataactgc ttctgtgtcg tcgcatttga 600  
 cgcataactg cacaaatgaa cagtgtatac ctcttggttg tgcattnacc cc 652

<210> 50  
 <211> 650  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(650)  
 <223> n = A,T,C or G

<400> 50  
 ttgcgctttg attttttttag ggcttgtgccc ctgtttcact tatagggctct agaatgcttg 60  
 tgttgagtaa aaaggagatg cccaatatcc aaagctgcta aatgttctct ttgccataaa 120  
 gactccgtgt aactgtgtga acacttggga tttttctcct ctgtcccgag gtcgtcgtct 180  
 gctttctttt ttgggttctt tctagaagat tgagaaatgc atatgacagg ctgagancac 240  
 ctecccaaac acacaagctc tcagccacan gcagcttctc cacagcccca gcttcgcaca 300  
 ggctcctgga nggtgcctg ggggaggcag acatgggagt gccaaagggtg ccagatgggt 360  
 ccaggactac aatgtcttta tttttaactg tttgccactg ctgccctcac cctgcccgg 420  
 ctctggagta cctgtctccc canacaagtg ggantgaaat ggggggtggg ggggaactg 480  
 attcccantt aggggggtgcc taactgaaca gtagggatan aagggtgtgaa cctgngaant 540

```

gcttttataa attatnttcc ttgttanatt tatttttttaa tttaatctct gttnaactgc      600
ccngggaaaaa ggggaaaaaa aaaaaaaaaat tctnttttaa cacatgaaca      650

```

```

<210> 51
<211> 545
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(545)
<223> n = A,T,C or G

```

```

<400> 51
tggcgtgcaa ccagggtagc tgaagtttgg gtctgggact ggagattggc cattaggcct      60
cctganattc cagctccctt ccaccaagcc cagtcttgct acgtgggcaca gggcaaacct      120
gactcccttt gggcctcagt ttcccctccc ctccatgana tgaaaagaat actacttttt      180
cttgttggtc taacnttgct ggacncaaag tgtngtcatt attgttgtat tgggtgatgt      240
gtncaaaact gcagaagctc actgcctatg agaggaanta agagagatag tggatganag      300
ggacanaagg agtcattatt tggatatagat ccaccntcc caacctttct ctccctcagtc      360
cctgcncctc atgtntctgg tntggtgagt cctttgtgcc accanccatc atgctttgca      420
ttgctgccat cctgggaagg ggggtgnatcg tctcacaact tgttgtcac c gtttganatg      480
catgctttct tnatnaaaca aanaaannaa tgtttgacag ngttttaa at aaaaaanaaa      540
caaaa      545

```

```

<210> 52
<211> 678
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(678)
<223> n = A,T,C or G

```

```

<400> 52
actagtagaa gaactttgcc gcttttgtgc ctctcacagg cgcctaaagt cattgccatg      60
ggaggaagac gatttggggg gggagggggg gggggcangg tccgtggggc ttccctant      120
ntatctccat ntecantggn cnntgtcgcc tcttccctcg tcn cattnga anttantccc      180
tggneccenn neectctecn neetnncct cccccctcg nneectcenn cttttntan      240
nettecccat ctecntcccc cctnanngtc ccaacnecgn cagcaatnnc ncaetnctc      300
netecnence teennecgtt cttctnttet cnaentntnc ncnntnecn tgccnntnaa      360
annctctccc cnetgcaanc gattctctcc cteennann ctnctcactc cntncttctc      420
nencgetect nttentcnc ccaactcten ccttegnecc cantacnctc nccncccttn      480
cgnntenttn nnntectenn accncccncc tecccttenc cctcttctcc cgggtntntc      540
tetctccnnc nncnncnct cnnccntcc nngcgnccnt ttecgcccn cncnccntt      600
ccttentcnc cantccaten cntntnccat netnecntnc nctcaenccc gctncccccn      660
ntctctttca cacngtcc      678

```

```

<210> 53
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>

```

<221> misc\_feature  
 <222> (1)...(502)  
 <223> n = A,T,C or G

<400> 53

tgaagatcct	ggtgtcgcca	tgggcgcgcg	ccccgcccg	tgttaccggt	attgtaagaa	60
caagccgtac	ccaaagtctc	gcttctgccc	aggtgtccct	gatgccaaaa	ttcgcatctt	120
tgacctgggg	cggaaaaang	caaaantgga	tgagtctccg	ctttgtggcc	acatggtgtc	180
agatcaatat	gagcagctgt	cctctgaage	cctgnanget	gccccgaatt	gtgccataaa	240
gtacatggta	aaaagtngtg	gcnagatgc	ttccatatcc	gggtgcggnt	ccacccttc	300
cacgtcatcc	gcatacaaa	gatgttgccc	tgtgctgggg	ctgacaggct	cccaacaggc	360
atgcgaagtg	cctttggaaa	acccanggca	ctgtggccag	ggttcacatt	gggccaattn	420
atcatgttca	tccgcaccaa	ctgcagaaca	angaacntgt	naattnaagc	cctgcccagg	480
gncaanttca	aatttcccg	cc				502

<210> 54  
 <211> 494  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(494)  
 <223> n = A,T,C or G

<400> 54

actagtccaa	gaaaaatatg	cttaatgtat	attacaaagg	ctttgtatat	gttaacctgt	60
tttaatgcc	aaagtttgct	ttgtccacaa	tttccttaag	acctcttcag	aaagggattt	120
gtttgcctta	atgaatactg	ttgggaaaaa	acacagtata	atgagtgaag	agggcagaag	180
caagaaattt	ctacatctta	gcgactccaa	gaagaatgag	tatccacatt	tagatggcac	240
attatgagga	ctttaatctt	tccttaaaca	caataatgtt	ttcttttttc	ttttattcac	300
atgatttcta	agtatatctt	tcatgcagga	cagtttttca	accttgatgt	acagtgactg	360
tgttaaattt	ttctttcagt	ggcaacctct	ataatcttta	aaatatgggtg	agcatcttgt	420
ctgttttgaa	ngggatatga	cnatnaatct	atcagatggg	aaatcctgtt	tccaagttag	480
aaaaaaaaaa	aaaa					494

<210> 55  
 <211> 606  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(606)  
 <223> n = A,T,C or G

<400> 55

actagtaaaa	agcagcattg	ccaaataatc	cctaattttc	cactaaaaat	ataatgaaat	60
gatgttaagc	tttttgaaaa	gttttaggta	aacctactgt	tgttagatta	atgtatttgt	120
tgcttccctt	tatctggaat	gtggcattag	cttttttatt	ttaacctctc	ttaattctta	180
ttcaattcca	tgacttaagg	ttggagagct	aaacactggg	attttttgat	aacagactga	240
cagttttgca	taattataat	cggcattgta	catagaaagg	atatggctac	cttttggttaa	300
atctgcactt	tctaaatata	aaaaaaggga	aatgaagtat	aaatcaattt	ttgtataatc	360
tgtttgaaac	atgantttta	tttgcttaat	attanggctt	tgcccttttc	tgttagtctc	420
ttgggatcct	gtgtaaaaact	gttctcatta	aacaccaaac	agttaagtcc	attctctggg	480

```

actagctaca aattccgttt catattctac ntaacaatth aaattaactg aaatattttct 540
anatggtcta cttctgtcnt ataaaaacna aacttgantt nccaaaaaaa aaaaaaaaaa 600
aaaaaa 606

```

```

<210> 56
<211> 183
<212> DNA
<213> Homo sapien

```

```

<400> 56
actagtatat ttaaacttac aggtttatth gtaatgtaaa ccaccattth aatgtactgt 60
aattaacatg gttataatac gtacaatcct tccctcatcc catcacacaa ctttttttgt 120
gtgtgataaa ctgatttttg tttgcaataa aaccttgaaa aataaaaaaa aaaaaaaaaa 180
aaa 183

```

```

<210> 57
<211> 622
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(622)
<223> n = A,T,C or G

```

```

<400> 57
actagtcact actgtcttct ccttgtagct aatcaatcaa tattcttccc ttgcctgtgg 60
gcagtggaga gtgctgtctg gtgtacgctg cacctgccca ctgagttggg gaaagaggat 120
aatcagtgag cactgttctg ctcagagctc ctgatctacc ccaccccta ggatccagga 180
ctgggtcaaa gctgcataa accaggccct ggcagcaacc tgggaatggc tggaggtggg 240
agagaacctg acttctctt cctctccct cctccaacat tactggaact ctatcctgtt 300
agggatcttc tgagcttgtt tccctgctgg gtgggacaga agacaaagga gaagggangg 360
tctacaanaa gcagcccttc tttgtcctct ggggttaatg agcttgacct ananttcatt 420
gaganaccan aagcctctga tttttaatth cntnaaatg tttgaagtnt atatntacat 480
atatatatth ctttnaatnt ttgagtctth gatatgtctt aaaatccant cctctgccn 540
gaaacctgaa ttaaaacat gaanaaaaat gtttncctta aagatgttan taattaattg 600
aaacttgaaa aaaaaaaaaa aa 622

```

```

<210> 58
<211> 433
<212> DNA
<213> Homo sapien

```

```

<400> 58
gaacaaattc tgattggtta tgtaccgtca aaagacttga agaaatttca tgatttttga 60
gtgtggaagc gttgaaaatt gaaagtact gtttttccac ttgctcatat agtaaaggga 120
tcttttcagc tgccagtgtt gaataatgta tcatccagag tgatgttatc tgtgacagtc 180
accagcttta agctgaacca ttttatgaat accaaataaa tagacctctt gtactgaaaa 240
catattttgt actttaatcg tgctgcttgg atagaaatat ttttactggg tcttctgaat 300
tgacagtaaa cctgtccatt atgaatggcc tactgttcta ttatttgttt tgacttgaat 360
ttatccacca aagacttcat ttgtgtatca tcaataaagt tgtatgtttc aactgaaaaa 420
aaaaaaaaa aaa 433

```

```

<210> 59
<211> 649

```

<212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(649)  
 <223> n = A,T,C or G

<400> 59  
 actagttatt atctgacttt cngggtataa tcatttctaag gagtgtgaag tagcctctgg 60  
 tgtcatttgg atttgcattt ctctgatgag tgatgctatc aagcaccttt gctgggtgctg 120  
 ttggccatat gtgtatgttc cctggagaag tgtctgtgct gagccttggc ccacttttta 180  
 attaggcgtn tgtcttttta ttactgagtt gtaaganttc tttatatatt ctggattcta 240  
 gacccttatac agatacatgg tttgcaaata ttttctccca ttctgtgggt tgtgttttca 300  
 ctttatcgat aatgtcctta gacatataat aaatttgtat tttaaaagtg acttgatttg 360  
 ggctgtgcaa ggtgggctca cgcttgtaat ccagcactt tgggagactg aggtgggtgg 420  
 atcatatgan gangctagga gttcgaggtc agcctggcca gcatagcgaa aacttgtctc 480  
 tacnaaaaat acaaaaatta gtcaggcatg gtggtgcacg tctgtaatac cagcttctca 540  
 ggangctgan gcacaaggat cacttgaacc ccagaangaa gangttgcag tganctgaag 600  
 atcatgccag ggcaacaaaa atgagaactt gtttaaaaaa aaaaaaaaaa 649

<210> 60  
 <211> 423  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(423)  
 <223> n = A,T,C or G

<400> 60  
 actagttcag gccttccagt tcactgacaa acatggggaa gtgtgcccag ctggctggaa 60  
 acctggcagt gataccatca agcctgatgt ccaaaagagc aaagaatatt tctccaagca 120  
 gaagtgagcg ctgggctggt ttagtgccag gctgcggtgg gcagccatga gaacaaaacc 180  
 tcttctgtat ttttttttc cattagtana acacaagact cngattcagc cgaattgtgg 240  
 tgtcttacaa ggcagggttc tcctacaggg ggtgganaaa acagcctttc ttcctttggt 300  
 aggaatggcc tgagttggcg ttgtgggcag gctactggtt tgtatgatgt attagtagag 360  
 caaccatta atcttttcta gtttgtatna aacttganct gagaccttaa aaaaaaaaaa 420  
 aaa 423

<210> 61  
 <211> 423  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(423)  
 <223> n = A,T,C or G

<400> 61  
 cgggactgga atgtaaagtg aagttcggag ctctgagcac gggctcttcc cgccgggtcc 60  
 tccctcccca gacccagag ggagaggccc accccgccca gccccgcccc agccctgct 120  
 caggctctgag tatggctggg agtcgggggc cacaggcctc tagctgtgct gctcaagaag 180



actggatcag	ggtanctaca	agtggccggg	ccttgccctt	gggattctac	cctgttccta	240
atttggtggt	ggggtgcggg	gtccctggcc	cccttttcca	cactncctcc	ctccngacag	300
caacctccct	tggggcaatt	gggcctggnt	ctccncccg	tgttgcnacc	ctttgttggt	360
ttaaggncct	taaaaatgtt	annttttccc	ntgccngggt	taaaaaagga	aaaaactnaa	420
aaa						423

&lt;210&gt; 62

&lt;211&gt; 683

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (683)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 62

gctggagagg	ggtacggact	ttcttggagt	tgtcccaggt	tggaatgaga	ctgaactcaa	60
gaagagaccc	taagagactg	gggaatgggt	cctgccttca	ggaaagtga	agacgcttag	120
gctgtcaaca	cttaaaggaa	gtccccttga	agcccagagt	ggacagacta	gacccattga	180
tggggccact	ggccatgggc	cgtggacaag	acattccngt	gggccatggc	acaccggggg	240
ggatcaaaat	gtgtacttgt	ggggtctcgc	cccttgccaa	aaccaaacca	ntcccactcc	300
tgtcnttggg	ctttcttccc	attccctcct	ccccaaatgc	acttcccctc	ctcccctctgc	360
ccctcctgtg	tttttgggaat	tctgtttccc	tcaaaattgt	taatttttta	nttttngacc	420
atgaacttat	gtttggggtc	nangttcccc	ttnccaatgc	atactaatat	attaatgggt	480
atattttttt	gaaatatttt	ttaatgaact	tggaaaaaat	tnntggaatt	tccttncttc	540
cntttntttt	gggggggggtg	gggggntggg	ttaaaatttt	tttggaancc	cnatnggaaa	600
ttnttacttg	gggccccct	naaaaaantn	antccaatt	cttnnatngc	ccctnttccn	660
ctaaaaaaaa	ananannaaa	aan				683

&lt;210&gt; 63

&lt;211&gt; 731

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (731)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 63

actagtcata	aagggtgtgc	gcgtcttcga	cgtggcgggc	ttggcgccac	tgctgcgaga	60
cccggccctg	gacctcaagg	tcattccactt	ggtgcgtgat	ccccgcggcg	tggcgagttc	120
acggatccgc	tcgcgccacg	gcctcatccg	tgagagccta	cagggtggtgc	gcagccgaga	180
ccgcgagctc	accgcatgcc	cttcttggag	gccgcggggc	acaagcttgg	cgcccaaaaa	240
gaaggcgtn	ggggcccgca	aantaccacg	ctctggggcg	tatggaangt	cctcttgcaa	300
taatattggt	tnaaaanctg	canaanagcc	cctgcancct	cctgaactgg	gntgcagggc	360
cncttacctn	gtttggnctg	ggttacaaag	aacctgtttt	ggaaaaccct	nccnaaaacc	420
ttccgggaaa	attntncaaa	ttttnttggg	ggaattnttg	ggtaaaccct	ccnaaaatgg	480
gaaacntttt	tgcctnnaa	antaaaccat	tnggttccgg	ggggcccccc	ncaaaaccct	540
ttttnttttt	ttntgcccc	cantnncccc	ccggggcccc	tttttttngg	ggaaaanccc	600
ccccctncc	nanantttta	aaagggnngg	anaatttttt	nttncccccc	gggncccccn	660
ggngntaaaa	nggtttcncc	cccccgaggg	gnnggggnnc	ctcnnaaacc	cntntcnna	720
ccnctttttt	n					731

<210> 64  
 <211> 313  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (313)  
 <223> n = A,T,C or G

<400> 64  
 actagttgtg caaaccacga ctgaagaaag acgaaaagtg ggaaataact tgcaacgtct 60  
 gttagagatg gttgctacac atgttgggtc tgtagagaaa catcttgagg agcagattgc 120  
 taaagttgat agagaatatg aagaatgcat gtcagaagat ctctcggaaa atattaaaga 180  
 gattagagat aagtatgaga agaaagctac tctaattaag tcttctgaag aatgaagatn 240  
 aaatgttgat catgtatata tatccatagt gaataaaatt gtctcagtaa agttgtaaaa 300  
 aaaaaaaaaa aaa 313

<210> 65  
 <211> 420  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (420)  
 <223> n = A,T,C or G

<400> 65  
 actagttccc tggcaggcaa gggcttccaa ctgaggcagt gcatgtgtgg cagagagagg 60  
 caggaagctg gcagtggcag cttctgtgtc tagggagggg tgtggctccc tcttccctg 120  
 tctgggaggt tggagggaag aatctaggcc ttagcttgcc ctctgccac ccttcccctt 180  
 gtagatactg ccttaacact ccctcctctc tcagctgtgg ctgccacca agccaggttt 240  
 ctccgtgctc actaatttat ttccaggaaa ggtgtgtgga agacatgagc cgtgtataat 300  
 atttgtttta acattttcat tgcaagtatt gaccatcatc cttggttgtg tatcgttgta 360  
 acacaaatta atgatattaa aaagcatcca aacaaagccn annnnnaana nnannngaaa 420

<210> 66  
 <211> 676  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (676)  
 <223> n = A,T,C or G

<400> 66  
 actagtttcc tatgatcatt aaactcattc tcagggttaa gaaaggaatg taaatttctg 60  
 cctcaatttg tacttcatca ataagttttt gaagagtgcg gatttttagt caggtcttaa 120  
 aaataaaact acaaactctg atgcatttct aaattctgca aatgtttcct ggggtgactt 180  
 aacaaggaat aatcccacaa tatacctagc tacctaatac atggagctgg ggctcaaccc 240  
 actgttttta aggatttgcg cttacttgtg gctgaggaaa aataagtagt tccgagggaa 300  
 gtagttttta aatgtgagct tatagatngg aaacagaata tcaacttaat tatggaaatt 360  
 gttagaaacc tgttctcttg ttatctgaat cttgattgca attactattg tactggatag 420

actccagccc	attgcaaagt	ctcagatata	ttanctgtgt	agttgaattc	cttggaaatt	480
ctttttaaga	aaaaattgga	gtttnaaaga	aataaacccc	tttgttaaat	gaagcttggc	540
tttttggtga	aaaanaatca	tcccgaggg	cttattgttt	aaaaanggaa	ttttaagcct	600
ccctggaaaa	anttgttaat	taaatgggga	aatgntggg	naaaaattat	ccgttagggg	660
ttaaagggaa	aactta					676

&lt;210&gt; 67

&lt;211&gt; 620

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (620)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 67

caccattaaa	gctgcttacc	aagaacttcc	ccagcatttt	gacttccttg	tttgatagct	60
gaattgtgag	caggtgatag	aagagccttt	ctagttgaac	atacagataa	tttgctgaat	120
acattccatt	taatgaagg	gttacatctg	ttacgaagct	actaagaagg	agcaagagca	180
taggggaaaa	aaatctgac	agaacgcac	aaactcacat	gtgccccctc	tactacaaac	240
agattgtagt	gctgtggtg	tttattccgt	tgtgcagaac	ttgcaagctg	agtcactaaa	300
cccaaagaga	ggaaattata	ggttagttaa	acattgtaat	cccaggaact	aagttaaatt	360
cacttttgaa	gtgttttgtt	ttttattttt	ggtttgtctg	atttactttg	ggggaaaang	420
ctaaaaaaa	agggatatca	atctctaatt	cagtgcccac	taaaagttgt	ccctaaaaag	480
tctttactgg	aantttagg	actttttaag	ctccaggnt	tttggtcctc	caaattaacc	540
ttgcattggc	cccttaaaat	tgttgaangg	cattcctgcc	tctaagtttg	gggaaaattc	600
ccccnttttn	aaaatttgga					620

&lt;210&gt; 68

&lt;211&gt; 551

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (551)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 68

actagtagct	ggtacataat	cactgaggag	ctattttctta	acatgctttt	atagaccatg	60
ctaagtctag	accagtattt	aagggctaata	ctcacacctc	cttagctgta	agagtctggc	120
ttagaacaga	cctctctgtg	caataacttg	tggccactgg	aaatccctgg	gccggcattt	180
gtattggggg	tgcaatgact	cccaagggcc	aaaagagtta	aaggcacgac	tgggatttct	240
tctgagactg	tggtgaaact	ccttccaagg	ctgagggggg	cagtangtgc	tctgggaggg	300
actcggcacc	actttgatata	tcaacaagcc	acttgaagcc	caattataaa	attgttattt	360
tacagctgat	ggaactcaat	ttgaaccttc	aaaactttgt	tagtttatcc	tatttatattg	420
ttaaacctaa	ttacatttgt	ctagcattgg	atttggttcc	tgtngcatat	gtttttttcn	480
cctatgtgct	ccccccccc	nnatcttaat	ttaaacnca	attttgcnat	tcnccnnnnn	540
nannnnanna	a					551

&lt;210&gt; 69

&lt;211&gt; 396

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(396)  
 <223> n = A,T,C or G

<400> 69  
 cagaaatgga aagcagagtt ttcattttctg tttataaaacg tctccaaaca aaaatggaaa 60  
 gcagagttttt cattaaatcc ttttaccttt tttttttctt ggtaatcccc tcaaataaca 120  
 gtatgtggga tattgaatgt taaagggata tttttttcta ttatttttat aattgtacaa 180  
 aattaagcaa atgttaaaag ttttatatgc tttattaatg ttttcaaaag gtatnataca 240  
 tgtgatacat tttttaagct tcagttgctt gtcttctggt actttctggt atgggctttt 300  
 ggggagccan aaaccaatct acnatctctt tttgtttgcc aggacatgca ataaaaattta 360  
 aaaaataaat aaaaactatt nagaaattga aaaaaa 396

<210> 70  
 <211> 536  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(536)  
 <223> n = A,T,C or G

<400> 70  
 actagtgcaa aagcaaatat aaacatcgaa aaggcgttcc tcacgttagc tgaagatata 60  
 cttcgaaaga cccctgtaaa agagcccaac agtgaaaatg tagatatcag cagtggagga 120  
 ggcgtgacag gctggaagag caaatgctgc tgagcattct cctgttccat cagttgccat 180  
 ccactacccc gttttctctt cttgctgcaa aataaaccac tctgtccatt tttactcta 240  
 aacagatatt tttgtttctc atcttaacta tccaagccac ctattttatt tgttctttca 300  
 tctgtgactg cttgctgact ttatcataat tttcttcaaa caaaaaaatg tatagaaaaa 360  
 tcatgtctgt gacttcattt ttaaatgnta cttgctcagc tcaactgcat ttcagttggt 420  
 ttatagtcca gttcttatca acattnaaac ctatngcaat catttcaaat ctattctgca 480  
 aattgtataa gaataaaagt tagaatttaa caattaaaaa aaaaaaaaaa aaaaaa 536

<210> 71  
 <211> 865  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(865)  
 <223> n = A,T,C or G

<400> 71  
 gacaaagcgt taggagaaga anagaggcag ggaanactnc ccaggcacga tggcncctt 60  
 cccaccagca accagcgccc cccaccagcc cccaggcccg gacgacgaag actccatcct 120  
 ggattaatct nacctctntc gcctgnccca ttcctacctc ggaggtggag gccggaaagg 180  
 tcncaccaag aganaantcg ctgccaacac caaccgcccc agccctggcg ggcacganag 240  
 gaaactggtg accaatctgc agaattctna gaggaanaag cnaggggccc cgcgctnaga 300  
 cagagctgga tatgangcca gaccatggac nctacnccn ncaatncana cgggactgcy 360  
 gaagatggan gaccnecgac nngatcagge cngetnncca nccccccacc cctatgaatt 420  
 attcccgcgtg aangaatctc tgannggctt ccannaaage gcctccccnc cnaacgnaan 480

tncaacatng	ggattanang	ctgggaactg	naaggggcaa	ancctnnaat	atccccagaa	540
acaanctctc	ccnaanaaac	tggggcncct	catnggtggn	accaaactatt	aactaaaccg	600
cacgccaaagn	aantataaaa	ggggggcccc	tcnccggng	acccccctttt	gtcccttaat	660
ganggttatc	cnccttgctg	accatggtnc	ccnntttctgt	ntgnatgttt	ccnctccccct	720
ccncttatnt	cnagccgaac	tcnnattnnc	ccgggggtgc	nacnancng	tnccctttt	780
ttngttgncc	cngccctttc	cgnccggaacn	cgtttccccg	ttantaacgg	cacccggggg	840
aaggggtgntt	ggccccctcc	ctccc				865

<210> 72  
 <211> 560  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(560)  
 <223> n = A,T,C or G

<400> 72						
cctggacttg	tcttggttcc	agaacctgac	gaccggcgca	cggcgacgtc	tcttttgact	60
aaaagacagt	gtccagtgtc	ccngcctagg	agtctacggg	gaccgcctcc	cgcgccgcca	120
ccatgcccaa	cttctctggc	aactggaaaa	tcacccgac	ggaaaacttc	gangaattgc	180
tcnaantgct	gggggtgaat	gtgatgctna	ngaanattgc	tgtggctgca	gcgtccaagc	240
cagcagtgga	gatcnaacag	gagggagaca	ctttctacat	caaaacctcc	accaccgtgc	300
gcaccacaaa	gattaacttc	nnngttgggg	aggantttga	ggancaaact	gtggatngga	360
ngcctgtnaa	aacctggtga	aatgggagaa	tganaataaa	atggtctgtg	ancanaaact	420
cctgaaayga	gaaggccccc	anaactcctg	gaccngaaaa	actgaccnc	cnatngggga	480
actgatnctt	gaaccctgaa	cgggggggat	ganccttttt	tnttgccncc	naanggggtc	540
tttccttttc	cccaaaaaaa					560

<210> 73  
 <211> 379  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(379)  
 <223> n = A,T,C or G

<400> 73						
ctggggancc	ggcggtnngc	nccatntcnn	gncgcgaagg	tggcaataaa	aanccnctga	60
aaccgcncaa	naaacatgcc	naagatatgg	acgaggaaga	tnngctttc	nngnacaanc	120
gnanngagga	acanaacaaa	ctcnangagc	tctcaagcta	atgccgcggg	gaagggggcc	180
ttggccacnn	gtggaattaa	gaaatctggc	aaanngtann	tgctccttgt	gcctnangag	240
ataagngacc	ctttatttca	tctgtattta	aacctctctn	ttccctgnca	taacttcttt	300
tnccacgtan	agntggaant	anttggtgtc	ttggactgtt	gtncatttta	gannaaactt	360
ttgttcaaaa	aaaaaataa					379

<210> 74  
 <211> 437  
 <212> DNA  
 <213> Homo sapien

<220>

<221> misc\_feature  
 <222> (1) ... (437)  
 <223> n = A,T,C or G

<400> 74  
 actagttcag actgccacgc caaccccaga aaatacccca catgccagaa aagtgaagtc 60  
 ctaggtgttt ccattctatgt ttcaatctgt ccattctacca ggctctcgca taaaaacaaa 120  
 acaaaaaaac gctgccagggt ttanaagca gttctgggtct caaaaccatc aggatcctgc 180  
 caccagggtt cttttgaaat agtaccacat gtaaaaggga atttggcttt cacttcatct 240  
 aatcactgaa ttgtcagggt ttgattgata attgtagaaa taagtagcct tctgtttgtg 300  
 gaataagtta taatcagtat tcatctcttt gttttttgtc actcttttct ctctnattgt 360  
 gtcatttgta ctgtttgaaa aatattttct ctataaaatt aaactaacct gccttaaaaa 420  
 aaaaaaaaaa aaaaaaa 437

<210> 75  
 <211> 579  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (579)  
 <223> n = A,T,C or G

<400> 75  
 ctccgtcgcc gccaaagatga tgtgcggggc gccctccgcc acgcagccgg ccaccgccga 60  
 gaccagcac atcgccgacc aggtgagggt ccagcttgaa gagaaagaaa acaagaagtt 120  
 ccctgtgttt aaggccgtgt cattcaagag ccagggtgtc gcggggacaa actacttcat 180  
 caaggtgcac gtccggcgacg aggacttcgt acacctgcga gtgttccaat ctctccctca 240  
 tgaaaacaag cccttgacct tatctaacta ccagaccaac aaagccaagc atgatgagct 300  
 gacctatttc tgatcctgac ttgggacaag gcccttcagc cagaagactg acaaagtcac 360  
 cctccgtcta ccagagcgtg cacttgatgat cctaaaataa gttcatctc cgggctgtgc 420  
 ccttgggggtg gaaggggcan gatctgcact gcttttgcac ttctcttctt aaatttcatt 480  
 gtgttgattc ttctcttcca ataggtgatc ttnattactt tcagaatatt ttccaaatna 540  
 gatatatattt naaaatcctt aaaaaaaaaa aaaaaaaaaa 579

<210> 76  
 <211> 666  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (666)  
 <223> n = A,T,C or G

<400> 76  
 gtttatccta tctctccaac cagattgtca gctccttgag ggcaagagcc acagtatatt 60  
 tcctgttttc ttccacagtg cctaataata ctgtggaact aggttttaata aattttttta 120  
 ttgatgttgt tatgggcagg atggcaacca gaccattgtc tcagagcagg tgctggctct 180  
 ttcttggtta ctccatgttg gctagcctct ggtaacctct tacttattat cttcaggaca 240  
 ctactacag ggaccaggga tgatgcaaca tccttgtctt tttatgacag gatgtttgct 300  
 cagcttctcc aacaataaaa agcacgtggt aaaacacttg cggatattct ggactgtttt 360  
 taaaaaatat acagtttacc gaaaatcata ttatcttaca atgaaaagga ntttatagat 420  
 cagccagtga acaacctttt cccaccatac aaaaattcct tttcccgaan gaaaanggct 480

```

ttctcaataa ncctcacttt cttaanatct tacaagatag ccccganatc ttatcgaaac 540
tcatttttagg caaatatgan ttttattgtg cgttacttgt ttcaaaatgt ggtattgtga 600
atatcaatta ccaccccat ctcccatgaa anaaanggga aanggtgaan ttcntaanog 660
cttaaa 666

```

```

<210> 77
<211> 396
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (396)
<223> n = A,T,C or G

```

```

<400> 77
ctgcagcccg ggggatccac taatctacca nggttatttg gcagctaatt ctanatttgg 60
atcattgccc aaagttgcac ttgctggtct cttgggattt ggcttggaa aggtatcata 120
catanganta tgccanaata aattccattt ttttgaaaat canctccttg gggctgggtt 180
tggtccacag cataacangc actgctcctt tacctgtgag gaatgcaaaa taaagcatgg 240
attaagttag aaggagact ctgagccttc agcttcctaa attctgtgtc tgtgactttc 300
gaagtttttt aaacctctga atttgtacac atttaaaatt tcaagtgtac tttaaaataa 360
aatacttcta atgggaacaa aaaaaaaaaa aaaaaa 396

```

```

<210> 78
<211> 793
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (793)
<223> n = A,T,C or G

```

```

<400> 78
gcacccatgc cgcgcactca cacaaggcag gtgggtgagg aaatccagag ttgccatgga 60
gaaaattcca gtgtcagcat tcttgctcct tgtggccctc tcctacactc tggccagaga 120
taccacagtc aaacctggag ccaaaaagga cacaaggac tctcgacca aactgcccc 180
gacctctccc agagggttgg gtgaccaact catctggact cagacatatg aagaagctct 240
atataaatcc aagacaagca acaaaccctt gatgattatt catcacttgg atgagtgtcc 300
acacagtcna gcttttaaga aagtgtttgc tgaaaataaa gaaatccaga aattggcaga 360
gcagtttgtc ctccctcaatc tggtttatga aacaactgac aaacaccttt ctctgatgg 420
ccagtatgtc ccaggattat gtttgttgac ccactctctga cagttgaagc cgatatcctg 480
ggaagatatt cnaaccgtct ctatgcttac aaactgcaga tacgctctgt tgcttgacac 540
atgaaaaagc tctcaagttg ctnaaaatga attgtaagaa aaaaaatctc cagccttctg 600
tctgtcggct tgaaaattga aaccagaaaa atgtgaaaaa tggctattgt ggaacanatn 660
gacacctgat taggttttgg ttatgttcac cactattttt aanaaaanan nttttaaaat 720
ttggttcaat tntctttttt aaacaatntg tttctacntt gnganctgat ttctaaaaaa 780
aataatnttt ggc 793

```

```

<210> 79
<211> 456
<212> DNA
<213> Homo sapien

```

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(456)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 79

actagtatgg	ggtgggaggg	cccacccttc	tcccctaggg	gctgttcttg	ctccaaaggg	60
ctccgtggag	agggactggc	agagctgang	ccacctgggg	ctggggatcc	cactcttctt	120
gcagctgttg	agcgcaccta	accactgggc	atgccccac	ccctgctctc	cgcaccgct	180
tcctcccgac	cccangacca	ggctacttct	ccccctctct	tgctccctc	ctgcccctgc	240
tgctctgat	cgtangaatt	gangantgtc	cgccttcttg	gctganaatg	gacagtggca	300
ggggctggaa	atgggtgtgt	gtgtgtgtgt	gtgtgtgtgt	gtgtgtgtgt	gcnccccccc	360
tgcaagaccg	agattgaggg	aaancatgtc	tgctgggtgt	gaccatgttt	cctctccata	420
aantnccct	gtgacnctca	naaaaaaaaa	aaaaaa			456

&lt;210&gt; 80

&lt;211&gt; 284

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(284)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 80

ctttgtacct	ctagaaaaga	taggtattgt	gtcatgaaac	ttgagttaa	attttatata	60
taaaactaaa	agtaatgtc	actttagcaa	cacatactaa	aattggaacc	atactgagaa	120
gaatagcatg	acctccgtgc	aaacaggaca	agcaaatttg	tgatgtgttg	attaaaaaga	180
aataaataaa	tgtgtatatg	tgtaacttgt	atgtttatgt	ggaatacaga	ttgggaaata	240
aaatgtattt	cttactgtga	aaaaaaaaaa	aaaaaaaaaa	aana		284

&lt;210&gt; 81

&lt;211&gt; 671

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(671)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 81

gccaccaaca	ttccaagcta	ccctgggtac	ctttgtgcag	tagaagctag	tgagcatgtg	60
agcaagcgg	gtgcacacgg	agactcatcg	ttataattta	ctatctgcca	agagtagaaa	120
gaaaggctgg	ggatatgttg	gttggtcttg	ttttgatttt	ttgcttggtt	gtttgttttg	180
tactaaaaca	gtattatctt	ttgaatatcg	tagggacata	agtatatata	tggtatccaa	240
tcaagatggc	tagaatggtg	cctttctgag	tgtctaaaac	ttgacacccc	tggtaaatct	300
ttcaacacac	ttccactgcc	tgcgtaatga	agttttgatt	catttttaac	cactggaatt	360
tttcaatgcc	gtcattttca	gttagatnat	tttgcacttt	gagattaaaa	tgccatgtct	420
atttgattag	tcttattttt	ttatttttac	aggcttatca	gtctcactgt	tggtgtcat	480
tgtgacaaa	g	g	g	g	g	540
acattaagct	ttggccaaaa	aatgttgc	gtgttttacc	tcgacttgct	aaatcaatan	600
canaaaggct	ggctnataat	gttggtggtg	aaataattaa	tnantaacca	aaaaaaaaan	660
aaaaaaaaaa	a					671



<210> 82  
 <211> 217  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (217)  
 <223> n = A,T,C or G

<400> 82  
 ctgcagatgt ttcttgaatg ctttgtcaaa ttaanaaagt taaagtgcaa taatgtttga 60  
 agacaataag tgggtggtgta tcttggtttct aataagataa actttttttgt ctttgcttta 120  
 tcttattagg gagttgtatg tcagtgtata aaacatactg tgtggtataa caggcttaat 180  
 aaattcttta aaaggaaaaa aaaaaaaaaa aaaaaaa 217

<210> 83  
 <211> 460  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (460)  
 <223> n = A,T,C or G

<400> 83  
 cgcgagtggg agcaccagga tctcgggctc ggaacgagac tgcacggatt gttttaagaa 60  
 aatggcagac aaaccagaca tgggggaaat cgccagcttc gatnaggcca agctgaanaa 120  
 aacggagacg caggagaaga acaccctgcc gaccaaagag accattgagc angagaagcg 180  
 gagtgaaatt tcttaagatc ctggaggatt tcttaccctc gtctctctcg agaccccgat 240  
 cgtgatgtgg aggaagagcc acctgcaaga tggacacgag ccacaagctg cactgtgaac 300  
 ctgggcactc cgcgcgcatg ccaccggcct gtgggtctct gaagggaccc cccccaatcg 360  
 gactgccaaa ttctccggtt tgccccggga tattatacaa nattatttgt atgaataatg 420  
 annataaaac acacctcgtg gcancaaana aaaaaaaaaa 460

<210> 84  
 <211> 323  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (323)  
 <223> n = A,T,C or G

<400> 84  
 tgggtgatct tggctctgtg gagctgctgg gacgggatct aaaagactat tctggaagct 60  
 gtgggtccaan gcatttttgc ggcttaacgg gtccccgaac aaaggacacc agctctctaa 120  
 aattgaagtt taccoganat aacaatcttt tgggcagaga tgctattttt aacaaacncc 180  
 gtccctgcgc aacaacnaac aatctctggg aaataccggc catgaacntg ctgtctcaat 240  
 cnancatctc tctagctgac cgatcatatc gtcccagatt actacanatc ataataattg 300  
 atttcctgta naaaaaaaaaa aaa 323

<210> 85  
 <211> 771  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(771)  
 <223> n = A,T,C or G

<400> 85  
 aaactgggta ctcaacactg agcagatctg ttctttgagc taaaaacat gtgctgtacc 60  
 aanagtttgc tcttggtgc tttgatgtca gtgctgctac tccacctctg cggcgaatca 120  
 gaagcaagca actttgactg ctgtcttgga tacacagacc gtattcttca tcctaaattt 180  
 attgtgggct tcacacggca gctggccaat gaaggctgtg acatcaatgc tatcatcttt 240  
 cacacaaaga aaaagtgtgc tgtgtgcgca aatccaaaac agacttgggt gaaatatatt 300  
 gtgctgtctc tcagtaaaaa agtcaagaac atgtaaaaac tgtggctttt ctggaatgga 360  
 attggacata gcccagaac agaaagaact tgctgggggt ggagggtttca cttgcacatc 420  
 atgganggtt tagtgcttat cttatttgtg cctcctggac ttgtccaatt natgaagtta 480  
 atcatattgc atcatanttt gctttgttta acatcacatt naaattaaac tgtattttat 540  
 gttatttata gctntagggt ttctgtgttt aactttttat acnaantttc ctaaaactatt 600  
 ttggtntant gcaanttaaa aatttatattt ggggggggaa taaatattgg antttctgca 660  
 gccacaagct ttttttaaaa aaccantaca nccnngttaa atggtnngtc ccnaatgggt 720  
 tttgcttttn antagaaaat ttnttagaac natttgaaaa aaaaaaaaaa a 771

<210> 86  
 <211> 628  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(628)  
 <223> n = A,T,C or G

<400> 86  
 actagtttgc tttacatttt tgaaaagtat tatttttgtc caagtgttta tcaactaaac 60  
 cttgtgttag gtaagaatgg aattttattaa gtgaatcagt gtgacccttc ttgtcataag 120  
 attatcttaa agctgaagcc aaaatatgct tcaaaagaaa angactttat tgttcattgt 180  
 agttcataca ttcaaagcat ctgaactgta gtttctatag caagccaatt acatccataa 240  
 gtggagaang aaatagatta atgtcnaagt atgattgggt gagggagcaa gggtgaagat 300  
 aatctgggggt tgaaattttc tagttttcat tctgtacatt tttagttnga catcagattt 360  
 gaaatattaa tgtttacctt tcaatgtgtg gtatcagctg gactcantaa cacccttttc 420  
 ttccctnngg gatggggaat ggattattgg aaaatggaaa gaaaaaagta cttaaagcct 480  
 tcctttcnca gtttctggct cctaccctac tgatttance agaataagaa aacattttat 540  
 catcntctgc tttattccca ttaatnaant tttgatgaat aaatctgctt ttatgcnnac 600  
 ccaaggaatt nagtggnttc ntcnttgt 628

<210> 87  
 <211> 518  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature

<222> (1) ... (518)

<223> n = A,T,C or G

<400> 87

ttttttat	tttttagaga	gtagttcagc	ttttat	aaatttattg	cctgttttat	60
tataacaaca	ttatactggt	tatggtttaa	tacatatggt	tcaaaatgta	taatacatca	120
agtagtacag	ttttaaaatt	ttatgcttaa	aacaagtttt	gtgtaaaaaa	tgcagatata	180
ttttacatgg	caaatacaatt	tttaagtcac	cctaaaaaatt	gatttttttt	tgaaatttaa	240
aaacacattt	aattttcaatt	tctctcttat	ataaccttta	ttactatagc	atgggtttcca	300
ctacagttta	acaatgcagc	aaaattccca	tttcacggta	aattggggtt	taagcggcaa	360
ggttaaaatg	ctttgaggat	cctnaatacc	ctttgaactt	caaatagaag	ttatgggtgt	420
naatttaacc	ctcatgccat	aagcagaagc	acaagtttag	ctgcattttg	ctctaaactg	480
taaaancgag	cccccggtg	aaaaagcaaa	agggaccc			518

<210> 88

<211> 1844

<212> DNA

<213> Homo sapien

<400> 88

gagacagtga	atcctagtat	caaaggattt	ttggcctcag	aaaaagttgt	tgattat	60
tattttat	tatttttcga	gactccgtct	caaaaaaaa	aaaaaaaaa	agaatcacia	120
ggtatttgct	aaagcatttt	gagctgcttg	gaaaaaggga	agtagttgca	gtagagtttc	180
ttccatcttc	ttgggtgctgg	gaagccatat	atgtgtcttt	tactcaagct	aaggggtata	240
agcttatgtg	ttgaatttgc	tacatctata	tttcacatat	tctcacaata	agagaatttt	300
gaaatagaaa	tatcatagaa	catttaagaa	agtttagtat	aaataatatt	ttgtgtgttt	360
taatcccttt	gaagggatct	atccaaagaa	aataattttac	actgagctcc	ttcctacacg	420
tctcagtaac	agatcctgtg	ttagtctttg	aaaatagctc	atttttttaa	tgtagtgag	480
tagatgtagc	atacatatga	tgtataatga	cgtgtattat	gttaacaatg	tctgcagatt	540
ttgtaggaat	acaaaacatg	gcctttttta	taagcaaaac	gggccaatga	ctagaataac	600
acatagggca	atctgtgaat	atgtattata	agcagcattc	cagaaaagta	gttgggtgaaa	660
taattttcaa	gtcaaaaagg	gatatggaaa	gggaattatg	agtaacctct	attttttaag	720
ccttgctttt	aaattaaacg	ctacagccat	ttaaagcctg	aggataataa	agcttgagag	780
taataatggt	aggttagcaa	aggttttagat	gtatcacttc	atgcatgcta	ccatgatagt	840
aatgcagctc	ttcgagtcac	ttctggtcac	tcaagatatt	cacccttttg	cccatagaaa	900
gcaccctacc	tcacctgctt	actgacattg	tcttagctga	tcacaagatc	attatcagcc	960
tccattat	cttactgtat	ataaaaataca	gagttttata	ttttcctttc	ttcgtttttc	1020
accatattca	aaacctaaat	ttgtttttgc	agatggaaatg	caaagtaatc	aagtgttcgt	1080
gctttcacct	agaagggtgt	ggtcctgaag	gaaagagggtc	cctaaatatc	ccccaccctg	1140
ggtgctcctc	cttccctggg	accctgacta	ccagaagtca	ggtgctagag	cagctggaga	1200
agtgcagcag	cctgtgcttc	cacagatggg	ggtgctgctg	caacaaggct	ttcaatgtgc	1260
ccatcttagg	gggagaagct	agatcctgtg	cagcagcctg	gtaagtcctg	aggaggttcc	1320
attgctcttc	ctgctgctgt	cctttgcttc	tcaacggggc	tcgctctaca	gtctagagca	1380
catgcagcta	acttgtgcct	ctgcttatgc	atgagggtta	aattaacaac	cataaccttc	1440
atgtgaagtt	caaagggtga	ttcaggatcc	tcaaagcatt	ttaaccttgc	cgcttaaaac	1500
ccaatttacc	gtgaaatggg	aattttgctg	cattgttaaa	ctgtagtgga	aaccatgcta	1560
tagtaataaa	ggttatataa	gagagaaatt	gaaattaaat	gtgtttttta	atttcaaaaa	1620
aaaatcaatc	tttaggatga	cttaaaaatt	gatttgccat	gtaaaatgta	tctgcatttt	1680
ttacacaaaa	cttggtttta	gcataaaaatt	ttaaaactgt	actacttgat	gtattatata	1740
ttttgaacca	tatgtattaa	accataaaca	gtataatgtt	gttataataa	aacaggcaat	1800
aaattttata	ataaaagctg	aaaaaaaaa	aaaaaaaaa	aaaa		1844

<210> 89

<211> 523

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (523)

<223> n = A,T,C or G

<400> 89

tttttttttt	tttttttagt	caatccacat	ttattgatca	cttattatgt	accaggcact	60
gggataaaga	tgactgttag	tcactcacag	taaggaagaa	aactagcaaa	taagacgatt	120
acaatatgat	gtagaaaatg	ctaagccaga	gatatagaaa	ggtcctattg	ggtcctttctg	180
tcacctgtgc	tttccacatc	cctacccttc	acaggccttc	cctccagctt	cctgcccccg	240
ctccccactg	cagatcccct	gggattttgc	ctagagctaa	acgagganat	gggccccctg	300
gccctggcat	gacttgaacc	caaccacaga	ctgggaaagg	gagcctttcg	anagtggatc	360
actttgatna	gaaaacacat	agggaattga	agagaaantc	cccaaatggc	caccctgtgt	420
ggtgtcgaag	aaaagtttgc	agaatggata	aatgaaggat	caagggaatt	aatanaatgaa	480
taattgaatg	gtggctcaat	aagaatgact	ncnttgaatg	acc		523

<210> 90

<211> 604

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (604)

<223> n = A,T,C or G

<400> 90

ccagtgtggt	ggaatgcaaa	gattaccccg	gaagctttcg	agaagctggg	attccctgca	60
gcaaaggaaa	tagccaatat	gtgtcgtttc	tatgaaatga	agccagaccg	agatgtcaat	120
ctcaccacc	aactaaatcc	caaagtcaaa	agcttcagcc	agtttatctc	agagaaccag	180
gggagccttc	aagggtcatg	agaaaatcag	ctgttcagat	aggcctctgc	accacacagc	240
ctcttttctc	tctgatcctt	ttcctcttta	cggcacaaca	ttcatgtttg	acagaacatg	300
ctggaatgca	attgtttgca	acaccgaagg	atttcctgcg	gtcgctctct	cagtaggaag	360
cactgcattg	gtgataggac	acggtaattt	gattcacatt	taacttgcta	gttagtgata	420
aggggtggta	cacctgtttg	gtaaaatgag	aagcctcgga	aacttgggag	cttctctcct	480
accactaatg	gggagggcag	attattactg	ggattttctc	tggggtgaat	taatttcaag	540
ccctaattgc	tgaaattccc	ctnggcaggc	tccagttttc	tcaactgcat	tgcaaaattc	600
cccc						604

<210> 91

<211> 858

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (858)

<223> n = A,T,C or G

<400> 91

tttttttttt	ttttttttta	tgattattat	tttttttatt	gatctttaca	tcctcagtgt	60
tggcagagtt	tctgatgctt	aataaacatt	tgttctgate	agataagtgg	aaaaaattgt	120
catttcttta	ttcaagccat	gcttttctgt	gatattctga	tcctagttag	acatacagaa	180

ataaatgtct	aaaacagcac	ctcgattctc	gtctataaca	ggactaagtt	cactgtgac	240
ttaataaagc	ttggctaaaa	tggaacatga	gtggaggtag	tcacacttca	gcgaagaaa	300
agaatctcct	gtataatctc	accaggagat	tcaacgaatt	ccaccacact	ggactagtgg	360
atcccccggg	ctgcaggaat	tcgatatcaa	gcttategat	accgtcgacc	tcgagggggg	420
gcccggtacc	caattcgccc	tatagtgagt	cgtattacgc	gcgctcactg	gccgtcgttt	480
tacaacgtcg	tgaactggga	aaccctggcg	ttacccaact	taatcgccct	gcagcacatc	540
cccctttcgc	cagctggcgt	aatagegaan	agcccgccac	gatecgccct	ncaacagttg	600
cgcagcctga	atggcgaatg	ggacgcgccc	tgtageggcg	cattaaagcg	cggcnggggtg	660
tggnngntcc	cccacgtgac	cgntacactt	ggcagcgcc	tacgcccgtc	nttcgctttc	720
ttcccttctc	ttctcgccac	gttcgcccgg	tttccccggn	agctnttaat	cgggggnctc	780
cctttanggg	tncnaattaa	nggnnttacng	gaccttngan	cccaaaaact	ttgattaggg	840
ggaaggtccc	cgaagggg					858

&lt;210&gt; 92

&lt;211&gt; 585

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (585)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 92

gttgaatctc	ctggtgagat	tatacaggag	attctctttc	ttcgctgaag	tgtgactacc	60
tccactcatg	tcccatttta	gccaaagctta	tttaagatca	cagtgaactt	agtcctgtta	120
tagacgagaa	tcgaggtgct	gttttagaca	tttatttctg	tatgttcaac	taggatcaga	180
atatcacaga	aaagcatggc	ttgaataagg	aaatgacaat	tttttccact	tatctgatca	240
gaacaaatgt	ttattaagca	tcagaaaactc	tgccaacact	gaggatgtaa	agatcaataa	300
aaaaaataat	aatcatnann	naaanannan	ngaaggggcg	gccgccaccg	cgggtggagct	360
ccagcttttg	ttcccttttag	tgaggggttaa	ttgcgcgctt	ggcgtaatac	atgggtcatag	420
ctgtttcctg	tgtgaaattg	ttatccggct	cacaattccn	cncaacatac	gagccgggaa	480
gcntnangtg	taaaagcctg	gggggtgccta	attgagttag	ctnactcaca	ttaattgnngt	540
tgcgctccac	ttgcccgcctt	ttccantccg	ggaaacctgt	tcgnc		585

&lt;210&gt; 93

&lt;211&gt; 567

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (567)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 93

cggcagtggt	gctgtctgcg	tgtccacett	ggaatctggc	tgaactggct	gggaggacca	60
agactgcggc	tgggggtggc	anggaagga	accgggggct	gctgtgaagg	atcttggaac	120
ttccctgtac	ccaccttccc	cttgettcat	gtttgtanag	gaaccttggt	ccggccaagc	180
ccagtttctc	tgtgtgatac	actaatgtat	ttgctttttt	tgggaaatan	anaaaaaatca	240
attaaattgc	tantgtttct	ttgaannnnn	nnnnnnnnnn	nnnnnnnggg	ggggncgccc	300
ccnccgngga	aacnccccct	tttgttccct	ttaattgaaa	ggttaattng	cnncnctggc	360
gttaancnt	gggccaaaac	tngttncccg	tgntgaaatt	gttnatcccc	tcccaaattc	420
ccccccnncc	ttccaaaacc	ggaaancctn	annntgttna	ancccggggg	gttgccctaan	480
ngnaattnaa	ccnaaccccc	ntttaaatng	nnnttgcn	ccacnngccc	cnctttccca	540

nttcggggaa aaccctntcc gtgccca

567

<210> 94  
 <211> 620  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(620)  
 <223> n = A,T,C or G

<400> 94  
 actagtcaaa aatgctaaaa taatttgga gaaaatattt ttttaagtagt gttatagttt 60  
 catgtttatc ttttattatg ttttgtgaag ttgtgtcttt tcactaatta cctatactat 120  
 gccaatattt ccttatatct atccataaca tttatactac atttgtaana naatatgcac 180  
 gtgaaactta acactttata aggtaaaaat gaggtttcca anatttaata atctgatcaa 240  
 gttcttggtta tttccaaata gaatggactt ggtctgttaa gggctaagga gaagaggaag 300  
 ataagggttaa aagttgttaa tgaccaaaca ttctaaaaga aatgcaaaaa aaaagtttat 360  
 tttcaagcct tcgaactatt taaggaaagc aaaatcattt cctaaatgca tatcatttgt 420  
 gagaatttct cattaatatt ctgaatcatt catttcacta aggtcatgt tnactccgat 480  
 atgtctctaa gaaagtacta tttcatggtc caaacctggg tgccatantt gggtaaaggc 540  
 tttcccttaa gtgtgaaant atttaaaatg aaattttcct ctttttaaaa attctttana 600  
 aggggttaagg gtgttgggga 620

<210> 95  
 <211> 470  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(470)  
 <223> n = A,T,C or G

<400> 95  
 ctcgaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60  
 nactttntgc ttaattcang agcttacang attcttcaaa gagtgngtcc agcatccttt 120  
 gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag ctcaacagc 180  
 agcaggtgaa acaacccatc cagcctccac ctnaggaaat atttgttccc acaaccaagg 240  
 agccatgcca ctcaaaggtt ccacaacctg naaacacaaa nattccagag ccaggctgta 300  
 ccaaggtccc tgagccaggg ctgtaccaan gtccctgagc cagggtgtac caangtccct 360  
 gagccaggat gtaccaaggc ccctgancca gggtgtccaa ggtccctgag ccaggctaca 420  
 ccaagggcct gngccaggca gcatcaangt ccctgaccaa ggcttatcaa 470

<210> 96  
 <211> 660  
 <212> DNA  
 <213> Homo sapien  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(660)  
 <223> n = A,T,C or G

&lt;400&gt; 96

tttttttttt	tttttttttt	ggaattaaaa	gcaatttaaat	gagggcagag	caggaaacat	60
gcattttcttt	tcattcgaat	cttcagatga	accctgagca	gccgaagacc	agaaaagcca	120
tgaagacttt	ctgcttaatt	caggggctta	caggattctt	cagagtgtgt	gtgaacaaaa	180
gctttatagt	acgtattttt	aggatacaaa	taagagagag	actatggctt	gggggtgagaa	240
tgtactgatt	acaaggtcta	cagacaatta	agacacagaa	acagatggga	agaggggtgnc	300
cagcatctgg	nggttggctt	ctcaagggct	tgtctgtgca	ccaaattact	tctgcttggg	360
cttctgctga	gctgggcctg	gagtgaccgt	tgaaggacat	ggctctggta	cctttgtgta	420
gcctgncaca	ggaacttttg	tgtatccttg	ctcaggaaact	ttgatggcac	ctggctcagg	480
aaacttgatg	aagccttggg	caagggacct	tgatgcttgc	tggctcaggg	accttggngn	540
ancctgggct	canggacctt	tgncncaacc	ttggcttcaa	gggacccttg	gnacatcctg	600
gcnnagggac	ccttgggncc	aaccttgggc	ttnagggacc	ccttggntnc	nanccttggc	660

&lt;210&gt; 97

&lt;211&gt; 441

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(441)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 97

gggaccatac	anagtattcc	tctcttcaca	ccaggaccag	ccactgttgc	agcatgagtt	60
cccagcagca	gaagcagccc	tgcattccac	cccctcagct	tcagcagcag	caggtgaaac	120
agccttgcca	gcctccacct	caggaaccat	gcattcccaa	aaccaaggag	ccctgccacc	180
ccaaggtgcc	tgagccctgc	caccccaaag	tgcttgagcc	ctgccagccc	aaggttccag	240
agccatgcca	ccccaaagtg	cctgagccct	gcccttcaat	agtcactcca	gcaccagccc	300
agcagaanac	caagcagaag	taatgtgggc	cacagccatg	cccttgagga	gccggccacc	360
agatgctgaa	tccctatccc	cattctgtgt	atgagtccca	tttgccctgc	aattagcatt	420
ctgtctcccc	caaaaaaaaa	a				441

&lt;210&gt; 98

&lt;211&gt; 600

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(600)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 98

gtattctctt	cttcacacca	ggaccagcca	ctgttgagag	atgagttccc	agcagcagaa	60
gcagccctgc	atcccacccc	ctcagcttca	gcagcagcag	gtgaaacagc	cttgccagcc	120
tccacctcag	gaaccatgca	tccccaaaac	caaggagccc	tgccacccca	aggtgcctga	180
gccctgccac	cccaaagtgc	ctgagccctg	ccagcccaag	gttccagagc	catgccaccc	240
caaggtgcct	gagccctgcc	cttcaatagt	cactccagca	ccagcccagc	agaanaccaa	300
gcagaagtaa	tgtgggtccac	agccatgccc	ttgaggagcc	ggccaccana	tgctgaatcc	360
cctatcccat	tctgtgtatg	agtcccattt	gccttgcaat	tagcattctg	tctcccccaa	420
aaaagaatgt	gctatgaagc	tttctttcct	acacactctg	agtctctgaa	tgaagctgaa	480
ggctcttaant	acagantag	ttttcagctg	ctcagaattc	tctgaagaaa	agatttaaga	540
tgaaaggcaa	atgattcagc	tccttattac	cccattaaat	tcnctttcaa	ttccaaaaaa	600

<210> 99  
 <211> 667  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (667)  
 <223> n = A,T,C or G

<400> 99  
 actagtgact gagttcctgg caaagaaatt tgacctggac cagttgataa ctcattgtttt 60  
 accattttaa aaaatcagtg aaggatttga gctgctcaat tcaggacaaa gcattcgaac 120  
 ggtcctgacg ttttgagatc caaagtggca ggaggtctgt gttgtcatgg tgaactggag 180  
 tttctcttgt gagagttccc tcatctgaaa tcatgtatct gtctcacaaa tacaagcata 240  
 agtagaagat ttgttgaaga catagaaccc ttataaagaa ttattaacct ttataaacat 300  
 ttaaagtctt gtgagcacct gggaattagt ataataacaa tgttnatatt tttgatttac 360  
 attttgtaag gctataattg tatcttttaa gaaaacatac cttggatttc tatgttgaaa 420  
 tggagatttt taagagtttt aaccagctgc tgcagatata ttactcaaaa cagatatagc 480  
 gtataaagat atagtaaagtg catctcctag agtaatatcc acttaacaca ttggaaacta 540  
 ttatttttta gatttgaata tnaatgttat tttttaaaca cttgttatga gttacttggg 600  
 attacatttt gaaatcagtt cattccatga tgcantattc tgggattaga ttaagaaaga 660  
 cggaaaa 667

<210> 100  
 <211> 583  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (583)  
 <223> n = A,T,C or G

<400> 100  
 gttttgtttg taagatgac acagtcattgt tacactgac taaaggacat atatataacc 60  
 ctttaaaaaa aaaatcactg cctcattctt atttcaagat gaatttctat acagactaga 120  
 tgtttttctg aagatcaatt agacattttg aaaatgattt aaagtgtttt cttaatgtt 180  
 ctctgaaaac aagtttcttt ttagtattta accaaaaaag tgcccttttt gtcactggat 240  
 tctcctagca ttcattgattt ttttttcata caatgaaatt aaaattgcta aaatcatgga 300  
 ctggcctttct ggttggattt caggtaagat gtgtttaagg ccagagcttt tctcagtatt 360  
 tgattttttt ccccaatatt tgatttttta aaaatatata catnggtgct gcatttatat 420  
 ctgctgggtt aaaattctgt catatttcac ttctagcctt ttagttatgg caaatcatat 480  
 tttactttta cttaaagcat ttggttnattt ggantatctg gttctannct aaaaaaanta 540  
 attctatnaa ttgaantttt ggtactcnnn catatttgga tcc 583

<210> 101  
 <211> 592  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (592)  
 <223> n = A,T,C or G



&lt;400&gt; 101

gtggagacgt	acaaagagca	gccgctcaag	acacctggga	agaaaaagaa	aggcaagccc	60
gggaaacgca	aggagcagga	aaagaaaaaa	cggcgaactc	gctctgcctg	gttagactct	120
ggagtgcactg	ggagtgggct	agaaggggac	cacctgtctg	acacctccac	aacgtcgctg	180
gagctcgatt	cacggaggca	ttgaaatfff	cagcaganac	cttccaagga	catattgcag	240
gattctgtaa	tagtgaacat	atggaaagta	ttagaaatat	ttattgtctg	taaatactgt	300
aaatgcattg	gaataaaaact	gtctccccc	ttgctctatg	aaactgcaca	ttggtcattg	360
tgaatatfff	tttttttgc	aaggctaate	caattattat	tatcacattt	accataatff	420
atfffgtcca	ttgatgtatt	tatfffgtaa	atgtatcttg	gtgctgctga	atffctatat	480
ttfffgtaca	taatgcnfff	anatatacct	atcaagfff	ttgataaatg	acncaatgaa	540
gtgncncnan	ttgngnggtg	aatffaata	atgcctaatt	ttattatccc	aa	592

&lt;210&gt; 102

&lt;211&gt; 587

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (587)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 102

cgtcctaagc	acttagacta	catcagggaa	gaacacagac	cacatccctg	tcctcatgog	60
gcttatgttt	tctggaagaa	agtggagacc	nagtccttgg	ctttagggct	ccccggctgg	120
gggctgtgca	ntccggtcag	ggcgggaagg	gaaatgcacc	gctgcatgtg	aacttacagc	180
ccaggcggat	gccccctccc	ttagcactac	ctggcctcct	gcacccctc	gcctcatggt	240
cctcccaact	tcaanaaatg	aanaacccca	tgggccagc	cccttgccct	ggggaaccaa	300
ggcagccttc	caaaactcag	gggctgaagc	anactattag	ggcaggggct	gactttgggt	360
gacactgccc	attccctctc	agggcagctc	angtcacccn	ggncctctga	accagcctg	420
ttcctttgaa	aaagggcaaa	actgaaaagg	gcttttccta	naaaaagaaa	aaccagggaa	480
ctttgccagg	gcttcnntnt	tacccaaaacn	ncttctcnng	gatttttaat	tccccattng	540
gcctccactt	accnggggcn	atgccccaaa	attaanaatt	tcccatc		587

&lt;210&gt; 103

&lt;211&gt; 496

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (496)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 103

anaggactgg	ccctaentgc	tctctctcgt	cctacctatc	aatgccccac	atggcagaac	60
ctgcancctt	tggncactgc	anatggaaac	ctctcagtgt	cttgacatca	ccctaccctt	120
gcgggtgggtc	tccaccacaa	ccactttgac	tctgtggtcc	ctgnanggtg	gnttctcctg	180
actggcagga	tggaccttan	ccnacatate	cctctgttcc	ctctgctnag	anaaagaatt	240
cccttaacat	gatataatcc	acccatgcaa	ntngctactg	gcccagctac	catttaccat	300
ttgcctacag	aatttcattc	agtctacact	ttggcattct	ctctggcgat	agagtgtggc	360
tgggctgacc	gcaaaagggtg	ccttacacac	tggccccac	cctcaaccgt	tgacncatca	420
gangcttgcc	tcctccttct	gattnncccc	catgttggat	atcaggggtgc	tcnagggatt	480
ggaaaagaaa	caaaac					496

<210> 104  
 <211> 575  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(575)  
 <223> n = A,T,C or G

<400> 104  
 gcacctgctc tcaatccnnc tctcaccatg atcctccgcc tgcanaaact cctctgccaa 60  
 ctatggangt ggtttcnngg gtggctcttg ccaactggga agaagccgtg gtgtctctac 120  
 ctgttcaact cngtttgtgt ctgggggatc aactnngggc tatggaagcg gctnaactgt 180  
 tgttttgggtg gaagggctgg taattggctt tgggaagtng cttatngaag ttggcctnng 240  
 gaagttgcta ttgaaagtng cnttggaagt ngntttgggtg gggggttttg ctggtggcct 300  
 ttgttnaatt tgggtgcttt gtnaatggcg gccccctcnc ctgggcaatg aaaaaaatca 360  
 ccnatgcngn aaacctcnac nnaacagcct gggcttcctt cacctcgaaa aaagttgctc 420  
 ccccccaaaa aaaggncaan cccctcaann tggaangttg aaaaaatcct cgaatgggga 480  
 nccnnaaaac aaaaancccc cnttttcccn gnaanggggg aaataccncc cccccactta 540  
 cnaaaaccct tntaaaaaac cccccgggaa aaaaa 575

<210> 105  
 <211> 619  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(619)  
 <223> n = A,T,C or G

<400> 105  
 cactagtagg atagaaacac tgtgtccoga gagtaaggag agaagctact attgattaga 60  
 gcctaaccga ggttaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120  
 tgcataaagc caatgtagtc cagttttctaa gatcatgttc caagctaact gaatccact 180  
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggtatgatg 240  
 tgcacacttg ctagactcan aaaaaatact actctcataa atgggtggga gtattttggg 300  
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360  
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgacact cttgtgtata 420  
 ttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480  
 aatgaagtcc ctggtttttc atggcaactt gatcagtaaa ggattcnctt ctgtttggta 540  
 cttaaaacat ctactatatn gttnanatga aattcctttt ccccnctcc cgaaaaaana 600  
 aagtggtggg gaaaaaaaa 619

<210> 106  
 <211> 506  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(506)  
 <223> n = A,T,C or G

```

<400> 106
cattggtnct ttcatttgct ntggaagtgt nnatctctaa cagtggacaa agttcccngt      60
gccttaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggttattctg      120
angtanagat gttctggata ccattanatn tgcccccnngt gtcagaggct catattgtgt      180
tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat      240
gaatantnng cagcncanct nanangctgt ctgtngtatt cattgtgggc atagcacctc      300
acancattgt aacctcnatc nagtgagaca nactagnaana ttcctagtga tggctcanga      360
ttccaaatgg nctcatntcn aatgttttaa agttanttaa gtgtaagaaa tacagactgg      420
atgttccacc aactagtacc tgtaatgacn ggctgtgcc aacacatctc ccttttccat      480
gactgtggta ncccgcatcg gaaaaa                                         506

```

```

<210> 107
<211> 452
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (452)
<223> n = A,T,C or G

```

```

<400> 107
gttgagtctg tactaaacag taagatatct caatgaacca taaattcaac tttgtaaaaa      60
tcttttgaag catagataat attgttttgt aaatgtttct tttgttttgt aaatgtttct      120
tttaaagacc ctctatttct ataaaaactct gcatgtagag gcttgtttac ctttctctct      180
ctaaggttta caataggagt ggtgatttga aaaatataaa attatgagat tggttttcct      240
gtggcataaa ttgcatcact gtatcatttt cttttttaac cggtaaagant ttcagtttgt      300
tggaagtaaa ctgtganaac ccagtttccc gtccatctcc cttagggact acccatagaa      360
catgaaaagg tccccacnga agcaagaaga taagtctttc atggctgctg gttgcttaaa      420
ccactttaaa accaaaaaat tccccttgga aa                                         452

```

```

<210> 108
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (502)
<223> n = A,T,C or G

```

```

<400> 108
atcttcttcc cttaattagt tnttatttat ntattaaatt ttattgcatg tcttggcaaa      60
caaaaagaga ttgtagattg gcttctggct ccccaaaagc ccataacaga aagtaccaca      120
agaccncaac tgaagcttaa aaaatctatc acatgtataa tacctttnga agaacattaa      180
tanagcatat aaaactttta acatntgctt aatgttgtnc aattataaaa ntaatngaaa      240
aaaatgtccc tttaacatnc aatatccac atagtgttat ttnaggggat taccnngnaa      300
naaaaaaagg gtagaaggga tttaatgaaa actctgcttn ccatttctgt ttanaaacgt      360
ctccagaaca aaaacttntc aantctttca gctaacgcga tttgagctna ggccactcaa      420
aaactccatt agnccactt tctaanggtc tctanagctt actaancctt ttgaccctt      480
accctggnta ctctgccc ca                                         502

```

```

<210> 109
<211> 1308

```

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 109

```

acccgagggtc tcgctaaaaat catcatggat tcacttggcg ccgtcagcac tcgacttggg      60
ttt gatcttt tcaaagagct gaagaaaaca aatgatggca acatcttctt ttccccctgtg      120
ggcatcttga ctgcaatttg catggtcctc ctggggaccc gaggagccac cgcttcccag      180
ttggaggagg tgtttcactc tgaaaaagag acgaagagct caagaataaa ggctgaagaa      240
aaagagggtga ttgagaacac agaagcagta catcaacaat tccaaaagtt tttgactgaa      300
ataagcaaac tcactaatga ttatgaactg aacataacca acaggctgtt tggagaaaaa      360
acatacctct tccttcaaaa atacttagat tatgttgaaa aatattatca tgcattctctg      420
gaacctgttg attttgtaaa tgcagccgat gaaagtcgaa agaagattaa ttcttgggtt      480
gaaagcaaaa caaatgaaaa aatcaaggac ttgttcccag atggctctat tagtagctct      540
accaagctgg tgctggtgaa catggtttat tttaaagggc aatgggacag ggagtttaag      600
aaagaaaata ctaaggaaga gaaatttttg atgaataaga gcacaagtaa atctgtacag      660
atgatgacac agagccattc ctttagcttc actttcctgg aggacttgca ggccaaaatt      720
ctagggattc catataaaaa caacgacctc agcatgtttg tgcttctgcc caacgacatc      780
gatggcctgg agaagataat agataaaata agtcctgaga aattggtaga gtggactagt      840
ccagggcata tggaagaaag aaaggtgaat ctgcacttgc cccggtttga ggtggaggac      900
agttacgatc tagaggcggg cctggctgcc atggggatgg gcgatgcctt cagtgaacac      960
aaagccgact actcgggaat gtcgtcaggc tccgggttgt acgcccagaa gttcctgcac     1020
agttcctttg tggcagtaac tgaggaaggc accgaggctg cagctgccac tggcataggc     1080
tttactgtca catccgcccc aggtcatgaa aatgttctc gcaatcatcc cttcctgttc     1140
ttcatcaggc acaatgaatc caacagcatc ctcttcttc gcagattttc ttctccttaa     1200
gatgatcggt gccatggcat tgctgctttt agcaaaaaac aactaccagt gttactcata     1260
tgattatgaa aatcgtccat tcttttaaat ggtggtccac ttgcattt      1308

```

&lt;210&gt; 110

&lt;211&gt; 391

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 110

```

Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
 1              5              10              15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
              20              25              30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
              35              40              45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
              50              55              60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Ile Glu Asn Thr Glu
65              70              75              80
Ala Val His Gln Gln Phe Gln Lys Phe Leu Thr Glu Ile Ser Lys Leu
              85              90              95
Thr Asn Asp Tyr Glu Leu Asn Ile Thr Asn Arg Leu Phe Gly Glu Lys
              100             105             110
Thr Tyr Leu Phe Leu Gln Lys Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr
              115             120             125
His Ala Ser Leu Glu Pro Val Asp Phe Val Asn Ala Ala Asp Glu Ser
              130             135             140
Arg Lys Lys Ile Asn Ser Trp Val Glu Ser Lys Thr Asn Glu Lys Ile
145             150             155             160
Lys Asp Leu Phe Pro Asp Gly Ser Ile Ser Ser Ser Thr Lys Leu Val
              165             170             175

```

Leu Val Asn Met Val Tyr Phe Lys Gly Gln Trp Asp Arg Glu Phe Lys  
 180 185 190  
 Lys Glu Asn Thr Lys Glu Glu Lys Phe Trp Met Asn Lys Ser Thr Ser  
 195 200 205  
 Lys Ser Val Gln Met Met Thr Gln Ser His Ser Phe Ser Phe Thr Phe  
 210 215 220  
 Leu Glu Asp Leu Gln Ala Lys Ile Leu Gly Ile Pro Tyr Lys Asn Asn  
 225 230 235 240  
 Asp Leu Ser Met Phe Val Leu Leu Pro Asn Asp Ile Asp Gly Leu Glu  
 245 250 255  
 Lys Ile Ile Asp Lys Ile Ser Pro Glu Lys Leu Val Glu Trp Thr Ser  
 260 265 270  
 Pro Gly His Met Glu Glu Arg Lys Val Asn Leu His Leu Pro Arg Phe  
 275 280 285  
 Glu Val Glu Asp Ser Tyr Asp Leu Glu Ala Val Leu Ala Ala Met Gly  
 290 295 300  
 Met Gly Asp Ala Phe Ser Glu His Lys Ala Asp Tyr Ser Gly Met Ser  
 305 310 315 320  
 Ser Gly Ser Gly Leu Tyr Ala Gln Lys Phe Leu His Ser Ser Phe Val  
 325 330 335  
 Ala Val Thr Glu Glu Gly Thr Glu Ala Ala Ala Thr Gly Ile Gly  
 340 345 350  
 Phe Thr Val Thr Ser Ala Pro Gly His Glu Asn Val His Cys Asn His  
 355 360 365  
 Pro Phe Leu Phe Phe Ile Arg His Asn Glu Ser Asn Ser Ile Leu Phe  
 370 375 380  
 Phe Gly Arg Phe Ser Ser Pro  
 385 390

<210> 111  
 <211> 1419  
 <212> DNA  
 <213> Homo sapien

<400> 111  
 ggagaactat aaattaagga tcccagctac ttaattgact tatgcttcct agttcgttgc 60  
 ccagccacca cagtctctcc aaaaaccgga ggtctcgcta aaatcatcat ggattcactt 120  
 ggcgcgtca gcactcgact tgggtttgat cttttcaaag agctgaagaa aacaaatgat 180  
 ggcaacatct tcttttcccc tgtgggcatc ttgactgcaa ttggcatggg cctcctgggg 240  
 acccgaggag ccaccgcttc ccagttggag gaggtgtttc actctgaaaa agagacgaag 300  
 agctcaagaa taaaggctga agaaaaagag gtggttaagaa taaaggctga aggaaaagag 360  
 attgagaaca cagaagcagt acatcaacaa ttccaaaagt ttttgactga aataagcaaa 420  
 ctactaatg attatgaact gaacataacc aacaggctgt ttggagaaaa aacatacctc 480  
 ttcttcaaaa aatacttaga ttatgttgaa aaatattatc atgcatctct ggaacctgtt 540  
 gattttgtaa atgcagccga tgaaagtcga aagaagatta attcctgggt tgaaagcaaa 600  
 acaaatgaaa aaatcaagga cttgttccca gatggctcta ttagtagctc taccaagctg 660  
 gtgctggtga acatggttta ttttaaaggg caatgggaca gggagttaa gaaagaaaat 720  
 actaaggaag agaaattttg gatgaataag agcacaagta aatctgtaca gatgatgaca 780  
 cagagccatt ccttttagctt cactttcctg gaggacttgc aggccaaaat tctagggatt 840  
 ccatataaaa acaacgacct aagcatgttt gtgcttctgc ccaacgacat cgatggcctg 900  
 gagaagataa tagataaaat aagtctgag aaattggtag agtggactag tccagggcat 960  
 atggaagaaa gaaaggtgaa tctgcacttg ccccggtttg aggtggagga cagttagcat 1020  
 ctagaggcgg tcctggctgc catggggatg ggcgatgcct tcagttagca caaagccgac 1080  
 tactcgggaa tgtcgtcagg ctccgggttg tacgccaga agttcctgca cagttccttt 1140  
 gtggcagtaa ctgaggaagg caccgaggct gcagctgcc ctggcatagg ctttactgtc 1200

```

acatccgccc caggtcatga aaatgttcac tgcaatcatc ccttcctggt cttcatcagg 1260
cacaatgaat ccaacagcat cctcttcttc gccagatttt cttctcctta agatgatcgt 1320
tgccatggca ttgctgcttt tagcaaaaaa caactaccag tgttactcat atgattatga 1380
aaatcggtcca ttcttttaaa tgggtggtca cttgcattt 1419

```

```

<210> 112
<211> 400
<212> PRT
<213> Homo sapien

```

```

<400> 112
Met Asp Ser Leu Gly Ala Val Ser Thr Arg Leu Gly Phe Asp Leu Phe
1      5      10      15
Lys Glu Leu Lys Lys Thr Asn Asp Gly Asn Ile Phe Phe Ser Pro Val
20     25     30
Gly Ile Leu Thr Ala Ile Gly Met Val Leu Leu Gly Thr Arg Gly Ala
35     40     45
Thr Ala Ser Gln Leu Glu Glu Val Phe His Ser Glu Lys Glu Thr Lys
50     55     60
Ser Ser Arg Ile Lys Ala Glu Glu Lys Glu Val Arg Ile Lys Ala
65     70     75     80
Glu Gly Lys Glu Ile Glu Asn Thr Glu Ala Val His Gln Gln Phe Gln
85     90     95
Lys Phe Leu Thr Glu Ile Ser Lys Leu Thr Asn Asp Tyr Glu Leu Asn
100    105    110
Ile Thr Asn Arg Leu Phe Gly Glu Lys Thr Tyr Leu Phe Leu Gln Lys
115    120    125
Tyr Leu Asp Tyr Val Glu Lys Tyr Tyr His Ala Ser Leu Glu Pro Val
130    135    140
Asp Phe Val Asn Ala Ala Asp Glu Ser Arg Lys Lys Ile Asn Ser Trp
145    150    155    160
Val Glu Ser Lys Thr Asn Glu Lys Ile Lys Asp Leu Phe Pro Asp Gly
165    170    175
Ser Ile Ser Ser Ser Thr Lys Leu Val Leu Val Asn Met Val Tyr Phe
180    185    190
Lys Gly Gln Trp Asp Arg Glu Phe Lys Lys Glu Asn Thr Lys Glu Glu
195    200    205
Lys Phe Trp Met Asn Lys Ser Thr Ser Lys Ser Val Gln Met Met Thr
210    215    220
Gln Ser His Ser Phe Ser Phe Thr Phe Leu Glu Asp Leu Gln Ala Lys
225    230    235    240
Ile Leu Gly Ile Pro Tyr Lys Asn Asn Asp Leu Ser Met Phe Val Leu
245    250    255
Leu Pro Asn Asp Ile Asp Gly Leu Glu Lys Ile Ile Asp Lys Ile Ser
260    265    270
Pro Glu Lys Leu Val Glu Trp Thr Ser Pro Gly His Met Glu Glu Arg
275    280    285
Lys Val Asn Leu His Leu Pro Arg Phe Glu Val Glu Asp Ser Tyr Asp
290    295    300
Leu Glu Ala Val Leu Ala Ala Met Gly Met Gly Asp Ala Phe Ser Glu
305    310    315    320
His Lys Ala Asp Tyr Ser Gly Met Ser Ser Gly Ser Gly Leu Tyr Ala
325    330    335
Gln Lys Phe Leu His Ser Ser Phe Val Ala Val Thr Glu Glu Gly Thr
340    345    350

```

Glu Ala Ala Ala Ala Thr Gly Ile Gly Phe Thr Val Thr Ser Ala Pro  
                   355                                  360                                  365  
 Gly His Glu Asn Val His Cys Asn His Pro Phe Leu Phe Phe Ile Arg  
                   370                                  375                                  380  
 His Asn Glu Ser Asn Ser Ile Leu Phe Phe Gly Arg Phe Ser Ser Pro  
                   385                                  390                                  395                                  400

<210> 113  
 <211> 957  
 <212> DNA  
 <213> Homo sapien

<400> 113  
 ctcgaccttc tctgcacagc ggatgaaccc tgagcagctg aagaccagaa aagccactat 60  
 gactttctgc ttaattcagg agcttacagg attcttcaaa gagtgtgtcc agcatccttt 120  
 gaaacatgag ttcttaccag cagaagcaga cctttacccc accacctcag cttcaacagc 180  
 agcaggtgaa acaacccagc cagcctccac ctcaggaaat atttgttccc acaaccaagg 240  
 agccatgcca ctcaaagggt ccacaacctg gaaacacaaa gattccagag ccaggctgta 300  
 ccaaggtccc tgagccaggc tgtaccaagg tccttgagcc aggttgtagc aaggtccctg 360  
 agccaggatg taccaagggt cctgagccag gttgtacca ggtccctgag ccaggctaca 420  
 ccaaggtccc tgagccaggc agcatcaagg tccttgacca aggtttcatc aagtttctctg 480  
 agccagggtgc catcaaagtt cctgagcaag gatacaccaa agttcctgtg ccaggctaca 540  
 caaaggtacc agagccatgt ccttcaacgg tcactccagg cccagctcag cagaagacca 600  
 agcagaagta atttggtgca cagacaagcc cttgagaagc caaccaccag atgctggaca 660  
 ccctcttccc atctgtttct gtgtcttaat tgtctgtaga ccttgtaatc agtacattct 720  
 cccccaagc catagtctct ctcttatttg tctcctaaaa atacggtact ataaagcttt 780  
 tgttcacaca cactctgaag aatcctgtaa gccctgaat taagcagaaa gtcttcatgg 840  
 cttttctggt ctctggctgc tcagggttca tctgaagatt cgaatgaaaa gaaatgcatg 900  
 tttcctgctc tgccctcatt aaattgcttt taattccaaa aaaaaaaaaa aaaaaaa 957

<210> 114  
 <211> 161  
 <212> PRT  
 <213> Homo sapien

<400> 114  
 Met Ser Ser Tyr Gln Gln Lys Gln Thr Phe Thr Pro Pro Pro Gln Leu  
   1                                  5                                  10                                  15  
 Gln Gln Gln Gln Val Lys Gln Pro Ser Gln Pro Pro Pro Gln Glu Ile  
                   20                                  25                                  30  
 Phe Val Pro Thr Thr Lys Glu Pro Cys His Ser Lys Val Pro Gln Pro  
                   35                                  40                                  45  
 Gly Asn Thr Lys Ile Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro  
                   50                                  55                                  60  
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro  
                   65                                  70                                  75                                  80  
 Gly Cys Thr Lys Val Pro Glu Pro Gly Cys Thr Lys Val Pro Glu Pro  
                   85                                  90                                  95  
 Gly Tyr Thr Lys Val Pro Glu Pro Gly Ser Ile Lys Val Pro Asp Gln  
                   100                                  105                                  110  
 Gly Phe Ile Lys Phe Pro Glu Pro Gly Ala Ile Lys Val Pro Glu Gln  
                   115                                  120                                  125  
 Gly Tyr Thr Lys Val Pro Val Pro Gly Tyr Thr Lys Val Pro Glu Pro  
                   130                                  135                                  140  
 Cys Pro Ser Thr Val Thr Pro Gly Pro Ala Gln Gln Lys Thr Lys Gln

145  
Lys

150

155

160

<210> 115  
<211> 506  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(506)  
<223> n = A,T,C or G

<400> 115  
cattggtncct ttcatttgct ntggaagtgt nnatctcttaa cagtggacaa agttcccnct 60  
gccttaaact ctgtnacact tttgggaant gaaaanttng tantatgata ggattattctg 120  
angtanagat gttctggata ccattanatn tgccccnct gtcagaggct catattgtgt 180  
tatgtaaatg gtatntcatt cgctactatn antcaattng aaatanggtc tttgggttat 240  
gaatanntng cagcncanct nanangctgt ctgtngtatt cattgtggtc atagcacctc 300  
acancattgt aacctcnatc nagtgagaca nactagnaan ttcctagtga tggctcanga 360  
ttccaaatgg nctcatntcn aatgtttaaa agttanttaa gtgtaagaaa tacagactgg 420  
atgttcacc aactagtacc tgtaatgacn ggctgtccc aacacatctc ccttttccat 480  
gactgtggta ncccgcatcg gaaaaa 506

<210> 116  
<211> 3079  
<212> DNA  
<213> Homo sapien

<400> 116  
ggatccccgg gtttcctaaa cccccacag agtcctgccc aggccaaaga gcaaggaaaa 60  
ggtcaaaggg cagaaaaaat gctgagttag gaggagctat ggaaggataa acctggcctt 120  
aaagagggtca aagtgggtta tagggggcgc tgaggggcttc ccacattctc tggcctaaac 180  
cttgaggca gatctgccc gtgggctctg ggatagctgt gccttcccta acaaaaaaat 240  
tgtgcacaaa aggatgaaac tctattttcc ctctagcaca taaccaagaa tataaggcta 300  
cagattgcct tccccagagg gaaaacctg cagcaacctg ctgcctggaa aagtgtgaaga 360  
gcagatcact ggggaatcgt ttgcccccg ctgatggaca gcttcccaa gctccaaggg 420  
cagggtgctc gcatgtaccg tactgggatg gttgtcaata ctctgggtcc tgtaagagtc 480  
ccaggacact gccatgccaa tgccccctca gttcctggca tcctttttgg gctgctcaca 540  
gccccagcct ctatggtgaa gacatacttg cttagcagct caccaacttg ttgccaagag 600  
atcagtgtc gaaggcaagg ttattttctaa ctgagcagag cctgccagga agaaagcgtt 660  
tgcacccac accactgtgc aggtgtgacc ggtgagctca cagctgcccc ccaggcatgc 720  
ccagccact taatcatcac agctcgacag ctctctcgcc cagcccagtt ctggaagggg 780  
taaaaagggg catcacggt cctgggtaac agagccacct tctgcgtcct gctgagctct 840  
gttctctcca gcacctcca accactagt gcctgggtct cttgctccac cagggaacaag 900  
ccaccatgtc tcgccagtca agtgtgtctt ccggagcggg gggcagtcgt agcttcagca 960  
ccgcctctgc catcaccccg tctgtctccc gcaccagett cacctccgtg tcccggtccg 1020  
ggggtggcgg tgggtggggc ttccggcagg tcagccttgc ggggtgcttg ggagtgggtg 1080  
gctatggcag ccggagcctc tacaacctgg ggggctccaa gaggatatcc atcagcacta 1140  
gtgggtggcag cttcaggaac cggtttggtg ctgggtgctgg aggcggctat ggctttggag 1200  
gtgggtgccg tagtggtatt ggtttcggcg gtggagctgg tgggtggctt gggtcgggtg 1260  
gcggagctgg ctttgagggt ggcttcgggt gccctggctt tcctgtctgc cctcctggag 1320  
gtatccaaga ggctactgtc aaccagagtc tcctgactcc cctcaacctg caaatcgacc 1380  
ccagcatcca gaggggtgagg accgaggagc gcgagcagat caagaccctc aacaataagt 1440



ttgcctcctt	catcgacaag	gtgcgggttc	tggagcagca	gaacaagggt	ctggaaacaa	1500
agtggacctt	gctgcaggag	cagggcacca	agactgtgag	gcagaacctg	gagccgttgt	1560
tcgagcagta	catcaacaac	ctcaggaggc	agctggacag	catcgtgggg	gaacggggcc	1620
gcctggactc	agagctgaga	aacatgcagg	acctgggtga	agacttcaag	aacaagtatg	1680
aggatgaaat	caacaagcgt	accactgctg	agaatgagtt	tgtgatgctg	aagaaggatg	1740
tagatgctgc	ctacatgaac	aaggtggagc	tggaggccaa	ggttgatgca	ctgatggatg	1800
agattaactt	catgaagatg	ttctttgatg	cggagctgtc	ccagatgcag	acgcatgtct	1860
ctgacacctc	agtggctctc	tccatggaca	acaaccgcaa	cctggacctg	gatagcatca	1920
tcgctgaggt	caaggcccag	tatgaggaga	ttgccaaaccg	cagccggaca	gaagccgagt	1980
cctggtatca	gaccaagtat	gaggagctgc	agcagacagc	tggccggcat	ggcgatgacc	2040
tccgcaacac	caagcatgag	atctctgaga	tgaaccggat	gatccagagg	ctgagagccg	2100
agattgacaa	tgtcaagaaa	cagtgcgcca	atctgcagaa	cgccattgcg	gatgccgagc	2160
agcgtgggga	gctggccctc	aaggatgccca	ggaacaagct	ggccgagctg	gaggaggccc	2220
tgcagaaggc	caagcaggac	atggcccggc	tgctgcgtga	gtaccaggag	ctcatgaaca	2280
ccaagctggc	cctggacgtg	gagatcgcca	cttaccgcaa	gctgctggag	ggcgaggaat	2340
gcagactcag	tggagaagga	gttgaccag	tcaacatctc	tgttgtcaca	agcagtgttt	2400
cctctggata	tggcagtggc	agtggctatg	gcggtggcct	cggtggaggt	cttggcggcg	2460
gcctcggtgg	aggtcttggc	ggaggtagca	gtggaagcta	ctactccagc	agcagtgggg	2520
gtgtcggcct	aggtgggtgg	ctcagtgtgg	ggggctctgg	cttcagtgca	agcagttagcc	2580
gagggctggg	ggtgggcttt	ggcagtggcg	ggggtagcag	ctccagcgtc	aaatttgtct	2640
ccaccacctc	ctcctcccgg	aagagcttca	agagctaaga	acctgctgca	agtcactgcc	2700
ttccaagtgc	agcaaccag	cccatggaga	ttgcctcttc	taggcagttg	ctcaagccat	2760
gttttatcct	tttctggaga	gtagtctaga	ccaagccaat	tgcagaacca	cattctttgg	2820
ttcccaggag	agccccattc	ccagcccctg	gtctcccgtg	ccgcagttct	atattctgct	2880
tcaaatacgc	cttcaggttt	cccacagcat	ggcccctgct	gacacgagaa	cccaaagttt	2940
tcccaaatct	aatcatcaa	aacagaatcc	ccaccccaat	cccaaatttt	gttttggttc	3000
taactacctc	cagaatgtgt	tcaataaaat	gtttttataat	ataagctggt	gtgcagaatt	3060
gttttttttt	tctacccaa					3079

&lt;210&gt; 117

&lt;211&gt; 6921

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 117

gaattctgac	tgtccactca	aaacttctat	tccgatcaaa	gctatctgtg	actacagaca	60
aattgagata	accattttaca	aagacgatga	atgtgtttttg	gcgaataact	ctcatcgtgc	120
taaataggaag	gtcatttagtc	ctactgggaa	tgaggctatg	gtcccatctg	tgtgcttcac	180
cgttcctcca	ccaaacaaag	aagcgggtga	ccttgccaac	agaattgagc	aacagtatca	240
gaatgtcctg	actctttggc	atgagtctca	cataaacatg	aagagtgtag	tatcctggca	300
ttatctcatc	aatgaaattg	atagaattcg	agctagcaat	gtggcttcaa	taaagacaat	360
gctacctggg	gaacatcagc	aagttctaag	taatctacaa	tctcgttttg	aagattttct	420
ggaagatagc	caggaatccc	aagtcttttc	aggctcagat	ataacacaa	tggaaaagga	480
ggttaatgta	tgtaagcagt	attatcaaga	acttctttaa	tctgcagaaa	gagaggagca	540
agaggaatca	gtttataatc	tctacatctc	tgaagttcga	aacattagac	ttcggttaga	600
gaactgtgaa	gatcggtgta	ttagacagat	tcgaactccc	ctggaaagag	atgatttgca	660
tgaaagtgtg	ttcagaatca	cagaacagga	gaaactaaag	aaagagctgg	aacgacttaa	720
agatgatttg	ggaacaatca	caaataagtg	tgaggagttt	ttcagtcaag	cagcagcttc	780
ttcatcagtc	cctaccctac	gatcagagct	taatgtggtc	cttcagaaca	tgaaccaagt	840
ctattctatg	tcttccactt	acatagataa	gttgaaaact	gttaacttgg	tgttaaaaaa	900
cactcaagct	gcagaagccc	tcgtaaaact	ctatgaaaact	aaactgtgtg	aagaagaagc	960
agttatagct	gacaagaata	atattgagaa	tctaataagt	acttttaaagc	aatggagatc	1020
tgaagtagat	gaaaagagac	aggtattcca	tgcttagag	gatgagttgc	agaaagctaa	1080
agccatcagt	gatgaaatgt	ttaaaacgta	taaagaacgg	gaccttgatt	ttgactggca	1140
caaagaaaaa	gcagatcaat	tagttgaaag	gtggcaaaat	gttcatgtgc	agattgacaa	1200

caggttacgg	gacttagagg	gcattggcaa	atcactgaag	tactacagag	acacttacca	1260
tccttttagat	gattggatcc	agcagggttga	aactactcag	agaaagattc	aggaaaatca	1320
gcctgaaaat	agtaaaaccc	tagccacaca	gttgaatcaa	cagaagatgc	tgggtgtccga	1380
aatagaaatg	aaacagagca	aaatggacga	gtgtcaaaaa	tatgcagaac	agtactcagc	1440
tacagtgaag	gactatgaat	tacaaacaat	gacctaccgg	gccatggtag	attcacaaca	1500
aaaatctcca	gtgaaacgcc	gaagaatgca	gagttcagca	gatctcatta	ttcaagagtt	1560
catggacctta	aggactcgat	atactgccct	ggtcactctc	atgacacaat	atattaaatt	1620
tgctgggtgat	tcattgaaga	ggctggaaga	ggaggagatt	aaaagggtgta	aggagacttc	1680
tgaacatggg	gcatattcag	atctgcttca	gcgtcagaag	gcaacagtgc	ttgagaatag	1740
caaacttaca	ggaaagataa	gtgagttgga	aagaatggta	gctgaactaa	agaaacaaaa	1800
gtcccagagta	gaggaagaac	ttccgaaggt	cagggaggct	gcagaaaatg	aattgagaaa	1860
gcagcagaga	aatgtagaag	atatctctct	gcagaagata	agggctgaaa	gtgaagccaa	1920
gcagtaccgc	agggaaacttg	aaaccattgt	gagagagaag	gaagccgctg	aaagagaact	1980
ggagcgggtg	aggcagctca	ccatagaggc	cgaggctaaa	agagctgccg	tggaagagaa	2040
cctcctgaat	tttcgcaatc	agttggagga	aaacaccttt	accagacgaa	cactggaaga	2100
tcactcttaa	agaaaagatt	taagtctcaa	tgatttggag	caacaaaaaa	ataaattaat	2160
ggaagaatta	agaagaaaga	gagacaatga	ggaagaactc	ttgaagctga	taaagcagat	2220
ggaaaaagac	cttgcatctt	agaaacaggt	agcagagaaa	cagttgaaaag	aaaagcagaa	2280
aattgaattg	gaagcaagaa	gaaaaataac	tgaaattcag	tatacatgta	gagaaaatgc	2340
attgccagtg	tgtccgatca	cacaggctac	atcatgcagg	gcagtaacgg	gtctccagca	2400
agaacatgac	aagcagaaaag	cagaagaact	caaacagcag	gtagatgaac	taacagctgc	2460
caatagaaaag	gctgaacaag	acatgagaga	gctgacatat	gaacttaatg	ccctccagct	2520
tgaaaaaacg	tcactctgag	aaaaggctcg	tttgctaaaa	gataaactag	atgaaacaaa	2580
taatacactc	agatgcctta	agttggagct	ggaaagggaag	gatcaggcgg	agaaagggta	2640
ttctcaacaa	ctcagagagc	ttggtaggca	attgaatcaa	accacaggta	aagctgaaga	2700
agccatgcaa	gaagctagtg	atctcaagaa	aataaagcgc	aattatcagt	tagaattaga	2760
atctcttaat	catgaaaaag	ggaaactaca	aagagaagta	gacagaatca	caagggcaca	2820
tgctgtagct	gagaagaata	ttcagcattt	aaattcacaa	attcattctt	ttcgagatga	2880
gaaagaatta	gaaagactac	aaatctgcca	gagaaaatca	gatcatctaa	aagaacaatt	2940
tgagaaaagc	catgagcagt	tgcttcaaaa	tatcaaagct	gaaaaagaaa	ataatgataa	3000
aatccaaaag	ctcaatgaag	aattggagaa	aagtaatgag	tgtgcagaga	tgctaaaaca	3060
aaaagtagag	gagcttacta	ggcagaataa	tgaaacccaa	ttaatgatgc	agagaattca	3120
ggcagaatca	gagaatatag	ttttagagaa	acaaactatc	cagcaaagat	gtgaagcact	3180
gaaaattcag	gcagatgggt	ttaaagatca	gctacgcagc	acaaatgaac	acttgcataa	3240
acagacaaaa	acagagcagg	attttcaaag	aaaaattaaa	tgcttagaag	aagacctggc	3300
gaaaagtcaa	aatttggtaa	gtgaatttaa	gcaaaagtgt	gaccaacaga	acattatcat	3360
ccagaatacc	aagaaagaag	ttagaaatct	gaatgcggaa	ctgaatgctt	ccaaagaaga	3420
gaagcgacgc	ggggagcaga	aagttcagct	acaacaagct	caggtgcaag	agttaaataa	3480
caggttgaaa	aaagtacaag	acgaattaca	cttaaagacc	atagaggagc	agatgaccca	3540
cagaaagatg	gttctgtttc	aggaagaatc	tggtaaattc	aaacaatcag	cagaggagtt	3600
tcggaagaag	atggaaaaat	taatggagtc	caaagtcatc	actgaaaatg	atatttcagg	3660
cattaggctt	gactttgtgt	ctcttcaaca	agaaaactct	agagcccaag	aaaatgctaa	3720
gctttgtgaa	acaaacatta	aagaacttga	aagacagctt	caacagtatc	gtgaacaaat	3780
gcagcaaggg	cagcacatgg	aagcaaatca	ttacccaaaa	tgtcagaaac	ttgaggatga	3840
gctgatagcc	cagaagcgtg	aggttgaaaa	cctgaagcaa	aaaatggacc	aacagatcaa	3900
agagcatgaa	catcaattag	ttttgctcca	gtgtgaaatt	caaaaaaaga	gcacagccaa	3960
agactgtacc	ttcaaaccag	attttgagat	gacagtgaag	gagtgccagc	actctggaga	4020
gctgtcctct	agaaacactg	gacaccttca	cccaacaccc	agatcccctc	tgttgagatg	4080
gactcaagaa	ccacagccat	tgggaagagaa	gtggcagcat	cgggttggtg	aacagatacc	4140
caaagaagtc	caattccagc	caccaggggc	tccactcgag	aaagagaaaa	gccagcagtg	4200
ttactctgag	tacttttctc	agacaagcac	cgagttacag	ataacttttg	atgagacaaa	4260
ccccattaca	agactgtctg	aaattgagaa	gataagagac	caagccctga	acaattctag	4320
accacctggt	aggtatcaag	ataacgcagc	tgaaatggaa	ctggtgaagg	ttttgacacc	4380
cttagagata	gctaagaaca	agcagtatga	tatgcataca	gaagtcacaa	cattaaaaca	4440
agaaaagaac	ccagttccca	gtgctgaaga	atggatgctt	gaagggtgca	gagcatctgg	4500

tggactcaag	aaaggggatt	tccttaagaa	gggcttagaa	ccagagacct	tccagaactt	4560
tgatggtgat	catgcatggt	cagtcagggg	tgatgaattt	aaattccaag	ggcttaggca	4620
cactgtgact	gccaggcagt	tggtggaagc	taagcttctg	gacatgagaa	caattgagca	4680
gctgcgactc	ggtcttaaga	ctggtgaaga	agttcagaaa	actcttaaca	agtttctgac	4740
gaaagccacc	tcaattgcag	ggctttacct	agaatctaca	aaagaaaaga	tttcatttgc	4800
ctcagcggcc	gagagaatca	taatagacaa	aatggtggct	ttggcatttt	tagaagctca	4860
ggctgcaaca	ggttttataa	ttgatcccat	ttcaggtcag	acatattctg	ttgaagatgc	4920
agttcttaaa	ggagttgttg	accccgaaat	cagaattagg	cttcttgagg	cagagaaggc	4980
agctgtggga	tattcttatt	cttctaagac	attgtcagtg	tttcaagcta	tggaaaatag	5040
aatgcttgac	agacaaaaag	gtaaacatat	cttggaagcc	cagattgcca	gtgggggtgt	5100
cattgaccct	gtgagaggca	ttcgtgttcc	tccagaaatt	gctctgcagc	aggggttgtt	5160
gaataatgcc	atcttacagt	ttttacatga	gccatccagc	aacacaagag	ttttccctaa	5220
tcccaataac	aagcaagctc	tgtattactc	agaattactg	cgaatgtgtg	tatttgatgt	5280
agagtcccaa	tgtttctgt	ttccatttgg	ggagagggaac	atttccaatc	tcaatgtcaa	5340
gaaaacacat	agaatttctg	tagtagatac	taaaacagga	tcagaattga	ccgtgtatga	5400
ggctttccag	agaaacctga	ttgagaaaag	tatatatctt	gaactttcag	ggcagcaata	5460
tcagtgggaag	gaagctatgt	tttttgaatc	ctatgggcat	tcttctcata	tgctgactga	5520
tactaaaaca	ggattacact	tcaatattaa	tgaggctata	gagcagggaa	caattgacaa	5580
agccttggtc	aaaaagtatc	aggaaggcct	catcacactt	acagaacttg	ctgattcttt	5640
gctgagccgg	ttagtcccca	agaaagattt	gcacagtcct	gttgccagggt	attggctgac	5700
tgctagtggg	gaaaggatct	ctgtactaaa	agcctcccgt	agaaatttgg	ttgatcggat	5760
tactgccttc	cgatgccttg	aagcccaagt	cagtacaggg	ggcataattg	atcctcttac	5820
tggcaaaaag	taccgggtgg	ccgaagcttt	gcatagaggc	ctggttgatg	aggggtttgc	5880
ccagcagctg	cgacagtgtg	aattagtaat	cacagggatt	ggccatccca	tcactaacia	5940
aatgatgtca	gtggtggaag	ctgtgaatgc	aaatattata	aataaggaaa	tgggaatccg	6000
atgtttggaa	tttcagtact	tgacaggagg	gttgatagag	ccacagggtc	actctcggtt	6060
atcaatagaa	gaggctctcc	aagtaggtat	tatagatgtc	ctcattgcca	caaaactcaa	6120
agatcaaaaag	tcatatgtca	gaaatataat	atgccctcag	acaaaaagaa	agttgacata	6180
taaagaagcg	ttagaaaaag	ctgattttga	tttccacaca	ggacttaaac	tgtagaagt	6240
atctgagccc	ctgatgacag	gaatttctag	cctctactat	tcttcctaata	gggacatgtt	6300
taaaataactg	tgcaaggggt	gatgcaggct	ggttcatgcc	actttttcag	agtatgatga	6360
tatcggctac	atatgcagtc	tgtgaattat	gtaacatact	ctatttcttg	agggctgcaa	6420
attgctaagt	gctcaaaaata	gagtaagttt	taaattgaaa	attacataag	atttaatgcc	6480
cttcaaatgg	tttcatttag	ccttgagaat	ggttttttga	aacttggtcca	cactaaaatg	6540
tttttttttt	tttacgtaga	atgtgggata	aacttgatga	actccaagtt	cacagtgtca	6600
tttcttcaga	actcccttcc	attgaatagt	gatcatttat	taaatgataa	attgcactcg	6660
ctgaaagagc	acgtcatgaa	gcaccatgga	atcaaagaga	aagatataaa	ttcgttccca	6720
cagccttcaa	gctgcagtgt	tttagattgc	ttcaaaaaat	gaaaaagttt	tgcccttttc	6780
gatatagtga	ccttctttgc	atattaaaat	gtttaccaca	atgtcccatt	tctagttaag	6840
tcttcgcact	tgaaagctaa	cattatgaat	attatgtgtt	ggaggagggg	aaggattttc	6900
ttcattctgt	gtattttccg	g				6921

&lt;210&gt; 118

&lt;211&gt; 946

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 118

cttctgactg	ggctcaggct	gacaggtaga	gctcaccatg	gcttcttctg	tccttgtccc	60
ctccccatca	cagctgtggg	gcagtcacc	gtctccagtg	gctatggcgg	tgccagtggg	120
gtcggcagtg	gcttaggcct	gggtggagga	agcagctact	cctatggcag	tggtcttggc	180
ggtggaggtg	gcttcagttc	cagcagtggc	agagccattg	gggggtggcct	cagctctgtt	240
ggaggcggca	gttccaccat	caagtacacc	accacctcct	cctccagcag	gaagagctat	300
aagcactaaa	gtgcgtctgc	tagctctcgg	tcccacagtc	ctcaggcccc	tctctggctg	360
cagagccctc	tcctcagggt	gcctgtcctc	tcctggcctc	cagtcctccc	tgctgtccca	420

ggtagagctg	gggatgaatg	cttagtgccc	tcactttctc	tctctctctc	tataccatct	480
gagcaccat	tgctcaccat	cagatcaacc	tctgatttta	catcatgatg	taatcaccac	540
tggagcttca	ctgttactaa	attattaatt	tcttgccctc	agtgttctat	ctctgaggct	600
gagcattata	agaaaatgac	ctctgctcct	tttcattgca	gaaaattgcc	aggggcttat	660
ttcagaacaa	cttcactta	ctttccactg	gctctcaaac	tctctaactt	ataagtgttg	720
tgaaccccca	cccaggcagt	atccatgaaa	gcacaagtga	ctagtccctat	gatgtacaaa	780
gcctgtatct	ctgtgatgat	ttctgtgctc	ttcactgttt	gcaattgcta	aataaagcag	840
atttataata	catatattct	tttactttgc	cttgcttttg	ggccaaagtt	ttgggcttaa	900
acttttttat	ctgataagtg	aatagttggt	tttaaaagat	aatcta		946

&lt;210&gt; 119

&lt;211&gt; 8948

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 119

tcaacagccc	ctgctccttg	ggccctccca	tgccatgccg	taatctctcc	cacccgacca	60
acaccaacac	ccagctccga	cgcagctcct	ctgcgccctt	gccgccctcc	gagccacagc	120
tttccctccg	ctcctgcccc	cggcccgctg	cgtctccgcg	gctcgcagcg	gcctcgggag	180
ggcccaggta	gcgagcagcg	acctcgcgag	ccttcgcgac	tcccgcgcgg	ttccccggcc	240
gtccgcctat	ccttggtccc	ctccgctttc	tccgcgcggg	cccgcctcgc	ttatgcctcg	300
gcgctgagcc	gctctcccga	ttgcccgcgg	acatgagctg	caacggaggc	tcccacccgc	360
ggatcaacac	tctgggcccgc	atgatccgcg	cgcagctctg	cccggacctg	cgctacgagg	420
tgaccagcgg	cggcgggggc	accagcagga	tgtactattc	tccgcgcggc	gtgatcaccg	480
accagaactc	ggacggctac	tgtcaaaccc	gcacgatgtc	caggcaccag	aaccagaaca	540
ccatccagga	gctgctgcag	aactgctccg	actgcttgat	gcgagcagag	ctcatcgtgc	600
agcctgaatt	gaagtatgga	gatggaatac	aactgactcg	gagtcgagaa	ttggatgagt	660
gttttgccca	ggccaatgac	caaattgaaa	tcctcgacag	cttgatcaga	gagatgcggc	720
agatgggcca	gccctgtgat	gcttaccaga	aaaggcttct	tcagctccaa	gagcaaatgc	780
gagcccttta	taaaagccatc	agtgtccctc	gagtcgcgag	ggccagctcc	aaggggtggtg	840
gaggctacac	ttgtcagagt	ggctctggct	gggatgagtt	caccaaacad	gtcaccagtg	900
aatgtttggg	gtggatgagg	cagcaaaggg	cggagatgga	catggtggcc	tggggtgtgg	960
acctggcctc	agtggagcag	cacattaaca	gccaccgggg	catccacaac	tccatcggcg	1020
actatcgctg	gcagctggac	aaaatcaaa	cgcacctgcg	cgagaaatct	gcgatctacc	1080
agttggagga	ggagtatgaa	aacctgctga	aagcgtcctt	tgagaggatg	gatcacctgc	1140
gacagctgca	gaacatcatt	caggccacgt	ccaggagat	catgtggatc	aatgactgcg	1200
aggaggagga	gctgctgtac	gactggagcg	acaagaacac	caacatcgct	cagaaacagg	1260
aggccttctc	catacgcatg	agtcaactgg	aagttaaaga	aaaagagctc	aataagctga	1320
aacaagaaag	tgaccaactt	gtcctcaatc	agcatccagc	ttcagacaaa	attgaggcct	1380
atatggacac	tctgcagacg	cagtggagtt	ggattcttca	gatcaccaag	tgcattgatg	1440
ttcatctgaa	agaaaatgct	gcctactttc	agttttttga	agaggcgag	tctactgaag	1500
catactgaa	ggggctccag	gactccatca	ggaagaagta	cccctgcgac	aagaacatgc	1560
ccctgcagca	cctgctggaa	cagatcaagg	agctggagaa	agaacgagag	aaaatccttg	1620
aatacaagcg	tcagggtgcag	aacttggtta	acaagtctaa	gaagattgta	cagctgaagc	1680
ctcgtaaccc	agactacaga	agcaataaac	ccattattct	cagagctctc	tgtgactaca	1740
aacaagatca	gaaaatcggt	cataaggggg	atgagtgtat	cctgaaggac	aacaacgagc	1800
gcagcaagtg	gtacgtgacg	ggcccgggag	gcgttgacat	gcttgttccc	tctgtggggc	1860
tgatcatccc	tcctccgaac	ccactggccg	tggacctctc	ttgcaagatt	gagcagtaact	1920
acgaagccat	cttggtctctg	tggaaaccagc	tctacatcaa	catgaagagc	ctggtgtcct	1980
ggcactactg	catgattgac	atagagaaga	tcagggccat	gacaatcgcc	aagctgaaaa	2040
caatgcggca	ggaagattac	atgaagacga	tagccgacct	tgagttacat	taccaagagt	2100
tcacagaaa	tagccaaggc	tcagagatgt	ttggagatga	tgacaagcgg	aaaatacagt	2160
ctcagttcac	cgatgcccag	aagcattacc	agaccctggt	cattcagctc	cctggctatc	2220
cccagcacca	gacagtgacc	acaactgaaa	tcactcatca	tggaaacctgc	caagatgtca	2280
accataataa	agtaattgaa	accaacagag	aaaatgacaa	gcaagaaaca	tggatgctga	2340

tggagctgca	gaagattcgc	aggcagatag	agcactgcga	gggcaggatg	actctcaaaa	2400
acctccctct	agcagaccag	gggtcttctc	accacatcac	agtgaaaatt	aacgagctta	2460
agagtgtgca	gaatgattca	caagcaattg	ctgaggttct	caaccagctt	aaagatatgc	2520
ttgccaaactt	cagaggttct	gaaaagtact	gctattttaca	gaatgaagta	tttggactat	2580
ttcagaaaact	ggaaaatata	aatggtgtta	cagatggcta	cttaaatagc	ttatgcacag	2640
taagggcact	gctccaggct	attctccaaa	cagaagacat	gttaaagggt	tatgaagcca	2700
ggctcactga	ggaggaaaact	gtctgcctgg	acctggataa	agtggaagct	taccgctgtg	2760
gactgaagaa	aataaaaaat	gacttgaact	tgaagaagtc	gttggtggcc	actatgaaga	2820
cagaactaca	gaaagcccag	cagatccact	ctcagacttc	acagcagtat	ccactttatg	2880
atctggactt	gggcaagttc	ggtgaaaaag	tcacacagct	gacagaccgc	tggcaaagga	2940
tagataaaca	gatcgacttt	agattatggg	acctggagaa	acaaatcaag	caattgagga	3000
attatcgtga	taactatcag	gctttctgca	agtggctcta	tgatcgtaaa	cgccgccagg	3060
attccttaga	atccatgaaa	tttggagatt	ccaacacagt	catgcggttt	ttgaatgagc	3120
agaagaactt	gcacagtga	atatctggca	aacgagacaa	atcagaggaa	gtacaaaaaa	3180
ttgtgaaact	ttgcgccaat	tcaattaagg	attatgagct	ccagctggcc	tcatacacct	3240
caggactgga	aactctgctg	aacataccta	tcaagaggac	catgattcag	tccccttctg	3300
gggtgattct	gcaagaggct	gcagatgttc	atgctcggtta	cattgaacta	cttacaagat	3360
ctggagacta	ttacaggttc	ttaagtga	tgctgaagag	tttggaaagat	ctgaagctga	3420
aaaataccaa	gatcgaagtt	ttggaagagg	agctcagact	ggcccagat	gccaactcgg	3480
aaaactgtaa	taagaacaaa	ttcctggatc	agaacctgca	gaaataccag	gcagagtgtt	3540
cccagttcaa	agcgaagctt	gcgagcctgg	aggagctgaa	gagacaggct	gagctggatg	3600
ggaagtccgc	taagcaaaaat	ctagacaagt	gctacggcca	aataaaaagaa	ctcaatgaga	3660
agatcacccg	actgacttat	gagattgaag	atgaaaagag	aagaagaaaa	tctgtggaag	3720
acagatttga	ccaacagaag	aatgactatg	accaactgca	gaaagcaagg	caatgtgaaa	3780
aggagaacct	tggttggcag	aaattagagt	ctgagaaaagc	catcaaggag	aaggagtacg	3840
agattgaaag	gttgaggggt	ctactgcagg	aagaaggcac	ccggaagaga	gaatatgaaa	3900
atgagctggc	aaaggtaaga	aaccactata	atgaggagat	gagtaattta	aggaacaagt	3960
atgaaacaga	gattaacatt	acgaagacca	ccatcaagga	gatatccatg	caaaaagagg	4020
atgattccaa	aaatcttaga	aaccagcttg	atagactttc	aagggaataat	cgagatctga	4080
aggtagaaat	tgctcagctc	aatgacagca	tcttgcaggc	cactgagcag	cgaaggcgag	4140
ctgaagaaaa	cgcccttcag	caaaaggcct	gtggctctga	gataatgcag	aagaagcagc	4200
atctggagat	agaactgaag	caggctcatgc	agcagcgctc	tgaggacaat	gccccggcaca	4260
agcagtcctt	ggaggaggct	gccaagacca	ttcaggacaa	aaataaggag	atcgagagac	4320
tcaaagctga	gtttcaggag	gaggccaagc	gcccgtggga	atatgaaaat	gaactgagta	4380
aggtaagaaa	caattatgat	gaggagatca	ttagcttaaa	aaatcagttt	gagaccgaga	4440
tcaacatcac	caagaccacc	atccaccagc	tcaccatgca	gaagggaagag	gataccagtg	4500
gctaccgggc	tcagatagac	aatctcacc	gagaaaacag	gagcttatct	gaagaaataa	4560
agaggctgaa	gaacactcta	accagacca	cagagaatct	caggagggtg	gaagaagaca	4620
tccaacagca	aaaggccact	ggctctgagg	tgtctcagag	gaaacagcag	ctggagggtt	4680
agctgagaca	agtcactcag	atgcgaacag	aggagagcgt	aagatataag	caatctcttg	4740
atgatgctgc	caaaaccatc	caggataaaa	acaaggagat	agaaaaggta	aaacaactga	4800
tcgacaaaaga	aacaaatgac	cggaaatgcc	tggaagatga	aaacgcgaga	ttacaaaagg	4860
tccagtatga	cctgcagaaa	gcaaacagta	gtgcgacgga	gacaataaac	aaactgaagg	4920
ttcaggagca	agaactgaca	cgctgagga	tcgactatga	aagggtttcc	caggagagga	4980
ctgtgaagga	ccaggatata	acgcggttcc	agaactctct	gaaagagctg	cagctgcaga	5040
agcagaaggt	ggaagaggag	ctgaatcggc	tgaagaggac	cgcgtcagaa	gactcctgca	5100
agaggaagaa	gctggaggaa	gagctggaag	gcatgaggag	gtcgctgaag	gagcaagcca	5160
tcaaaatcac	caacctgacc	cagcagctgg	agcaggcatc	cattgttaag	aagaggagt	5220
aggatgacct	ccggcagcag	agggacgtgc	tggatggcca	cctgagggaa	aagcagagga	5280
cccaggaaga	gctgaggagg	ctctcttctg	aggtcgaggc	cctgaggcgg	cagttactcc	5340
aggaacagga	aagtgtcaaa	caagctcact	tgaggaatga	gcatttccag	aaggcgatag	5400
aagataaaag	cagaagctta	aatgaaagca	aaatagaaat	tgagaggctg	cagtctctca	5460
cagagaacct	gaccaaggag	cacttgatgt	tagaagaaga	actgcggaac	ctgaggctgg	5520
agtacgatga	cctgaggaga	ggacgaagcg	aagcggacag	tgataaaaaat	gcaaccatct	5580
tggaactaag	gagccagctg	cagatcagca	acaaccggac	cctggaactg	caggggctga	5640

ttaatgattt	acagagagag	agggaaaatt	tgagacagga	aattgagaaa	ttccaaaagc	5700
aggctttaga	ggcatctaata	aggattcagg	aatcaaagaa	tcagtgtact	caggtgggtac	5760
aggaaagaga	gagccttctg	gtgaaaatca	aagtccctga	gcaagacaag	gcaaggctgc	5820
agaggctgga	ggatgagctg	aatcgtgcaa	aatcaactct	agaggcagaa	accaggggtga	5880
aacagcgct	ggagtgtgag	aaacagcaaa	ttcagaatga	cctgaatcag	tggaaagactc	5940
aatattcccg	caaggaggag	gctattagga	agatagaatc	ggaaaagagaa	aagagtggaga	6000
gagagaagaa	cagtcttagg	agtgagatcg	aaagactcca	agcagagatc	aagagaattg	6060
aagagaggtg	caggcgtaag	ctggaggatt	ctaccaggga	gacacagtca	cagtttagaaa	6120
cagaacgctc	ccgatatcag	agggagattg	ataaactcag	acagcgccca	tatgggtccc	6180
atcgagagac	ccagactgag	tgtgagtggg	ccgttgacac	ctccaagctg	gtgtttgatg	6240
ggctgaggaa	gaaggtgaca	gcaatgcagc	tctatgagtg	tcagctgatc	gacaaaacaa	6300
ccttgagcaa	actattgaag	gggaagaagt	cagtggaaag	agttgcttct	gaaatccagc	6360
cattccttcg	gggtgcagga	tctatcgctg	gagcatctgc	ttctcctaag	gaaaaatact	6420
ctttggtaga	ggccaagaga	aagaaattaa	tcagcccaga	atccacagtc	atgcttctgg	6480
aggcccaggc	agctacaggt	ggtataattg	atccccatcg	gaatgagaag	ctgactgtcg	6540
acagtgccat	agctcgggac	ctcattgact	tcgatgaccg	tcagcagata	tatgcagcag	6600
aaaaagctat	cactggtttt	gatgatccat	tttcaggcaa	gacagtatct	gtttcagaag	6660
ccatcaagaa	aaatttgatt	gatagagaaa	ccggaatgcg	cctgctggaa	gcccagattg	6720
cttcaggggg	tgtagtagac	cctgtgaaca	gtgtcttttt	gccaaaagat	gtcgcttgg	6780
cccgggggct	gattgataga	gatttgtatc	gatccctgaa	tgatccccga	gatagtcaga	6840
aaaactttgt	ggatccagtc	accaaaaaga	aggtcagtta	cgtgcagctg	aaggaaacgg	6900
gcagaatcga	accacatact	ggtctgctct	tgctttcagt	acagaagaga	agcatgtcct	6960
tccaaggaat	cagacaacct	gtgaccgtca	ctgagctagt	agattctggt	atattgagac	7020
cgtccactgt	caatgaactg	gaatctggtc	agatttctta	tgacgagggt	ggtgagagaa	7080
ttaagygact	cctccagggt	tcaagctgca	tagcaggcat	atacaatgag	accacaaaac	7140
agaagcttgg	cattttagag	gccatgaaaa	ttggcttagt	ccgacctggt	actgctctgg	7200
agttgctgga	agcccaagca	gctactggct	ttatagtggg	tcctgttagc	aacttgagggt	7260
taccagtggg	ggaagcctac	aagagaggct	tggtgggcct	tgagttcaaa	gagaagctcc	7320
tgtctgcaga	acgagctgtc	actgggtata	atgatcctga	aacaggaaac	atcatctctt	7380
tgttccaagc	catgaataag	gaactcatcg	aaaagggcca	cggatttcgc	ttattagaag	7440
cacagatcgc	aaccgggggg	atcattgacc	caaaggagag	ccatcgttta	ccagttgaca	7500
tagcatataa	gaggggctat	ttcaatgagg	aactcagtga	gattctctca	gatccaagtg	7560
atgataccaa	aggatttttt	gacccaacca	ctgaagaaaa	tcttacctat	ctgcaactaa	7620
aagaaagatg	cattaaggat	gaggaaacag	ggctctgtct	tctgcctctg	aaagaaaaga	7680
agaaacaggt	gcagacatca	caaaaagaata	ccctcaggaa	gcgtagagtg	gtcatagttg	7740
accagaaac	caataaagaa	atgtctgttc	aggaggccta	caagaagggc	ctaattgatt	7800
atgaaacctt	caaagaactg	tgtgagcagg	aatgtgaatg	ggaagaaata	accatcacgg	7860
gatcagatgg	ctccaccagg	gtggtcctgg	tagatagaaa	gacaggcagt	cagtatgata	7920
ttcaagatgc	tattgacaag	ggccttggtg	acagggaagt	ctttgatcag	taccgatccg	7980
gcagcctcag	cctcactcaa	tttgctgaca	tgatctcctt	gaaaaatggg	gtcggcacca	8040
gcagcagcat	gggcagtggt	gtcagcgatg	atgttttttag	cagctcccga	catgaatcag	8100
taagtaagat	ttccaccata	tccagcgtca	ggaatttaac	cataaggagc	agctcttttt	8160
cagacacctt	ggaagaatcg	agccccattg	cagccatctt	tgacacagaa	aacctggaga	8220
aaatctccat	tacagaaggt	atagagcggg	gcatcgttga	cagcatcacg	ggtcagaggc	8280
ttctggaggc	tcaggcctgc	acaggtggca	tcatccaccc	aaccacgggc	cagaagctgt	8340
cacttcagga	cgcagtctcc	caggggtgtg	ttgaccaaga	catggccacc	agcgtgaagc	8400
ctgctcagaa	agccttcata	ggcttcgagg	gtgtgaaggg	aaagaagaag	atgtcagcag	8460
cagaggcagt	gaaagaaaaa	tggctcccgt	atgaggctgg	ccagcgcttc	ctggagtctc	8520
agtacctcac	gggaggtctt	gttgacccgg	aagtgcagtg	gaggataagc	accgaagaag	8580
ccatccggaa	ggggttcata	gatggccgcg	ccgcacagag	gctgcaagac	accagcagct	8640
atgccaaaat	cctgacctgc	cccaaaacca	aattaaaaat	atcctataag	gatgccataa	8700
atcgctccat	ggtagaagat	atcactgggc	tgcgccttct	ggaagccgcc	tccgtgtcgt	8760
ccaagggtct	accagccctt	tacaacatgt	cttcggctcc	ggggctccgc	tccggctccc	8820
gctcgggata	tcgctccgga	tctcgctccg	ggctccgcag	tgggtcccg	agaggaagct	8880
ttgacgccac	aggggaattct	tcctactctt	attcctactc	atttagcagt	agttctattg	8940

ggcactag

8948

<210> 120  
 <211> 587  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (587)  
 <223> n = A,T,C or G

<400> 120  
 cgtcctaagc acttagacta catcagggaa gaacacagac cacatccctg tcctcatgcg 60  
 gcttatgttt tctggaagaa agtggagacc nagtccttgg ctttagggct ccccggtgg 120  
 gggctgtgca ntccgggtcag ggcggaagg gaaatgcacc gctgcatgtg aacttacagc 180  
 ccaggcggat gccccttccc ttagcactac ctggcctcct gcatcccctc gcctcatgtt 240  
 cctcccaact tcaaanaatg aanaacccca tgggccccagc cccttgccct ggggaaccaa 300  
 ggcagccttc caaaactcag gggctgaagc anactattag ggcaggggct gactttgggt 360  
 gacactgccc attcctctc agggcagctc angtcacccn ggnetcttga acccagcctg 420  
 ttcttttgaa aaagggcaaa actgaaaagg gcttttctta naaaaagaaa aaccagggaa 480  
 ctttgccagg gcttcnntnt taccaaaacn ncttctcnnng gatttttaat tccccattng 540  
 gcctccactt accnggggcn atgccccaaa attaanaatt tcccatc 587

<210> 121  
 <211> 619  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (619)  
 <223> n = A,T,C or G

<400> 121  
 cactagtagg atagaaacac tgtgtcccga gagtaaggag agaagctact attgattaga 60  
 gcctaaccga ggttaactgc aagaagaggc gggatacttt cagctttcca tgtaactgta 120  
 tgcataaagc caatgtagtc cagtttctaa gatcatgttc caagctaact gaatcccact 180  
 tcaatacaca ctcatgaact cctgatggaa caataacagg cccaagcctg tggatgatg 240  
 tgcacacttg ctagactcan aaaaaatact actctcataa atgggtggga gtattttggt 300  
 gacaacctac tttgcttggc tgagtgaagg aatgatattc atatattcat ttattccatg 360  
 gacatttagt tagtgctttt tatataccag gcatgatgct gagtgacact cttgtgtata 420  
 tttccaaatt tttgtacagt cgctgcacat atttgaaatc atatattaag acttccaaaa 480  
 aatgaagtcc ctgggttttc atggcaactt gatcagtaaa ggattcnctt ctgtttggta 540  
 cttaaaacat ctactatatn gttanatga aattcctttt ccccnctcc cgaaaaaana 600  
 aagtgggtggg gaaaaaaa 619

<210> 122  
 <211> 1475  
 <212> DNA  
 <213> Homo sapien

<400> 122  
 tccacctgtc cccgcagcgc cggctcgcgc cctcctgccg cagccaccga gccgcgctct 60  
 agcgccccga cctcgccacc atgagagccc tgctggcgcg cctgcttctc tgcgtcctgg 120

tctgtgagcga	ctccaaaggc	agcaatgaac	ttcatcaagt	tccatcgaac	tgtgactgtc	180
taaatggagg	aacatgtgtg	tccaacaagt	acttctccaa	cattcactgg	tgcaactgcc	240
caaagaaatt	cggagggcag	cactgtgaaa	tagataagtc	aaaaacctgc	tatgagggga	300
atggtcactt	ttaccgagga	aaggccagca	ctgacaccat	gggcccggccc	tgccctgccct	360
ggaactctgc	cactgtccct	cagcaaacgt	accatgcccc	cagatctgat	gctcttcagc	420
tgggcctggg	gaaacataat	tactgcagga	acccagacaa	ccggaggcga	ccctgggtgt	480
atgtgcaggt	gggcctaaag	ccgcttgctc	aagagtgcac	ggtgcatgac	tgcgagatg	540
gaaaaaagcc	ctcctctcct	ccagaagaat	taaaatttca	gtgtggccaa	aagactctga	600
ggccccgctt	taagattatt	gggggagaat	tcaccaccat	cgagaaccag	ccctggtttg	660
cggccatcta	caggaggcac	cgggggggct	ctgtcaccta	cgtgtgtgga	ggcagcctca	720
tcagcccttg	ctgggtgatc	agcgccacac	actgcttcac	tgattacca	aagaaggagg	780
actacatcgt	ctacctgggt	cgctcaaggc	ttaactccaa	cacgcaaggg	gagatgaagt	840
ttgaggtgga	aaacctcatc	ctacacaagg	actacagcgc	tgacacgctt	gctcaccaca	900
acgacattgc	cttgctgaag	atccgttcca	aggagggcag	gtgtgcgcag	ccatcccggg	960
ctatacagac	catctgcctg	ccctcgatgt	ataacgatcc	ccagtttggc	acaagctgtg	1020
agatcactgg	ctttggaaaa	gagaattcta	ccgactatct	ctatccggag	cagctgaaga	1080
tgactgttgt	gaagctgatt	tcccaccggg	agtgtcagca	gccccactac	tacggctctg	1140
aagtcaccac	caaaatgctg	tgtgctgctg	acccacagtg	gaaaacagat	tcttgccagg	1200
gagactcagg	gggacccctc	gtctgttccc	tccaaggccg	catgactttg	actggaattg	1260
tgagctgggg	ccgtggatgt	gcccctgaagg	acaagccagg	cgtctacacg	agagtctcac	1320
acttcttacc	ctggatccgc	agtcacacca	aggaagagaa	tggcctggcc	ctctgagggg	1380
ccccagggag	gaaacgggca	cccccgcctt	tcttgctggg	tgcatTTTT	gcagtagagt	1440
catctccatc	agctgtaaga	agagactggg	aagat			1475

&lt;210&gt; 123

&lt;211&gt; 2294

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 123

cagcgccggc	tgcgcgccctc	ctgcgcgcagc	caccgagccg	ccgtctagcg	ccccgacctc	60
gccaccatga	gagccctgct	ggcgcgccctg	cttctctgcg	tccctggctgt	gagcgactcc	120
aaaggcagca	atgaacttca	tcaagttcca	tcgaactgtg	actgtctaaa	tgagggaaca	180
tgtgtgtcca	acaagtactt	ctccaacatt	cactgggtgca	actgccccaa	gaaattcgga	240
gggcagcact	gtgaaataga	taagtcaaaa	acctgctatg	aggggaatgg	tcacttttac	300
cgaggaaagg	ccagcactga	caccatgggc	cggccctgcc	tgccctggaa	ctctgccact	360
gtccctcagc	aaacgtacca	tgeccacaga	tctgatgctc	ttcagctggg	cctggggaaa	420
cataattact	gcaggaaacc	agacaaccgg	aggcgaccct	ggtgctatgt	gcagggtggg	480
ctaaagccgc	ttgtccaaga	gtgcatgggt	catgactgcg	cagatggaaa	aaagccctcc	540
tctcctccag	aagaattaaa	atttcagtgt	ggccaaaaga	ctctgaggcc	ccgcttttaag	600
attattgggg	gagaattcac	caccatcgag	aaccagccct	ggtttgcggc	catctacagg	660
aggcaccggg	ggggctctgt	caacctagtg	tgtggaggca	gcctcatcag	cccttgctgg	720
gtgatcagcg	ccacacactg	cttcattgat	tacccaaaga	aggaggacta	catcgtctac	780
ctgggtcgct	caaggcttaa	ctccaacacg	caaggggaga	tgaagtttga	ggtggaaaac	840
ctaactctac	acaaggacta	cagcgctgac	acgcttgctc	accacaacga	cattgccttg	900
ctgaagatcc	gttccaagga	gggcaggtgt	gcgcagccat	cccggactat	acagaccatc	960
tgccctgccct	cgatgtataa	cgatccccag	tttggcacia	gctgtgagat	cactggcttt	1020
ggaaaagaga	attctaccga	ctatctctat	ccggagcagc	tgaaaatgac	tggtgtgaag	1080
ctgatttccc	accgggagtg	tcagcagccc	cactactacg	gctctgaagt	caccacccaa	1140
atgctgtgtg	ctgctgaccc	acagtggaaa	acagattcct	gccagggaga	ctcaggggga	1200
cccctcgtct	gttccctcca	aggccgcagc	actttgactg	gaattgtgag	ctggggccgt	1260
ggatgtgccc	tgaaggacaa	gccaggcgctc	tacacgagag	tctcacactt	cttaccctgg	1320
atccgcagtc	acaccaagga	agagaatggc	ctggccctct	gagggtcccc	aggaggagaa	1380
cgggcaccac	ccgctttctt	gctggttgct	atTTTgcagt	agagtcatct	ccatcagctg	1440
taagaagagc	tgggaatata	ggctctgcac	agatggattt	gcctgtgcca	ccaccagggc	1500



gaacgacaat	agctttaccc	tcaggcatag	gcctgggtgc	tggctgccc	gacccctctg	1560
gccaggatgg	aggggtggtc	ctgactcaac	atgttactga	ccagcaactt	gtctttttct	1620
ggactgaagc	ctgcaggagt	taaaaagggc	agggcatctc	ctgtgcatgg	gctcgaaggg	1680
agagccagct	cccccgaccg	gtgggcattt	gtgaggccca	tggttgagaa	atgaataatt	1740
tcccaattag	gaagtgttaag	cagctgaggt	ctcttgaggg	agcttagcca	atgtgggagc	1800
agcggtttg	ggagcagaga	cactaacgac	ttcagggcag	ggctctgata	ttccatgaat	1860
gtatcaggaa	atatatatgt	gtgtgtatgt	ttgcacactt	gtgtgtgggc	tgtgagtgt	1920
agtgtgagta	agagctgggt	tctgattgtt	aagtctaaat	atttccttaa	actgtgtgga	1980
ctgtgatgcc	acacagagt	gtctttctgg	agaggttata	ggtcactcct	ggggcctctt	2040
gggtcccca	cgtgacagt	cctgggaatg	tattattctg	cagcatgacc	tgtgaccagc	2100
actgtctcag	tttcaacttt	acatagatgt	ccctttcttg	gccagttatc	ccttcctttt	2160
agcctagttc	atccaatcct	cactgggtgg	ggtgaggacc	actcctgtac	actgaatatt	2220
tatatttcac	tattttttatt	tatatttttg	taatttttaa	taaaagtgat	caataaaatg	2280
tgatttttct	gatg					2294

&lt;210&gt; 124

&lt;211&gt; 956

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 124

gatgagttcc	gcaccaagtt	tgagacagac	caggccctgc	gcctgagtgt	ggaggccgac	60
atcaatggcc	tgcgcaggg	gctggatgag	ctgaccctgg	ccagagccga	cctggagatg	120
cagattgaga	acctcaagga	ggagctggcc	tacctgaaga	agaaccacga	ggaggagatg	180
aacgccctgc	gaggccaggt	gggtggtgag	atcaatgtgg	agatggacgc	tgcccagggc	240
gtggacctga	gccgcatcct	caacgagatg	cgtgaccagt	atgagaagat	ggcagagaag	300
aaccgcaagg	atgccgagga	ttggttcttc	agcaagacag	aggaactgaa	ccgcgaggtg	360
gccaccaaca	gtgagctgg	gcagagtggc	aagagtgaga	tctcggagct	ccggcgcacc	420
atgcaggcct	tggagataga	gctgcagtcc	cagctcagca	tgaagcatc	cctggagggc	480
aacctggcgg	agacagagaa	ccgctactgc	gtgcagctgt	cccagatcca	gggctgatt	540
ggcagcgtgg	aggagcagct	ggcccagctt	cgtgcgaga	tggagcagca	gaaccaggaa	600
tacaaaatcc	tgctggatgt	gaagacgcgg	ctggagcagg	agattgccac	ctaccgccgc	660
ctgctggagg	gagaggatgc	ccacctgact	cagtacaaga	aagaaccggt	gaccacccgt	720
cagggtgcgt	ccattgtgga	agaggtccag	gatggcaagg	tcattctctc	ccgcgagcag	780
gtccaccaga	ccaccgcgtg	aggactcagc	taccccgggc	ggccaccag	gaggcagggg	840
cgcagccgcc	ccatctgccc	cacagtctcc	ggcctctcca	gcctcagccc	cctgcttcag	900
tcccttcccc	atgcttctt	gcctgatgac	aataaaagct	tgttgactca	gctatg	956

&lt;210&gt; 125

&lt;211&gt; 486

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (486)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 125

aaattatata	tagtgnttca	gtctccattg	tgggtgttcat	agtcttctag	gaacagataa	60
acttaagtat	tcaattcact	cttggcattt	tttctttaat	ataggctttt	tagcctattt	120
ttggaaaact	gcttttcttc	tgagaacctt	attctgaatg	tcatcaactt	taccaaacct	180
tctaagtcca	gagctaaact	agtactgttt	aagttactat	tgactgaatt	ttcttctatt	240
tctgttttag	cagtgttacc	aaggtaagct	ggggaatgaa	gtataccaac	ttctttcaga	300
gcatttttag	acattatggc	agcttttaga	ggctgtcttg	tttctagcca	aggagagacc	360

agcgcagggtt	ttggatacta	gagaaagtca	tttgcttgta	ctattgccat	tttagaaagc	420
tctgatgtga	attcaaattt	tacctctgtt	acttaaagcc	aacaatttta	aggcagtagt	480
tttact						486

<210> 126  
 <211> 3552  
 <212> DNA  
 <213> Homo sapien

<400> 126						
cggcaggcag	gtctcgtctc	ggcaccctcc	cggcgccccgc	gttctcctgg	ccctgccccg	60
catcccgatg	gccgccgctg	ggccccggcg	ctccgtgcgc	ggagccgtct	gcctgcacct	120
gctgctgacc	ctcgtgatct	tcaagtctgc	tggatgaagcc	tgcaaaaagg	tgataacttaa	180
tgtaccttct	aaactagagg	cagacaaaat	aattggcaga	gttaatttgg	aagagtgcct	240
caggtctgca	gacctcatcc	ggtcaagtga	tcctgatttc	agagttctaa	atgatgggtc	300
agtgtacaca	gccagggtcg	ttgcgctgtc	tgataagaaa	agatcattta	ccatatggct	360
ttctgacaaa	aggaacacaga	cacagaaaga	ggttactgtg	ctgctagaac	atcagaagaa	420
ggtatcgaag	acaagacaca	ctagagaaac	tgttctcagg	cgtgccaaaga	ggagatgggc	480
acctattcct	tgctctatgc	aagagaattc	cttgggcccc	ttcccattgt	ttcttcaaca	540
agttgaatct	gatgcagcac	agaactatac	tgtcttctac	tcaataagtg	gacgtggagt	600
tgataaagaa	cctttaaatt	tgttttatat	agaaagagac	actggaaatc	tattttgcac	660
tcggcctgtg	gatcgtgaag	aatatgatgt	ttttgatttg	attgcttatg	cgtcaactgc	720
agatggatat	tcagcagatc	tgccccctcc	actaccctac	agggtagagg	atgaaaatga	780
caaccaccct	gttttcacag	aagcaattta	taattttgaa	gttttggaag	gtagtagacc	840
tggtactaca	gtgggggtgg	tttgtgccac	agacagagat	gaaccggaca	caatgcatac	900
gcgcctgaaa	tacagcattt	tgacgcagac	accaagggtc	cctgggctct	tttctgtgca	960
tcccagcaca	ggcgtaatca	ccacagtctc	tcattatttg	gacagagagg	ttgtagacaa	1020
gtactcattg	ataatgaaag	tacaagacat	ggatggccag	ttttttggat	tgataggcac	1080
atcaacttgt	atcataacag	taacagattc	aaatgataat	gcaccactt	tcagacaaaa	1140
tgcttatgaa	gcattttag	aggaaaatgc	attcaatgtg	gaaatcttac	gaatacctat	1200
agaagataag	gatttaatta	acactgccaa	ttggagagtc	aattttacca	ttttaaaggg	1260
aaatgaaaa	ggacatttca	aaatcagcac	agacaaaaga	actaatgaag	gtgttctttc	1320
tggtgtaaag	ccactgaatt	atgaagaaaa	ccgtcaagtg	aacctggaaa	ttggagttaa	1380
caatgaagcg	ccatttgcta	gagatattcc	cagagtgcac	gccttgaaac	gagccttggt	1440
tacagttcag	gtgagggtac	tgatgagggg	gcctgaatgc	actcctgcag	cccaatatgt	1500
goggattaaa	gaaaacttag	cagtgggggtc	aaagatcaac	ggctataagg	catatgacct	1560
cgaaaataga	aatggcaatg	gtttaaggta	caaaaaattg	catgatccta	aagggtggat	1620
caccattgat	gaaatttcag	ggtcaatcat	aacttccaaa	atcctggata	gggaggttga	1680
aactcccaa	aatgagttgt	ataatattac	agtcctggca	atagacaaag	atgatagatc	1740
atgtactgga	acacttgctg	tgaacattga	agatgtaaat	gataatccac	cagaaatact	1800
tcaagaatat	gtagtcattt	gcaaaccaaa	aatgggggat	accgacattt	tagctgttga	1860
tcctgatgaa	cctgtccatg	gagctccatt	ttatttcagt	ttgcccata	cttctccaga	1920
aatcagtaga	ctgtggagcc	tcaccaaagt	taatgataca	gctgcccgtc	tttcatatca	1980
gaaaaatgct	ggattttcaag	aatataccat	tcctattact	gtaaaagaca	gggccggcca	2040
agctgcaaca	aaattattga	gagttaatct	gtgtgaatgt	actcatccaa	ctcagtgtcg	2100
tgcgacttca	aggagtacag	gagtaatact	tggaaaatgg	gcaatccttg	caatattact	2160
gggtatagca	ctgctctttt	ctgtattgct	aacttttagta	tgtggagttt	ttggtgcaac	2220
taaagggaaa	cgttttcctg	aagatttagc	acagcaaaac	ttaattatat	caaacacaga	2280
agcacctgga	gacgatagag	tgtgctctgc	caatggattt	atgacccaaa	ctaccaacaa	2340
ctctagccaa	ggttttttgtg	gtactatggg	atcaggaatg	aaaaatggag	ggcaggaaac	2400
cattgaaatg	atgaaaggag	gaaaccagac	cttgggaatc	tgccgggggg	ctgggcatca	2460
tcataccctg	gactcctgca	ggggaggaca	cacggagggtg	gacaactgca	gatacactta	2520
ctcggagtgg	cacagtttta	ctcaaccccg	tctcggtgaa	aaattgcac	gatgtaatca	2580
gaatgaagac	cgcattgccat	cccaagatta	tgtcctcact	tataactatg	aggggaagagg	2640
atctccagct	ggttctgtgg	gctgctgcag	tgaaaagcag	gaagaagatg	gccttgactt	2700

tttaaataat	ttggaaccca	aattttattac	attagcagaa	gcatgcacaa	agagataatg	2760
tcacagtgt	acaattaggt	ctttgtcaga	cattctggag	gtttccaaaa	ataatattgt	2820
aaagttcaat	ttcaacatgt	atgtatatga	tgatTTTTTT	ctcaattttg	aattatgcta	2880
ctcaccaatt	tatatTTTTa	aagcaagttg	ttgcttatct	tttccaaaaa	gtgaaaaatg	2940
ttaaaacaga	caactggtaa	atctcaaact	ccagcactgg	aattaaggtc	tctaaagcat	3000
ctgctctttt	ttttttttac	agatatTTTt	gtaataaata	tgctggataa	atattagtcc	3060
aacaatagct	aagttatgct	aatatcacat	tattatgtat	tcactttaag	tgatagtTTa	3120
aaaaataaac	aagaaatatt	gagtatcact	atgtgaagaa	agttttggaa	aagaaacaat	3180
gaagactgaa	ttaaattaaa	aatgttgca	ctcataaaga	attggactca	cccctactgc	3240
actaccaa	tcatttgact	ttggaggcaa	aatgtgttga	agtgccttat	gaagtagcaa	3300
ttttctatag	gaatatagtt	ggaaataaat	gtgtgtgtgt	atattattat	taatcaatgc	3360
aatattttaa	tgaaatgaga	acaaagagga	aaatggtaaa	aacttgaaat	gaggctgggg	3420
tatagtttgt	cctacaatag	aaaaaagaga	gagcttccta	ggcctgggct	cttaaagtct	3480
gcattataac	tgagtctatg	aggaaatagt	tcctgtccaa	tttgtgtaat	ttgtttaaaa	3540
ttgtaaataa	at					3552

&lt;210&gt; 127

&lt;211&gt; 754

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 127

tttttttttt	ttgtcattgt	tcattgattt	taatgagaaa	gctaagagag	gaaataagta	60
gcctttcaaa	ggtcacacag	aagtaagtga	cagatccagg	attcatatcc	aagcattctg	120
gctctagtgt	ccatgcttct	caaccattat	gacccaatat	tcaaccaa	caatactgaa	180
ggacacgtga	aatgtatccg	gtattttact	attacaaaca	aaaatccaat	gaacattctt	240
gaagacatac	acaaaaataa	tggttacaat	agaagttact	ggaattgaaa	ttttggttca	300
acctatatta	aaatgtaaag	cttttgatat	agctaataga	tttttgaaat	gatcagtctt	360
aacgttttga	ggggagcaca	ctcctgcacg	gggaaaagat	tcactgtgaa	gcacagagca	420
cctttatgg	tggatcatct	tgctattaaa	gttcaggcgt	tatctatcct	gtaagtggca	480
gaatcaagac	tgcaatatcg	cctgcttttc	tttttaactc	atgttttccc	ttgactacac	540
tggtcctcaa	agtaaaaccc	ctgtgtcag	gtactattca	tggaataactc	tgcaattata	600
accaccttct	aatactttta	atacccaatc	aaaattttatt	atacatatgt	atcatagata	660
ctcatctgta	aagctgtgct	tcaaaatagt	gatctcttcc	caacattaca	atatatatta	720
atgatgtcga	acctgcccgg	gcggcgcgtc	gaag			754

&lt;210&gt; 128

&lt;211&gt; 374

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 128

aggtttttgat	taaaaaggca	aatgatttta	ttgttcgata	atctttttaa	aaaataagag	60
gaaggagtaa	aattaaagat	gaaagatgat	ttttatttcc	ttgtgacctc	tatatcccc	120
ttccccctgcc	cttggttaagt	aactcttgat	ggagaaagga	ttaaagactc	ttattttaacc	180
aaaaaacaga	gccagcta	catttccaaa	ggtagtatc	tcctgtctga	cctctctctt	240
ggtttaattg	aataaaaacta	tatgttcata	tatgtattaa	aacaactcag	aataacatct	300
tttcttctct	agttaaggca	ttataagggc	tatactatca	tccataataa	ccaaggcaat	360
aacttaaaaa	gctg					374

&lt;210&gt; 129

&lt;211&gt; 546

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 129

agtgtgatgg	atatctgcag	aattcgggct	aagcgtgggtc	gcgggcccgag	gtctggaact	60
tcccagcacy	tgaaaaggag	cctcctgagc	tgactcgggt	aaagcccccac	tttcgctcct	120
cctcatttct	gcctactgat	ttccttggag	cattcatctg	aatattaccg	tttgctgtgt	180
aacctggtac	atacatagca	tgactccctg	gaatagagtg	ggctgggggtg	cttatgctgg	240
gagagtgatt	gacatgcact	ttcaagctat	atctaccatt	tgcagcaaag	gagaaaaaat	300
acctcgagta	aattccatca	ttttttataa	catcagcacc	tgctccatca	tcaaggagtc	360
tcagcgtaac	aggatctcca	gtctctgggt	caactgtggc	agtgacagtg	gcattaagaa	420
tgggataaaa	tccctgtttc	acattggcat	aaatcatcac	aggatgagga	aaatggaggc	480
tgtctctttc	cacaaaggct	tccacagtgg	ctggggggcac	agacctgcc	ggcgggccgc	540
tcgaaa						546

&lt;210&gt; 130

&lt;211&gt; 5156

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 130

accaaccgag	gcgcggggca	gcgacccctg	cagcggagac	agagactgag	cggccccggca	60
ccgccatgcc	tgcgtctctg	ctgggctgct	gcctctgctt	gtcgctcctc	ctgcccgcag	120
cccgggccac	ctccaggagg	gaagtctgtg	attgcaatgg	gaagtccagg	cagtgtatct	180
ttgatcggga	acttcacaga	caaactggta	atggattccg	ctgcctcaac	tgcaatgaca	240
acactgatgg	cattcactgc	gagaagtga	agaatggctt	ttaccggcac	agagaaaggg	300
accgctgttt	gccctgcaat	tgtaaactcca	aaggttctct	tagtgctcga	tgtgacaact	360
ccggacggtg	cagctgtaaa	ccagggtgtga	caggagccag	atgcgaccga	tgtctgccag	420
gcttcacat	gctcacggat	gcgggggtga	cccaagacca	gagactgcta	gactccaagt	480
gtgactgtga	cccagctggc	atcgacgggc	cctgtgacgc	gggccgctgt	gtctgcaagc	540
cagctgtcac	tggagaacgc	tgtgataggt	gtcgatcagg	ttactataat	ctggatgggg	600
ggaacctga	gggctgtacc	cagtgtttct	gctatgggca	ttcagccagc	tgccgcagct	660
ctgcagaata	cagtgtccat	aagatcacct	ctacctttca	tcaagatgtt	gatggctgga	720
aggctgtcca	acgaaatggg	tctcctgcaa	agctccaatg	gtcacagcgc	catcaagatg	780
tgttttagctc	agcccaacga	ctagaccctg	tctattttgt	ggctcctgcc	aaatttcttg	840
ggaatcaaca	ggtgagctat	ggcacaagcc	tgtcctttga	ctaccgtgtg	gacagaggag	900
gcagacacc	atctgccc	gatgtgattc	tggaaagggtc	tggcttacgg	atcacagctc	960
ccttgatgcc	acttggcaag	acactgcctt	gtgggctcag	caagacttac	acattcagggt	1020
taaatgagca	tccaagcaat	aattggagcc	cccagctgag	ttactttgag	tatcgaaagg	1080
tactgcggaa	tctcacagcc	ctccgcaccc	gagctacata	tggagaatac	agtactgggt	1140
acattgacaa	tgtgaccctg	atttcagccc	gccctgtctc	tggagcccca	gcacctgggg	1200
ttgaacagtg	tatatgtcct	gttgggtaca	aggggcaatt	ctgccaggat	tgtgcttctg	1260
gttacaagag	agattcagcg	agactggggc	cttttggcac	ctgtattcct	tgtaaactgtc	1320
aagggggagg	ggcctgtgat	ccagacacag	gagattgtta	ttcaggggat	gagaatcctg	1380
acattgagtg	tgctgactgc	ccaattgggt	tctacaacga	tccgcacgac	ccccgcagct	1440
gcaagccatg	tccctgtcat	aacgggttca	gctgctcagt	gatgccggag	acggaggagg	1500
tgggtgtgcaa	taactgccct	cccgggggtca	ccggtgccc	ctgtgagctc	tgtgctgatg	1560
gctacttttg	ggacccttt	ggtgaacatg	gccagtgag	gccttgtcag	cctgtcaat	1620
gcaacaacaa	tgtggacccc	agtgcctctg	ggaattgtga	ccggctgaca	ggcagggtgtt	1680
tgaagtgtat	ccacaacaca	gccggcatct	actgcgacca	gtgcaaagca	ggctacttcg	1740
gggacccatt	ggctcccaac	ccagcagaca	agtgtcgagc	ttgcaactgt	aaccccatgg	1800
gctcagagcc	tgtaggatgt	cgaagtgatg	gcacctgtgt	ttgcaagcca	ggatttgggtg	1860
gccccaaactg	tgagcatgga	gcattcagct	gtccagcttg	ctataatcaa	gtgaagattc	1920
agatggatca	gtttatgcag	cagcttcaga	gaatggaggc	cctgatttca	aaggctcagg	1980
gtgggtgatgg	agtagtacct	gatacagagc	tggaaaggcag	gatgcagcag	gctgagcagg	2040
cccttcagga	cattctgaga	gatgcccgaga	tttcagaagg	tgctagcaga	tcccttgggtc	2100
tccagttggc	caagggtgagg	agccaagaga	acagctacca	gagccgctg	gatgacctca	2160
agatgactgt	ggaaagagtt	cgggctcttg	gaagtacagta	ccagaaccga	gttcggggata	2220

ctcacaggct	catcactcag	atgcagctga	gcctggcaga	aagtgaagct	tccttgggaa	2280
acactaacat	tcctgcctca	gaccactacg	tggggccaaa	tggctttaaa	agtctggctc	2340
aggaggccac	aagattagca	gaaagccacg	ttgagtcagc	cagtaacatg	gagcaactga	2400
caagggaaac	tgaggactat	tccaaacaag	ccctctcact	ggtgcgcaag	gccctgcatg	2460
aaggagtcgg	aagcgggaagc	ggtagcccg	acggtgctgt	ggtgcaaggg	cttgtggaaa	2520
aattggagaa	aaccaagtcc	ctggcccagc	agttgacaag	ggaggccact	caagcggaaa	2580
ttgaagcaga	taggtcttat	cagcacagtc	tccgcctcct	ggattcagtg	tctcggtctc	2640
agggagtcag	tgatcagtc	tttcagggtg	aagaagcaaa	gaggatcaaa	caaaaagcgg	2700
attcactctc	aagcctggta	accaggcata	tggatgagtt	caagcgtaca	cagaagaatc	2760
tgggaaactg	gaaagaagaa	gcacagcagc	tcttacagaa	tggaaaaagt	gggagagaga	2820
aatcagatca	gctgctttcc	cgtgccaatc	ttgctaaaag	cagagcacia	gaagcactga	2880
gtatgggcaa	tgccactttt	tatgaagttg	agagcatcct	taaaaacctc	agagagtttg	2940
acctgcaggt	ggacaacaga	aaagcagaag	ctgaagaagc	catgaagaga	ctctcctaca	3000
tcagccagaa	ggtttcagat	gccagtga	agaccagca	agcagaaaga	gccctgggga	3060
gcgctgctgc	tgatgcacag	agggcaaaga	atggggcccg	ggaggccctg	gaaatctcca	3120
gtgagattga	acaggagatt	gggagtcgta	acttggaagc	caatgtgaca	gcagatggag	3180
ccttggccat	ggaaaaggga	ctggcctctc	tgaagagtga	gatgagggaa	gtggaaggag	3240
agctggaaaag	gaaggagctg	gagtttgaca	cgaatatgga	tgcagtacag	atggtgatta	3300
cagaagccca	gaaggttgat	accagagcca	agaacgctgg	ggttacaatc	caagacacac	3360
tcaacacatt	agacggcctc	ctgcatctga	tggaccagcc	tctcagtgtg	gatgaagagg	3420
ggctggtctt	actggagcag	aagctttccc	gagccaagac	ccagatcaac	agccaactgc	3480
ggcccatgat	gtcagagctg	gaagagagg	cacgtcagca	gaggggccac	ctccatttgc	3540
tggagacaag	catagatggg	attctggctg	atgtgaagaa	cttggagaac	attagggaca	3600
acctgcccc	aggctgctac	aatacccagg	ctcttgagca	acagtgaagc	tgccataaat	3660
atttctcaac	tgaggttctt	gggatacaga	tctcagggct	cgggagccat	gtcatgtgag	3720
tgggtgggat	ggggacattt	gaacatgttt	aatgggtatg	ctcaggtcaa	ctgacctgac	3780
cccattcctg	atcccattggc	caggtgggtg	tcttattgca	ccatactcct	tgcttctctga	3840
tgctgggcaa	tgaggcagat	agcactgggt	gtgagaatga	tcaaggatct	ggaccccaaa	3900
gaatagactg	gatggaaaga	caaactgcac	aggcagatgt	ttgcctcata	atagtcgtaa	3960
gtggagtctt	ggaatttgga	caagtgtgt	tgggatatag	tcaacttatt	ctttgagtaa	4020
tgtgactaaa	ggaaaaaact	ttgactttgc	ccaggcatga	aattcttctt	aatgtcagaa	4080
cagagtgcac	ccagtcaca	ctgtggccag	taaaatacta	ttgcctcata	ttgtctcttg	4140
caagcttctt	gctgatcaga	gttcctccta	cttacaacc	aggggtgtgaa	catgttctcc	4200
atattcaagc	tggagaaggt	gagcagtgtt	ggagtgaagg	cctgtaaggc	aggccatttc	4260
agagctatgg	tgcttgctgg	tgctgccac	cttcaagtct	tggacctggg	catgacatcc	4320
tttcttttaa	tgatgccatg	gcaacttaga	gattgcattt	ttattaaagc	atttcctacc	4380
agcaaagcaa	atgttgggaa	agtatttact	tttctgggtt	caaagtgata	gaaaagtgtg	4440
gcttgggcat	tgaagagggt	aaaattctct	agatttatta	gtcctaattc	aatcctactt	4500
ttagaacacc	aaaaatgatg	cgcatacatg	tattttatct	tattttctca	atctcctctc	4560
tctttcctcc	accataata	agagaatgtt	cctactcaca	cttcagctgg	gtcacatcca	4620
tccctccatt	catccttcca	tccatctttc	catccattac	ctccatccat	ccttccaaca	4680
tatatattatt	gagtacctac	tgtgtgccag	gggctgggtg	gacagtgggtg	acatagtctc	4740
tgccctcata	gagttgattg	tctagttagg	aagacaagca	tttttaaaaa	ataaatttaa	4800
acttacaac	tttgtttgtc	acaagtgggtg	tttattgcaa	taaccgcttg	gtttgcaacc	4860
tctttgtctc	acagaacata	tgttgcaaga	ccctcccatg	ggggcacttg	agttttggca	4920
aggctgacag	agctctgggt	tgtgcacatt	tctttgcatt	ccagctgtca	ctctgtgcct	4980
ttctacaact	gattgcaaca	gactgttgag	ttatgataac	accagtggga	attgtctggag	5040
gaaccagagg	cacttccacc	ttggctggga	agactatggg	gctgccttgc	ttctgtattt	5100
ccttggattt	tcctgaaagt	gtttttaaat	aaagaacaat	tgtagaaaaa	aaaaaa	5156

&lt;210&gt; 131

&lt;211&gt; 671

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 131

aggtctggag	ggcccacagc	cggatgtggg	acaccgggaa	aaagtgggtca	tagcacacat	60
ttttgcatcc	cggttgcagt	gtgttgacaga	cgaagtcctc	ttgctcgtca	ccccacactt	120
cctgggcagc	caycacgagg	atcatgactc	ggaaaataaa	gatgactgtg	atccacacct	180
tcccgatgct	ggtggagtg	ttgttgacac	ccccgatgaa	agtgtgcagc	gtcccccaat	240
ccattgcgct	ggtttatccc	tgagtcctgt	ttccaacgac	tgccagtgtt	tcagacccaa	300
agaatgaggg	caagatccct	ctgcgagggt	ttcagacctc	cttctcctac	cccactggag	360
tgcttagaag	ccaatgggtg	cacagtgatg	atacgaatgt	caatctttgc	tcggtcagtg	420
aggatgtcgc	ctggaatatt	caaattgaat	tacagatgca	tgaagagggc	gtacaagtta	480
gaatttttct	ttcgccatac	agaaattggt	tagccagatc	ttctgtactt	cttttccttc	540
cctgaccctt	cctgctcccc	aggaaggagg	gtcagccccg	tttgcaaaac	acaggatgcc	600
cgtgacaccg	gagacaggtc	ttcttcaccg	acaggaagtg	ccttctggtg	cctgcacggt	660
taaactgcta	t					671

&lt;210&gt; 132

&lt;211&gt; 590

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 132

ctgaatggaa	aagcttatgg	ctctgtgatg	atattagtga	ccagcggaga	tgataagctt	60
cttggcaatt	gcttaccac	tgtgctcagc	agtggttcaa	caattcactc	cattgccctg	120
ggttcactctg	cagccccaaa	tctggaggaa	ttatcacgtc	ttacaggagg	tttaaagttc	180
tttgttccag	atatatcaaa	ctccaatagc	atgattgatg	ctttcagtag	aatttcctct	240
ggaactggag	acattttcca	gcaacatatt	cagcttgaaa	gtacagggtga	aaatgtcaaa	300
cctcaccatc	aattgaaaaa	cacagtgact	gtggataata	ctgtgggcaa	cgacactatg	360
tttctagtta	cgtggcaggc	cagtggctct	cctgagatta	tattatttga	tcctgatgga	420
cgaaaatact	acacaaataa	ttttatcacc	aatctaactt	ttcggacagc	tagtctttgg	480
attccaggaa	cagctaagcc	tgggcactgg	acttacaccc	tgaacaatac	ccatcattct	540
ctgcaagccc	tgaaagtga	agtgcacct	cgcgcctcca	actcagacct		590

&lt;210&gt; 133

&lt;211&gt; 581

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 133

aggtcctgtc	cgggggcact	gagaactccc	tctggaattc	ttgggggggtg	ttgggggagag	60
actgtggggc	tgagataaaa	acttgtctcc	tctaccacca	ccctgtaccc	tagcctgcac	120
ctgtcctcat	ctctgcaaag	ttcagcttcc	ttccccaggt	ctctgtgcac	tctgtcttgg	180
atgctctggg	gagctcatgg	gtggaggagt	ctccaccaga	gggaggctca	ggggactggt	240
tgggccaggg	atgaatattt	gagggataaa	aatttgtgtaa	gagccaaaga	attggtagta	300
gggggagAAC	agagaggagc	tgggctatgg	gaaatgattt	gaataatgga	gctgggaata	360
tggctggata	tctggtacta	aaaaagggtc	tttaagaacc	tacttcttaa	tctcttcccc	420
aatccaaacc	atagctgtct	gtccagtgtc	ctcttctctc	ctccagctct	gccccaggct	480
cctcctagac	tctgtccctg	ggctagggca	ggggaggagg	gagagcaggg	ttgggggaga	540
ggctgaggag	agtgtgacat	gtgggggagag	gaccagacct	c		581

&lt;210&gt; 134

&lt;211&gt; 4797

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (4797)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 134

cctgggacca	aagtgcctgcc	cagagctgag	ggtcctggag	ccacatgaga	aggcttctcc	60
ctgtgtacct	gtgcagcaca	gggtaggggtg	agtccactca	gctgtctagg	agaggaccca	120
ggagcagcag	agacncgcc	agcctttact	cataccatat	tctgacccct	ttccagcaaa	180
ttgtggctac	taatttgccc	cctgaagatc	aagatggctc	tggggatgac	tctgacaact	240
tctccggctc	aggtgcaggt	gaggttgctc	tgggggcccc	ccccacccaa	gacggcaaca	300
ggatcatgct	gggggcagtg	gtcaggcagt	ctcctgtgtt	tactgagcat	gtactgagtg	360
caccctgcct	gccctgtctc	caccagctg	gctccaaagg	gcaatgctga	ggagaggaat	420
ggggctcgtg	gctgctgtta	aggagagctc	atgcttggag	gtgaggtgaa	ggctgtgagc	480
tccagaaggc	cccagggcgc	nctgctgcac	gcaggctcat	attcactagg	aatagcttta	540
ctcactaaga	aacctctgga	accccttcca	gaaggttatt	tgactcctga	gcctctatct	600
tctcatctgc	aaaatgggaa	taataccttg	acctgataag	cttgtggagc	tgtaaggcag	660
cacagagcca	gctgggggtg	agctcttcca	tccaagctcc	cttcccttact	tcccttttcc	720
tgtggggagt	gggggagaga	agtccctgag	ctggaggtgg	tcagggaagc	ttcacagagg	780
aggtggctct	tgagtggacc	tcagggaagag	gggtgagaga	gctaagggaag	gaggctgagg	840
tcatccctgg	ggaagtgacc	tagcggaggc	ctgagagctg	caaggtagga	tatctgttgt	900
tggaagtgtc	tgttgttgga	agtgggggccc	tttttttcag	ggaggggtggg	gccagagaag	960
tgtgtgcctc	gggataagta	ggataaccac	agtagttatg	cccctaaggg	atgccacccc	1020
cacctctgtg	gtcacagaaa	agcttttcca	gggtgcctag	gcacctgtct	cgtggctcca	1080
gagacaggct	gcacctgaca	cacacaatgg	aaggacagct	ctccttgtcc	attttccaag	1140
gagcttagcc	tcagctgcct	tgtccaggta	ctagcctccc	tcatagcctg	agcttggcca	1200
gcccagggtg	tctggagcct	cccccgaccc	acccaacaca	ctctgcttct	ggtcctcccc	1260
acccccccacc	tccccaacac	actctgcttc	tggtcctgca	ggtgctttgc	aagatatcac	1320
cttgtcacag	cagaccccct	ccacttggaa	ggacacgcag	ctcctgacgg	ctattcccac	1380
gtctccagaa	cccaccggcc	tggaggctac	agctgcctcc	acctccaccc	tgccggctgg	1440
agagggggccc	aaggaggag	aggctgtagt	cctgccagaa	gtggagcctg	gcctcacgcg	1500
ccgggagcag	gaggccaccc	cccgacccag	ggagaccaca	cagctcccga	ccactcatca	1560
ggcctcaacg	accacagcca	ccacggccca	ggagcccgc	acctcccacc	cccacaggga	1620
catgcagcct	ggccaccatg	agacctcaac	ccctgcagga	cccagccaag	ctgaccttca	1680
cactccccac	acagaggatg	gaggtccttc	tgccaccgag	agggctgctg	aggatggagc	1740
ctccagtcag	ctcccagcag	cagagggctc	tggggagcag	gtgagtggcc	tctgcattcc	1800
ttgggaaatt	gagtgggttg	gtcctaattg	ctggcacttg	gcaggcccta	cacctgtgcc	1860
ctgcgcgac	tcgtattcct	caccaggaag	acagggcaca	ggggccgcct	tcccctaccc	1920
ccagggcctc	gcagagcagg	acagactaac	tatgagatca	gagcagaagc	accttaaaag	1980
atcacccaag	agagggctcc	caaactcaca	atccaaactt	gcagccctcg	tcgaagagtg	2040
aacgttatac	cagtcatttt	atcttatagc	tctgtgattt	acgcttacac	taaatagtct	2100
gctattcata	caaaatgtgt	gctttgtatc	actttttgtg	atatccatgc	catgggtccag	2160
ccagggctcg	gagttgatgt	ggcaagaagg	cctggccttc	gggcctctgt	cgatcctggg	2220
ttgggtgcat	ctgagtgggt	ggtggcaaa	atcagggagg	caggagctgc	ttctgggtct	2280
gtagtggagc	tggttgctgc	tgtgtggcgt	gacctggcca	acccaatctg	cccctgcctc	2340
cccacaggac	ttcacctttg	aaacctcggt	ggagaatacg	gctgtagtgg	ccgtggagcc	2400
tgaccgccc	aaccagtccc	cagtggatca	ggggggccac	ggggcctcac	agggcctcct	2460
ggacaggaag	gaggtgctgg	gaggtgagtt	ttcttttcagg	ggggtagttt	gggggtgaatt	2520
gctgctgtgg	ggtcaggggt	gggtgacca	cagccaaggc	cactgctttg	ggaggggtctg	2580
cacgagagcc	caaggagccg	ctgagctgag	ctggccccgt	ctacctgccc	taggggtcat	2640
tgcgggagc	ctcgtggggc	tcactcttgc	tgtgtgcctg	gtgggtttca	tgtgttaccg	2700
catgaagaag	aaggacgaag	gcagctactc	cttggaggag	ccgaaacaag	ccaacggcgg	2760
ggcctaccag	aagcccacca	aacaggagga	attctatgcc	tgacgcggga	gccaatgcgc	2820
ccctccgccc	tgccactcac	taggccccca	cttgccctct	ccttgaagaa	ctgcaggccc	2880
tggcctcccc	tgccaccagg	ccacctcccc	agcattccag	cccctctggg	cgtcctgcgc	2940
cacggagtcg	tgggtgtgct	gggagctcca	ctctgcttct	ctgacttctg	cctggagact	3000
tagggcacca	ggggtttctc	gcataaggacc	tttccaccac	agccagcacc	tggcatcgca	3060

ccattctgac	tcggtttctc	caaactgaag	cagcctctcc	ccaggtccag	ctctggaggg	3120
gagggggatc	cgactgcttt	ggacctaaat	ggcctcatgt	ggctggaaga	tccctgcgggt	3180
ggggcttggg	gctcacacac	ctgtagcact	tactggtagg	accaagcatc	ttgggggggt	3240
ggccgctgag	tggcagggga	caggagtcac	tttgtttcgt	ggggaggtct	aatctagata	3300
tgcacttggt	tttgacatg	tttctctag	ttctttgttc	atagcccagt	agaccttggt	3360
acttctgagg	taagttaagt	aagttgattc	ggtatccccc	catcttgctt	ccctaatacta	3420
tggtcgggag	acagcatcag	ggttaagaag	actttttttt	ttttttttta	actaggagaa	3480
ccaaatctgg	aagccaaaat	gtaggcttag	tttgtgtgtt	gtctcttgag	tttgtcgtct	3540
atgtgtgcaa	caggggatgg	actatctgtc	tgggtggccc	gttctgggtg	tctgttgga	3600
ggctggccag	tccaggctgc	cgtggggccg	ccgcctcttt	caagcagtcg	tgcctgtgtc	3660
catgcgctca	gggccatgct	gaggcctggg	ccgctgccac	gttggaaga	cccgtgtgag	3720
aagtgaatgc	tgggactcag	ccttcagaca	gagaggactg	tagggagggc	ggcaggggccc	3780
tggagatcct	cctgcaggct	caagcccgtc	ctcctgtggc	gccgtctcca	ggggctgctt	3840
cctcctggaa	attgacgagg	ggtgtcttgg	gcagagctgg	ctctgagcgc	ctccatccaa	3900
ggccagggttc	tccgttagct	cctgtggccc	caccctgggc	cctgggctgg	aatcaggaat	3960
attttccaaa	gagtgatagt	cttttgcttt	tggcaaaact	ctacttaate	caatgggttt	4020
ttccctgtac	agtagatttt	ccaaatgtaa	taaactttta	tataaagtag	tctgtgaatg	4080
ccactgcctt	cgcttcttgc	ctctgtgctg	tgtgtgacgt	gaccggactt	ttctgcaaac	4140
accaacatgt	tgggaaactt	ggctcgaatc	tctgtgcctt	cgtctttccc	atggggaggg	4200
attctgggttc	cagggctcct	ctgtgtattt	gcttttttgt	tttggtgaa	attctcctgg	4260
aggctcggtag	gttcagccaa	ggttttataa	ggctgatgtc	aatttctgtg	ttgccaaagt	4320
ccaagcccat	cttctaaatg	gcaaagggaag	gtggatggcc	ccagcacagc	ttgacctgag	4380
gctgtggtca	cagcggaggt	gtggagccga	ggcctacccc	ncagacacct	tggacatcct	4440
cctcccaccc	ggctgcagag	gccaganncc	agcccagggt	cctgcactta	cttgcttatt	4500
tgacaacggt	tcagcgactc	cgttggccac	tccgagagtg	ggccagtcctg	tggatcagag	4560
atgcaccacc	aagccaaggg	aacctgtgtc	cgggtattcga	tactgcgact	ttctgcctgg	4620
agtgtatgac	tgcacatgac	tcgggggtgg	ggaaaggggt	cggctgacca	tgctcatctg	4680
ctggctcgtg	ggacggtncc	caagccagag	gtgggttcat	ttgtgtaacg	acaataaacg	4740
gtacttgta	tttcggggcaa	cggctgctgt	ggtggtggtt	gagtcctctc	ttggcct	4797

&lt;210&gt; 135

&lt;211&gt; 2856

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 135

tagtcgcggg	tccccgagtg	agcacgccag	ggagcaggag	accaaacgac	gggggtcgga	60
gtcagagtcg	cagtgaggag	ccccggaccg	gagcacgagc	ctgagcggga	gagcgccgct	120
cgacgcgccg	tcgccaccgc	cgtaccgggc	gcagccagag	ccaccagcgc	agcgctgcca	180
tggagccag	cagcaagaag	ctgacgggtc	gcctcatgct	ggctgtggga	ggagcagtcg	240
ttggctccct	gcagtttggc	tacaacactg	gagtcatcaa	tgccccccag	aaggtgatcg	300
aggagtctta	caaccagaca	tgggtccacc	gctatgggga	gagcatcctg	cccaccacgc	360
tcaccaacgt	ctggtccctc	tcagtggcca	tcttttctgt	tgggggcatg	attggctcct	420
tctctgtggg	ccttttcgtt	aaccgctttg	gccggcgga	ttcaatgctg	atgatgaacc	480
tgttgccctt	cgtgtccgcc	gtgctcatgg	gcttctcgaa	actgggcaag	tcctttgaga	540
tgtgatcctt	gggcccgttc	atcatcggtg	tgtactgcgg	cctgaccaca	ggcttcgtgc	600
ccatgtatgt	gggtgaagtg	tcaccacag	cctttcgtgg	ggccctgggc	accctgcacc	660
agctgggcat	cgtcgtcggc	atcctcatcg	cccagggtgt	cggcctggac	tccatcatgg	720
gcaacaagg	cctgtggccc	ctgctgctga	gcacatctt	catcccggcc	ctgctgcagt	780
gcacgtgct	gccccttctg	cccgagagtc	cccgttctct	gctcatcaac	cgcaacgagg	840
agaaccgggc	caagagtgtg	ctaaagaagc	tgcgcgggac	agctgacgtg	acccatgacc	900
tgcaggagat	gaaggaagag	agtccgcaga	tgatgcggga	gaagaaggtc	accatcctgg	960
agctgttccg	ctcccccgcc	taccgccagc	ccatcctcat	cgtgtgggtg	ctgcagctgt	1020
cccagcagct	gtctggcatc	aacgtgtct	tctattactc	cacgagcatc	ttcgagaagg	1080
cgggggtgca	gcagcctgtg	tatgccacca	ttggctccgg	tatcgtcaac	acggccttca	1140



ctgtcgtgtc	gctgtttgtg	gtggagcgag	caggccggcg	gacctgcac	ctcataggcc	1200
tcgctggcat	ggcgggttgt	gccatactca	tgaccatcgc	gctagcactg	ctggagcagc	1260
tacctggat	gtcctatctg	agcatcgtgg	ccatcttttg	ctttgtggcc	ttctttgaag	1320
tgggtcctgg	ccccatccca	tggttcatcg	tggttgaact	cttcagccag	gggtccacgtc	1380
cagctgccat	tgccgttgca	ggcttctcca	actggacctc	aaatttcatt	gtgggcatgt	1440
gcttccagta	tgtggagcaa	ctgtgtggtc	cctacgtctt	catcatcttc	actgtgtctc	1500
tggttctgtt	cttcatcttc	acctacttca	aagtctcctga	gactaaaggc	cggaccttcg	1560
atgagatcgc	ttccggcttc	cggcaggggg	gagccagcca	aagtgataag	acacccgagg	1620
agctgttcca	tccccgtggg	gctgattccc	aagtgtgagt	cgcctccagat	caccagcccc	1680
gcctgtctcc	agcagcccta	aggatctctc	aggagcacag	gcagctggat	gagacttcca	1740
aacctgacag	atgtcagccg	agccgggctt	ggggctcctt	tctccagcca	gcaatgatgt	1800
ccagaagaat	attcaggact	taacggctcc	aggattttta	caaaagcaag	actgttgctc	1860
aaatctattc	agacaagcaa	caggttttat	aattttttta	ttactgattt	tgttattttt	1920
atatcagcct	gagtctcctg	tgccacatc	ccaggcttca	ccctgaatgg	ttccatgcct	1980
gagggtggag	actaagccct	gtcgagacac	ttgccttctt	caccagcta	atctgtaggg	2040
ctggacctat	gtcctaagga	cacactaatc	gaactatgaa	ctacaaagct	tctatccag	2100
gagggtggcta	tggccacccg	ttctgctggc	ctggatctcc	ccactctagg	ggtcaggctc	2160
cattaggatt	tgcccttcc	catctcttcc	tacccaacca	ctcaaattaa	tctttcttta	2220
cctgagacca	gttgggagca	ctggagtgc	gggaggagag	gggaagggcc	agtctgggct	2280
gccgggttct	agtctccttt	gcactgaggg	ccacactatt	accatgagaa	gagggcctgt	2340
gggagcctgc	aaactcactg	ctcaagaaga	catggagact	cctgccctgt	tgtgtataga	2400
tgcaagatat	ttatatatat	ttttggttgt	caatattaaa	tacagacact	aagtatatgt	2460
atatctggac	aagccaactt	gtaaatacac	cacctcactc	ctgttactta	cctaaacaga	2520
tataaatggc	tgttttttag	aaacatgggt	ttgaaatgct	tgtggattga	gggtaggagg	2580
tttggatggg	agtgaacag	aagtaagtgg	ggttgcaacc	actgcaacgg	cttagacttc	2640
gactcaggat	ccagtccctt	acacgtacct	ctcatcagt	tcctcttgct	caaaaatctg	2700
tttgatccct	gttaccacga	gaatatatac	attctttatc	ttgacattca	aggcatttct	2760
atcacatatt	tgatagttgg	tgttcaaaaa	aacactagtt	ttgtgccagc	cgtgatgctc	2820
aggcttga	tcgcattatt	ttgaatgtga	agggaa			2856

&lt;210&gt; 136

&lt;211&gt; 356

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 136

gggtggagcca	aatgaagaaa	atgaagatga	aagagacaga	cacctcagtt	tttctggatc	60
aggcattgat	gatgatgaag	attttatctc	cagcaccatt	tcaaccacac	cacgggcttt	120
tgaccacaca	aaacagaacc	aggactggac	tcagtggaa	ccaagccatt	caaataccgga	180
agtgtacttt	cagacaacca	caaggatgac	tgatgtagac	agaaatggca	ccactgctta	240
tgaaggaaac	tggaaaccag	aagcacaccc	ttccctcatt	caccatgagc	atcatgagga	300
agaagagacc	ccacattcta	caagcacaat	ccaggcaact	cctagtagta	caacgg	356

&lt;210&gt; 137

&lt;211&gt; 356

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (356)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 137

gcagggtggag	aagacatttt	attgttctctg	gggtctctgg	aggccatttg	gtggggctgg	60
-------------	------------	-------------	------------	------------	------------	----

gtcactggct	gcccccgaa	cagggcgctg	ctccatggct	ctgcttggtg	tagtctgtgg	120
ctatgtctcc	cagcaaggac	agaaactcag	aaaaatcaat	cttcttatcc	tcattcttgt	180
cctttttctc	aaagacatcg	gcgaggtaat	ttgtgccctt	tttacctcgg	cccgcgacca	240
cgctaaggcc	aaanttccag	acanayggcc	gggcccgtnc	nataggggan	cccaacttgg	300
ggacccaaac	tctggcgcg	aaacacangg	gcataagctt	gnttcctgtg	gggaaa	356

<210> 138  
 <211> 353  
 <212> DNA  
 <213> Homo sapien

<400> 138						
aggtccagtc	ctccacttgg	cctgatgaga	gtggggagtg	gcaagggacg	tttctcctgc	60
aatagacact	tagattttctc	tcttggtgga	agaaaccacc	tgtccatcca	ctgactcttc	120
tacattgatg	tggaaattgc	tgtgtctacc	accacctcct	gaagaggctt	ccctgatgcc	180
aatgccagcc	atcttggcat	cctggccctc	gagcaggctg	cggttaagtag	cgatctcctg	240
ctccagccgt	gtctttatgt	caagcagcat	cttgtactcc	tggttctgag	cctccatctc	300
gcacgcggagc	tcactcagac	ctcgscgsg	mssmcgctam	gccgaattcc	agc	353

<210> 139  
 <211> 371  
 <212> DNA  
 <213> Homo sapien

<400> 139						
agcgtggctg	cggccgaggt	ccatccgaag	caagattgca	gatggcagtg	tgaagagaga	60
agacatattc	tacacttcaa	agctttgggtg	caattcccat	cgancagagt	tggtccgacc	120
agccttgga	aggtcactga	aaaatcttca	attggattat	gttgacctct	accttattca	180
ttttccagtg	tctgtaaagc	caggtgagga	agtgatccca	aaagatgaaa	atggaaaaat	240
actatattgac	acagtggatc	tctgtgccac	gtgggaggcc	gtggagaagt	gtaaagatgc	300
aggattggac	ctgcccgggc	ggccgctcga	aagccgaatt	ccagcacact	ggcggccgtt	360
actagtggat	c					371

<210> 140  
 <211> 370  
 <212> DNA  
 <213> Homo sapien

<400> 140						
tagcgtggtc	gcgccgagg	tccatctccc	tttgggaact	agggggctgc	tggtgggaaa	60
tgggagccag	ggcagatgtt	gcattccttt	gtgtccctgt	aaatgtggga	ctacaagaag	120
aggagctgcc	tgagtggtag	tttctcttcc	tggtaatcct	ctggcccagc	ctcatggcag	180
aatagaggta	tttttaggct	atttttgtaa	tatggcttct	ggtcaaaatc	cctgtgtagc	240
tgaattccca	agccctgcat	tgtacagccc	cccaactccc	tcaccaccta	ataaagggaat	300
agttaacact	caaaaaaaaa	aaaaaacctg	cccgggcggc	cgctcgaaag	ccgaattcca	360
gcacactggc						370

<210> 141  
 <211> 371  
 <212> DNA  
 <213> Homo sapien

<400> 141						
tagcgtggtc	gcgccgagg	tcctctgtgc	tgccgtgcac	agccccgatg	taccagcgca	60
gggtgtaggc	agtgcaggag	ccctcatcca	gtggcaggga	acaggggtca	tcactatccc	120

aaggagcttc	aggggtcctgg	tactcctcca	cagaatactc	ggagtattca	gagtactcat	180
catcctcagg	gggtacccgc	tcttctcct	ctgcatgaga	gacgcggagc	acaggcacag	240
catggagctg	ggagccggca	gtgtctgcag	cataactagg	gaggggtcgt	gatccagatg	300
cgatgaactg	gccctggcag	gcacagtgt	gactcatctc	ttggcgacct	gcccgggcgg	360
ccgctcgaag	c					371

&lt;210&gt; 142

&lt;211&gt; 343

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 142

gcgtttttag	gccaatggtg	taaaaggaaa	tatcttcaca	taaaaactag	atggaagcat	60
tgtcagaaac	ctctttgtga	tgtttgcttt	caactcacag	agttgaacat	tccttttcat	120
agagcagttt	tgaaacactc	ttttgtagaa	tttgcaagcg	gatgattgga	tcgctatgag	180
gtcttcattg	gaaacgggat	acctttacat	aaaaactaga	cagtagcatt	ctcagaaaatt	240
tctttgggat	gtgggcattc	aaccacaga	ggagaacttc	atgtgataga	gcagttttga	300
aacacccttt	ttgtagaatc	tacaggtgga	catttagagt	gct		343

&lt;210&gt; 143

&lt;211&gt; 354

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 143

aggctctgatg	gcagaaaaac	tcagactgtc	tgcaacttta	cagatgggtgc	attggttcag	60
catcaggagt	gggatgggaa	ggaaagcaca	ataacaagaa	aattgaaaga	tgggaaatta	120
gtggtggagt	gtgtcatgaa	caatgtcacc	tgtactcgga	tctatgaaaa	agtagaataa	180
aaattccatc	atcacttttg	acaggagtta	attaagagaa	tgaccaagct	cagttcaatg	240
agcaaacttc	catactgttt	ctttcttttt	tttttcatta	ctgtgttcaa	ttatctttat	300
cataaacatt	ttacatgcag	ctatttcaaa	gtgtgttgga	ttaattagga	tcatt	354

&lt;210&gt; 144

&lt;211&gt; 353

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 144

ggtcaaggac	ctggggggacc	cccagggtcca	gcagccacat	gattctgcag	cagacaggga	60
cctagagcac	atctggatct	cagccccacc	cctggcaacc	tgctgccta	gagaactccc	120
aagatgacag	actaagtagg	attctgccat	ttagaataat	tctggtatcc	tgggcgttgc	180
gttaagttgc	ttacttttca	ttctgtotta	cgatagtctt	cagaggtggg	aacagatgaa	240
gaaaccatgc	cccagagaag	gttaagtgc	ttctctttta	tggagccagt	gttccaaact	300
aggtttgcct	gataccagac	ctgtggcccc	acctcccatg	caggtctctg	tgg	353

&lt;210&gt; 145

&lt;211&gt; 371

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 145

caggtctgtc	ataaactggg	ctggagtttc	tgacgactcc	ttgttcacca	aatgcaccat	60
ttcctgagac	ttgctggcct	ctccgttgag	tccacttggc	tttctgtcct	ccacagctcc	120
attgccactg	ttgatcacta	gctttttctt	ctgcccacac	cttcttcgac	tgttgactgc	180
aatgcaaact	gcaagaatca	aagccaaggc	caagagggat	gccaagatga	tcagccattc	240

tggaatttgg ggtgtcetta taggaccaga ggttgtgttt gctccacett cttgactccc	300
atgtgagacc tcggccgcga ccacgctaag ccgaattcca gcacactggc ggcccgttac	360
tagtggatcc g	371

<210> 146  
 <211> 355  
 <212> DNA  
 <213> Homo sapien

<400> 146	
ggctcctcgt cctcttccca gaggtgtcgg ggcttggccc cagcctccat cttcgtctct	60
caggatggcg agtagcagcg gctccaaggc tgaattcatt gtcggaggga aatataaact	120
ggtacggaag atcgggtctg gctccttcgg ggacatctat ttggcgatca acatcaccaa	180
cggcgaggaa gtggcagtga agctagaatc tcagaaggcc aggcaccccc agttgctgta	240
cgagagcaag ctctataaga ttcttcaagg tggggttggc atccccca taagggtgta	300
tggtcaggaa aaagactaca atgtactagt catggatctt ctgggaccta gcctc	355

<210> 147  
 <211> 355  
 <212> DNA  
 <213> Homo sapien

<400> 147	
ggtctgttac aaaatgaaga cagacaacac aacatttact ctgtggagat atcctactca	60
tactatgcac gtgctgtgat ttgaaacata actcgtccca aaaacttgct acgatcatcc	120
tgacttttta ggttggctga tccatcaatc ttgcaactca ctgttacttc tttccagtg	180
ttgttaggag caaagctgac ctgaacagca accaatggct gtagataccc aacatgcagt	240
tttttcccat aatatgggaa atattttaag tctatcattc cattatgagg ataaactgct	300
acatttggtat tatcttcatt ctttgaaaca caatctatcc ttggcactcc ttcag	355

<210> 148  
 <211> 369  
 <212> DNA  
 <213> Homo sapien

<400> 148	
aggtctctct cccctctctc ctctcctgcc agccaagtga agacatgctt acttccccctt	60
caccttcctt catgatgtgg gaagagtgtc gcaaccacgc cctagccaac accgcatgag	120
agggagtgtg ccgagggctt ctgagaaggt ttctctcaca tctagaaaga agcgcttaag	180
atgtggcagc cctcttctt caagtggctc ttgtcctggt gccctgggag ttctcaaatt	240
gctgcagcag cctccatcca gctgaggat gacatcaata cacagaggaa gaagagtcag	300
gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag	360
acttcttca	369

<210> 149  
 <211> 620  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(620)  
 <223> n = A,T,C or G

<400> 149

actagtcaaa	aatgctaaaa	taatttggga	gaaaatattt	tttaagtagt	gttatagttt	60
catgtttatc	ttttattatg	ttttgtgaag	ttgtgtcttt	tcactaatta	cctatactat	120
gccaatat	ccttatatct	atccataaca	tttatactac	atttgtaana	naatatgcac	180
gtgaaactta	acactttata	aggtaaaaat	gagggtttcca	anattttaata	atctgatcaa	240
gttcttggtta	tttccaaata	gaatggactt	ggtctgttaa	gggctaagga	gaagaggaag	300
ataagggttaa	aagttgttaa	tgaccaaaca	ttctaaaaga	aatgcaaaaa	aaaagtttat	360
tttcaagcct	tcgaactatt	taaggaaagc	aaaatcattt	cctaaatgca	tatcattttgt	420
gagaattttct	cattaatatc	ctgaatcatt	catttcacta	aggctcatgt	tnactccgat	480
atgtctctaa	gaaagtacta	tttcatggtc	caaacctggt	tgccatantt	gggtaaaggc	540
tttcccttaa	gtgtgaaant	atttaaaatg	aaattttcct	ctttttaaaa	attctttana	600
agggttaagg	gtgttgggga					620

&lt;210&gt; 150

&lt;211&gt; 371

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 150

ggtccgatca	aaacctgcta	cctcccccaag	actttactag	tgccgataaa	ctttctcaaa	60
gagcaaccag	tatcacttcc	ctgtttataa	aacctctaac	catctctttg	ttctttgaac	120
atgctgaaaa	ccacctgggtc	tgcatgtatg	cccgaatttg	yaattctttt	ctctcaaagt	180
aaaatttaaat	tttaggggatt	cattttctata	ttttcacata	tgtagtatta	ttatttcctt	240
atatgtgtaa	ggtgaaattt	atgggtatttg	agtgtgcaag	aaaatatatt	tttaaagcct	300
tcattttttcc	cccagtgaaat	gatttagaat	tttttatgta	aatatacaga	atgttttttc	360
ttacttttat	a					371

&lt;210&gt; 151

&lt;211&gt; 4655

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 151

gggacttgag	ttctgttatac	ttcttaagta	gattcatatt	gtaagggtct	cgggggtgggg	60
gggttgggcaa	aatcctggag	ccagaagaaa	ggacagcagc	attgatcaat	cttacagcta	120
acatgttgta	cctggaaaaac	aatgcccaga	ctcaatttag	tgagccacag	tacacgaacc	180
tggggctcct	gaacagcatg	gaccagcaga	ttcagaacgg	ctcctcgtcc	accagtccct	240
ataacacaga	ccacgcgcag	aacagcgtca	cggcgccctc	gccctacgca	cagcccagct	300
ccaccttcga	tgctctctct	ccatcacccg	ccatccctc	caacaccgac	taccagggcc	360
cgcacagttt	cgacgtgtcc	ttccagcagt	cgagcaccgc	caagtcggcc	acctggacgt	420
attccactga	actgaagaaa	ctctactgcc	aaattgcaaa	gacatgcccc	atccagatca	480
aggatgatgac	cccacctcct	cagggagctg	ttatccgcgc	catgcctgtc	tacaaaaaag	540
ctgagcacgt	cacggagggtg	gtgaagcggg	gccccaaacca	tgagctgagc	cgtgaattca	600
acgaggggaca	gattgccccct	yctagtcatt	tgattcgagt	agagggggaac	agccatgccc	660
agtatgtaga	agatcccatc	acaggaagac	agagtgtgct	ggtaccttat	gagccacccc	720
agggttgccac	tgaattcacg	acagtcttgt	acaatttcat	gtgtaacagc	agttgtgttg	780
gagggatgaa	ccgccgtcca	attttaatca	ttgttactct	ggaaaccaga	gatgggcaag	840
tcttggggccg	acgtgtcttt	gaggcccgga	tctgtgcttg	cccaggaaga	gacaggaagg	900
cggatgaaga	tagcatcaga	aagcagcaag	tttcggacag	tacaaagaac	ggtgatggta	960
cgaagcgccc	gtttcgtcag	aacacacatg	gtatccagat	gacatccatc	aagaaacgaa	1020
gatccccaga	tgatgaactg	gtatacttac	cagtggagggg	ccgtgagact	tatgaaatgc	1080
tggatgaagat	caaagagtcc	ctggaaactca	tgcagtacct	tcttcagcac	acaattgaaa	1140
cgtacaggca	acagcaacag	cagcagcacc	agcacttaact	tcagaaacag	acctcaatac	1200
agtctccatc	ttcatatggg	aacagctccc	cacctctgaa	caaaatgaac	agcatgaaca	1260
agctgccttc	tgtgagccag	cttatcaacc	ctcagcagcg	caacgccttc	actcctacaa	1320
ccatttctga	tggcatggga	gccaaacatc	ccatgatggg	caccacacatg	ccaatggctg	1380

gagacatgaa	tggactcagc	cccacccagg	cactccctcc	cccactctcc	atgccatcca	1440
cctcccactg	cacaccccca	cctccgtatc	ccacagattg	cagcattgtc	agtttcttag	1500
cgaggttggg	ctgttcatca	tgtctggact	atttcacgac	ccaggggctg	accaccatct	1560
atcagattga	gcattactcc	atggatgac	tggcaagtct	gaaaatccct	gagcaatttc	1620
gacatgcgat	ctggaagggc	atcctggacc	accggcagct	ccacgaattc	tcttccccct	1680
ctcatctcct	gcggacccca	agcagtgcct	ctacagtcag	tgtgggctcc	agtgaagacc	1740
ggggtgagcg	tgttattgat	gctgtgcgat	tcacccctccg	ccagaccatc	tctttcccac	1800
cccagatga	gtggaatgac	ttcaactttg	acatggatgc	tcgccgcaat	aagcaacagc	1860
gcatacaaga	ggagggggag	tgagcctcac	catgtgagct	cttctctatc	ctctcctaac	1920
tgccagcccc	ctaaaagcac	tcctgcttaa	tcttcaaagc	cttctcccta	gtccttcccc	1980
ttcctcttgt	ctgatttctt	aggggaagga	gaagtaagag	gcttacttct	taccctaacc	2040
atctgacctg	gcatactaatt	ctgattcttg	ctttaagcct	tcaaaactat	agcttgacaga	2100
actgtagctt	gccatggcta	ggtagaagtg	agcaaaaaag	agttgggtgt	ctccttaagc	2160
tgcagagatt	tctcattgac	ttttataaaag	catgttcacc	cttatagtct	aagactatat	2220
atataaatgt	ataaatatac	agtatagatt	tttgggtggg	gggcattgag	tattgtttta	2280
aatgtaattt	aatgaaaga	aaattgagtt	gcacttattg	accatttttt	aatttacttg	2340
ttttggatgg	cttgtctata	ctccttccct	taaggggtat	catgtatggg	gatagggtatc	2400
tagagcttaa	tgctacatgt	gagtgcagat	gatgtacaga	ttctttcagt	tctttggatt	2460
ctaaatacat	gccacatcaa	acctttgagt	agatccattt	ccattgctta	ttatgtaggt	2520
aagactgtag	atatgtattc	ttttctcagt	gttgggtatat	tttatattac	tgacatttct	2580
tctagtgatg	atggttcacg	ttgggtgat	ttaatccagt	tataagaaga	agttcatgtc	2640
caaacgtcct	ctttagtttt	tgggtgggaa	tgaggaaaaat	tcttaaaagg	cccatagcag	2700
ccagttcaaa	aacacccgac	gtcatgtatt	tgagcatatc	agtaaccccc	ttaaatttaa	2760
taccagatac	cttatcttac	aatattgatt	gggaaaacat	ttgctgccat	tacagaggta	2820
ttaaaactaa	atttcactac	tagattgact	aactcaaata	cacatttgct	actggtgtaa	2880
gaattctgat	tgatttgatt	gggatgaatg	ccatctatct	agttctaaca	gtgaagtttt	2940
actgtctatt	aatattcagg	gtaaatagga	atcattcaga	aatgttgagt	ctgtactaaa	3000
cagtaagata	tctcaatgaa	ccataaattc	aactttgtaa	aaatcttttg	aagcatagat	3060
aatattgttt	ggtaaatggt	tcttttggtt	ggtaaatggt	tcytttaaag	accctcctat	3120
tctataaaac	tctgcatgta	gaggcttggt	tacctttctc	tctctaagggt	ttacaatagg	3180
agtgggtgatt	tgaaaaatat	aaaattatga	gattgggtttt	cctgtggcat	aaattgcatc	3240
actgtatcat	tttctttttt	aaccggtaaag	agtttcagtt	tgttggaaaag	taactgtgag	3300
aaccagttt	cccgtccatc	tccttagggg	actaccata	gacatgaaag	gtccccacag	3360
agcaagagat	aagtctttca	tggctgctgt	tgtctaaacc	acttaaacga	agagttccct	3420
tgaaactttg	ggaaaacatg	ttaatgacaa	tattccagat	ctttcagaaa	tataacacat	3480
ttttttgcat	gcattgcaaat	gagctctgaa	atcttcccat	gcattctggg	caagggctgt	3540
cattgcacat	aagcttccat	tttaatttta	aagtgcacaaa	gggccagcgt	ggctctaaaa	3600
ggtaatgtgt	ggattgcctc	tgaaaagtgt	gtatatatatt	tgtgtgaaat	tgatactttt	3660
gtattttgat	tatttttttt	ttcttcttgg	gatagtggga	tttccagaa	cacacttgaa	3720
accttttttt	atcgtttttg	tattttcatg	aaaataccat	ttagtaagaa	taccacatca	3780
aataagaaat	aatgctacaa	ttttaagagg	ggaggggaagg	gaaagttttt	ttttttatta	3840
tttttttaaa	attttgtatg	ttaaagagaa	tgagtccttg	atttcaaagt	tttgtgttac	3900
ttaaatggta	ataagcactg	taaacttctg	caacaagcat	gcagctttgc	aaaccatta	3960
aggggaagaa	tgaaagctgt	tccttgggtc	tagtaagaag	acaaactgct	tccttacttt	4020
tgttgagggg	ttgaataaac	ctaggacttc	cgagctatgt	cagtactatt	caggtaacac	4080
tagggccttg	gaaatccctg	tactgtgtct	catggatttg	gcactagcca	aagcgaggca	4140
ccccttactg	gcttacctcc	tcatggcagc	ctactctcct	tgagtgtatg	agtagccagg	4200
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagttct	4260
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4320
ataaacagaa	atggaaagca	gagttttcat	taaatccctt	tacctttttt	ttttcttggt	4380
aatccccata	aataacagta	tgtgggatat	tgaatgttaa	agggatattt	ttttctatta	4440
ttttttataat	tgtacaaaaat	taagcaaatg	ttaaaagtgt	tatatgcttt	attaatgttt	4500
tcaaaaggta	ttatacatgt	gatacatttt	ttaagcttca	gttgcttgct	ttctgggtact	4560
ttctgttatg	ggcttttggg	gagccagaag	ccaatctaca	atctcttttt	gtttgccagg	4620
acatgcaata	aaatttaaaa	aataaataaa	aacta			4655

<210> 152  
 <211> 586  
 <212> PRT  
 <213> Homo sapien

<400> 152  
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln  
 1 5 10 15  
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn  
 20 25 30  
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser  
 35 40 45  
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala  
 50 55 60  
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro  
 65 70 75 80  
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala  
 85 90 95  
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala  
 100 105 110  
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly  
 115 120 125  
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr  
 130 135 140  
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn  
 145 150 155 160  
 Glu Gly Gln Ile Ala Pro Ser Ser His Leu Ile Arg Val Glu Gly Asn  
 165 170 175  
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val  
 180 185 190  
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val  
 195 200 205  
 Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg  
 210 215 220  
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val  
 225 230 235 240  
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg  
 245 250 255  
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp  
 260 265 270  
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr  
 275 280 285  
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp  
 290 295 300  
 Glu Leu Val Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu  
 305 310 315 320  
 Val Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Leu Gln His  
 325 330 335  
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln Gln His Gln His Leu  
 340 345 350  
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser  
 355 360 365  
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val  
 370 375 380

Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr  
 385 390 395 400  
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met  
 405 410 415  
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro  
 420 425 430  
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro  
 435 440 445  
 Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys  
 450 455 460  
 Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr  
 465 470 475 480  
 Gln Ile Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro  
 485 490 495  
 Glu Gln Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln  
 500 505 510  
 Leu His Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser  
 515 520 525  
 Ala Ser Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val  
 530 535 540  
 Ile Asp Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro  
 545 550 555 560  
 Arg Asp Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn  
 565 570 575  
 Lys Gln Gln Arg Ile Lys Glu Glu Gly Glu  
 580 585

<210> 153  
 <211> 2007  
 <212> DNA  
 <213> Homo sapien

<400> 153  
 gaattcgctcg ctgctccagg gaaagttctg ttactccact gactctctct tttcctgata 60  
 acatggccag caagaaagta attacagtgt ttggagcaac aggagctcaa ggtggctctg 120  
 tggccagggc aattttggag agcaaaaaat ttgcagtggag agcagtgacc agggatgtga 180  
 cttgacaaaa tgccctggag ctccagcgcc ttggagctga ggtgggtcaaa ggtgacctga 240  
 atgataaagc atcgggtggac agtgccttaa aaggtgtcta tggggccttc ttggtgacca 300  
 acttctggga ccctctcaac caagataagg aagtgtgtcg ggggaagctg gtggcagact 360  
 ccgccaagca cctgggtctg aagcacgtgg tgtacagcgg cctggagaac gtcaagcgac 420  
 tgacggatgg caagctggag gtgccgcact ttgacagcaa gggcgagggt gaggagtact 480  
 tctggtccat tggcatcccc atgaccagtg tccgcgtggc ggccactttt gaaaactttc 540  
 tcgcggcgtg gcggcccggt aaagcctctg atggagatta ctacaccttg gctgtaccga 600  
 tgggagatgt accaatggat ggtatctctg ttgctgatat tggagcagcc gtctctagca 660  
 tttttaattc tccagaggaa tttttaggca aggcctgagg gctcagtgca gaagcactaa 720  
 caatacagca atatgctgat gttttgtcca aggccttggg gaaagaagtc cgagatgcaa 780  
 agattacccc ggaagctttc gagaagctgg gattccctgc agcaaaggaa atagccaata 840  
 tgtgtcgttt ctatgaaatg aagccagacc gagatgtcaa tctcaccac caactaaatc 900  
 ccaaagtcaa aagcttcagc cagtttatct cagagaacca gggagccttc aagggcattg 960  
 agaaaatcag ctgttcagat aggcctctgc accacacagc ctctttcctc tctgacacct 1020  
 ttctctttta cggcacaaca ttcatgttga cagaacatgc tggaatgcaa ttgtttgcaa 1080  
 caccgaagga tttcctgagg tcgcctcttc agtaggaagc actgcattgg tgataggaca 1140  
 cggtaatctg attcacattt aacttgctag ttagtataaa ggggtggtaca actgtttggg 1200  
 aaaatgagaa gcctcggaac ttggagcttc tctcctacca ctaatgggag ggcagattat 1260  
 actgggattt ctctgggtg agtaatttca agccctaag ctgaaattcc ctaggcagc 1320



tccagttttc	tcaactgcat	tgcaaaatc	ccagtgaact	tttaagtact	tttaacttaa	1380
aaaaatgaac	atctttgtag	agaattttct	ggggaacatg	gtgttcaatg	aacaagcaca	1440
agcattggaa	atgctaaaat	tcagttttgc	ctcaagattg	gaagtttatt	ttctgactca	1500
ttcatgaagt	catctattga	gccaccattc	aattattcat	ctattaattc	cttgatcett	1560
catttatcca	ttctgcaaac	ttttcttgag	caccagcacg	ggtggccatt	tgtggacttc	1620
tcttcattcc	tatgtgtttt	cttatcaaaag	tgatccactc	tcgaaaggct	cctttccagt	1680
ctgtggttgg	gttcaagtca	tgccagggcc	agggggccca	tctcctcggt	tagctctagg	1740
caaaatccag	gggatctgca	gtggggagcg	ggggcaggaa	gctggaggga	aggcctgtga	1800
agggtaggga	tgtggaaaga	caaggtgaca	gaaggaccca	ataggacett	tctatatctc	1860
tggcttagca	ttttctacat	catattgtaa	tcgtcttatt	tgctagtttt	cttccttact	1920
gtgagtgact	aacagtcac	tttatcccag	tgcttggtac	ataataagtg	atcaataaat	1980
gttgattgac	taaaaaaaaa	aaaaaaa				2007

&lt;210&gt; 154

&lt;211&gt; 2148

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 154

gaattcgtcg	ctgctccagg	gaaagttctg	ttactccact	gactctctct	tttctgata	60
acatggccag	caagaaaagta	attacagtgt	ttggagcaac	aggagctcaa	ggtggctctg	120
tggccagggc	aatttttgag	agcaaaaaat	ttgcagtgag	agcagtgacc	agggatgtga	180
cttgaccaaa	tgccctggag	ctccagcgcc	ttggagctga	ggtggtcaaa	ggtgacctga	240
atgataaagc	atcggtggac	agtgccttaa	aaggggaagc	tggtggcaga	ctccgccaaag	300
cacctgggtc	tgaagcacgt	ggtgtacagc	ggcctggaga	acgtcaagcg	actgacggat	360
ggcaagctgg	aggtgccgca	ctttgacagc	aagggcgagg	tggaggagta	cttctgggtcc	420
attggcatcc	ccatgaccag	tgtccgcgtg	gcggcctact	ttgaaaactt	tctcgcggcg	480
tggcgccccc	tgaagcctc	tgatggagat	tactacacct	tggtgttacc	gatgggagat	540
gtaccaatgg	atggtatctc	tgttgctgat	attggagcag	ccgtctctag	catttttaat	600
tctccagagg	aatttttagg	caaggccgtg	gggctcagt	cagaagcact	aacaatacag	660
caatatgctg	atgttttgct	caaggctttg	gggaaagaag	tccgagatgc	aaagactatc	720
tgtgctatag	atgaccagaa	aacagtggaa	gaaggtttca	tggaaagacgt	gggcttgagt	780
tggtccttga	gggaacatga	ccatgtatag	acagaggagg	catcaagaag	gctggcctgg	840
ctaattctgg	aataaacacg	acaaaccaga	ggcagtacgg	gaaggaggca	aattctggct	900
ctgcctctat	ccttgattac	cccgggaagct	ttcgagaagc	tgggattccc	tgcagcaaaag	960
gaaatagcca	atatgtgtcg	tttctatgaa	atgaagccag	accgagatgt	caatctcacc	1020
caccaactaa	atcccaaagt	caaaagcttc	agccatttta	tctcagagaa	ccaggggagcc	1080
ttcaagggca	tgtagaaaat	cagctgttca	gataggcctc	tgcaccacac	agctcttttc	1140
ctctctgac	cttttctct	ttacggcaca	acattcatgt	tgacagaaca	tgttggaatg	1200
caattgtttg	caacaccgaa	ggatttctct	cggctgcctc	ttcagttaga	agcactgcat	1260
tggatgtagg	acacggtaat	ttgattcaca	tttaacttgc	tagttagtga	taaggggtgt	1320
acaactgttt	ggtaaaaatga	gaagcctcgg	aacttggagc	ttctctccta	ccactaatgg	1380
gagggcagat	tatactggga	tttctcctgg	gtgagtaatt	tcaagcccta	atgctgaaat	1440
tcccctaggc	agctccagtt	ttctcaactg	cattgcaaaa	ttcccagtga	acttttaagt	1500
acttttaact	taaaaaaatg	aacatctttg	tagagaattt	tctgggggaa	atggtgttca	1560
atgaacaagc	acaagcattg	gaaatgctaa	aattcagttt	tgctcaaga	ttggaagttt	1620
attttctgac	tcattcatga	agtcacttat	tgagccacca	ttcaattatt	catctattaa	1680
ttccttgatc	cttcatttat	ccattctgca	aacttttctt	gagcaccagc	acgggtggcc	1740
atgtgtggac	ttctcttcat	tcctatgtgt	tttcttatca	aagtgatcca	ctctcgaaag	1800
gctcctttcc	agtctgtggg	tgggttcaag	tcatgccagg	gccagggggc	ccatctcctc	1860
gttttagctct	aggcaaaatc	caggggatct	gcagtgggga	gcggggggcag	gaagctggag	1920
ggaaggcctg	tgaagggtag	ggatgtggaa	agacaagggtg	acagaaggac	ccaataggac	1980
ctttctatat	ctctggctta	gcattttcta	catcatattg	taatcgtctt	atgtgtagt	2040
tttcttctct	actgtgagtg	actaacagtc	atcttttatcc	cagtgcctgg	tacataataa	2100
gtgatcaata	aatgttgatt	gactaaatga	aaaaaaaaa	aaaaaaaaa		2148

<210> 155  
 <211> 153  
 <212> PRT  
 <213> Homo sapien

<400> 155  
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala  
 1 5 10 15  
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val  
 20 25 30  
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly  
 35 40 45  
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys  
 50 55 60  
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp  
 65 70 75 80  
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr  
 85 90 95  
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala  
 100 105 110  
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu  
 115 120 125  
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser  
 130 135 140  
 Glu Asn Gln Gly Ala Phe Lys Gly Met  
 145 150

<210> 156  
 <211> 128  
 <212> PRT  
 <213> Homo sapien

<400> 156  
 Met Thr Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala  
 1 5 10 15  
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val  
 20 25 30  
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly  
 35 40 45  
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys  
 50 55 60  
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp  
 65 70 75 80  
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Thr Ile  
 85 90 95  
 Cys Ala Ile Asp Asp Gln Lys Thr Val Glu Glu Gly Phe Met Glu Asp  
 100 105 110  
 Val Gly Leu Ser Trp Ser Leu Arg Glu His Asp His Val Ala Gly Ala  
 115 120 125

<210> 157  
 <211> 424  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(424)  
 <223> n = A,T,C or G

<400> 157  
 ctgcagcccg ggggatccac tagtccagtg tgggtggaatt cattggtcctt tacaagactt 60  
 ggatacatta cagcagacat ggaaatataa ttttaaaaaa tttctctcca acctccttca 120  
 aattcagttca ccactgttat attaccttct ccaggaaccc tccagtgggg aaggctgcga 180  
 tattagattt ccttgtatgc aaagtttttg ttgaaagctg tgctcagagg aggtgagagg 240  
 agaggaagga gaaaactgca tcataacttt acagaattga atctagagtc ttccccgaaa 300  
 agcccagaaa cttctctgcn gnatctggct tgtccatctg gtctaagggt gctgcttctt 360  
 cccagccat cgagtcagtt tgtgcccatg aataatacac gacctgctat ttcccatgac 420  
 tgct 424

<210> 158  
 <211> 2099  
 <212> DNA  
 <213> Homo sapien

<400> 158  
 ccgcggttaa aaggcgcagc aggtgggagc cggggccttc acccgaaacc cgacgagagc 60  
 ccgacagccg gcggcgcccg agcccagcct gccctgccag ccggagcgaa gggcgccgcc 120  
 ccgcgcagag ccgcgcgccg ggccgcgggc cgcagagcag ttaaacctg caggcaccag 180  
 aaggcacttc ctgtcggtga agaagacctg tctccggtgt cacgggcctc ctgtgttttg 240  
 caaacggggc tgacctccct tcctggggag caggaagggt caggggaagga aaagaagtac 300  
 agaagatctg gctaaacaat ttctgtatgg cgaaagaaa attctaact gtacgccctc 360  
 ttcattgcac tttaattcaa tttgaatatt ccaggcgaca tcctcaactga ccgagcaaac 420  
 attgacattc gtatcatcac tgtgcacat tggcttctag gcactccagt ggggtaggag 480  
 aaggaggctt gaaaccctcg cagagggatc ttgccctcat tctttgggtc tgaaacactg 540  
 gcagtcgttg gaaacaggac tcagggataa accagcgcaa tggattgggg gacgctgcac 600  
 actttcatcg ggggtgtcaa caaacactcc accagcatcg ggaagggtgt gatcacagtc 660  
 atctttatatt tccgagtcac gatcctcgtg gtggctgcc aggaagtgtg ggggtgacgag 720  
 caagaggact tcgtctgcaa cacactgcaa ccgggatgca aaaatgtgtg ctatgaccac 780  
 tttttcccg tgtcccacat ccggtgtgg gccctccagc tgatcttctg ctccacccca 840  
 gcgctgctgg tggccatgca tgtggcctac tacaggcacg aaaccactcg caagttcagg 900  
 cgaggagaga agaggaatga tttcaaagac atagaggaca ttaaaaagca gaaggttcgg 960  
 atagaggggt cgctgtgggt gacgtacac agcagcatct ttttccgaat catctttgaa 1020  
 gcagccttta tgtatgtgtt ttacttcctt tacaatgggt accacctgcc ctgggtgttg 1080  
 aaatgtggga ttgacctcg ccccaacctt gttgactgct ttatttctag gccaacagag 1140  
 aagaccgtgt ttaccatttt tatgatttct gcgtctgtga tttgcatgct gcttaacgtg 1200  
 gcagagttgt gctacctgct gctgaaagtg tgttttagga gatcaaagag agcacagacg 1260  
 caaaaaaatc accccaatca tgccctaaag gagagtaagc agaatgaaat gaatgagctg 1320  
 atttcagata gtggtcaaaa tgcaatcaca ggttcccaag ctaaacattt caaggtaaaa 1380  
 tgtagctgcg tcataaggag acttctgtct tctccagaag gcaataccaa cctgaaagtt 1440  
 cttctgtag cctgaagagt ttgtaaatga ctttcataat aaatagacac ttgagttaac 1500  
 tttttgtagg atacttgctc cattcataca caacgtaatc aaatatgtgg tccatctctg 1560  
 aaaacaagag actgcttgac aaaggagcat tgcagtcact ttgacagggt ccttttaagt 1620  
 ggactctctg acaaagtggg tactttctga aaatttatat aactgttgtt gataaggaac 1680  
 atttatccag gaattgatac gtttattagg aaaagatatt tttataggct tggatgtttt 1740  
 tagttctgac tttgaattta tataaagtat ttttataatg actggctctc cttacctgga 1800  
 aaaacatgcg atgttagttt tagaattaca ccacaagtat ctaaatttgg aacttataaa 1860  
 gggctctatct tgtaaatatt gttttgcatt gtctgttggc aaatttgtga actgtcatga 1920  
 tacgcttaag gtggaaagtg ttcattgcac aatatatttt tactgctttc tgaatgtaga 1980

cggaacagtg tggaagcaga aggctttttt aactcatccg tttgccaatc attgcaaaca 2040  
actgaaatgt ggatgtgatt gcctcaataa agctcgtccc cattgcttaa aaaaaaaaaa 2099

<210> 159  
<211> 291  
<212> PRT  
<213> Homo sapien

<400> 159  
Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His  
1 5 10 15  
Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg  
20 25 30  
Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln  
35 40 45  
Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys  
50 55 60  
Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln  
65 70 75 80  
Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala  
85 90 95  
Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg  
100 105 110  
Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys Gln Lys Val Arg Ile  
115 120 125  
Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile  
130 135 140  
Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly  
145 150 155 160  
Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn  
165 170 175  
Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr  
180 185 190  
Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala  
195 200 205  
Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg  
210 215 220  
Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys  
225 230 235 240  
Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile  
245 250 255  
Thr Gly Ser Gln Ala Lys His Phe Lys Val Lys Cys Ser Cys Val Ile  
260 265 270  
Arg Arg Leu Leu Ser Ser Pro Glu Gly Asn Thr Asn Leu Lys Val Pro  
275 280 285  
Ser Val Ala  
290

<210> 160  
<211> 3951  
<212> DNA  
<213> Homo sapien

<400> 160  
tctgcatcca tattgaaaac ctgacacaat gtatgcagca ggctcagtgt gagtgaactg 60

gaggcttctc	tacaacatga	cccaaaggag	cattgcaggt	cctattttga	acctgaagtt	120
tgtgactctc	ctggttgcc	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcagggtac	ctgagaatca	240
gaacctcatc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tattttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcca	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctggtatggg	gcacatggag	atgatccata	cacctacaa	tacagagggt	gtggaaaaga	480
gggaaaatac	attcatttca	cacctaattt	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggccgagtgt	ttgtccatga	atggggccac	ctccgttggg	gtgtgttcga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaatta	aagtgacaag	660
gtgttcatct	gacatcacag	gcatttttgt	gtgtgaaaaa	ggtccttgcc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcatgcaaag	tttatcttct	gtggttgaat	tttgtaatgc	840
aagtaccac	aaccaagaag	caccaaacct	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgactt	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccacat	tctcgcttgt	agaggctggt	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttcga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgcccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tggttgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatattagtg	accagcggag	atgataagct	tcttggaact	tgcttaccga	ctgtgctcag	1380
cagtgggttca	acaattcact	ccattgcctt	gggttcatct	gcagcccaaa	atctggaggga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gatatatcaa	actccaatag	1500
catgattgat	gctttcagta	gaatttcctc	tggaaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggtg	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgac	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtggtcc	1680
tcttgagatt	atattattttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggcactg	1800
gacttacacc	ctgaacaata	cccatcattc	tctgcaagcc	ctgaaagtga	cagtgcctc	1860
tgcgcctcc	aactcagctg	tgccccacg	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttgctgcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	acccagccc	actctattcc	agggagtcac	gctatgtatg	taccaggtta	2220
cacagcaaac	ggtaatatcc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaaag	tggggcttta	gccgagtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
tccagctggc	ccccacctg	atgtgtttcc	accatgcaaa	attattgacc	tggaagctgt	2400
aaaagtagaa	gaggaattga	ccctatcttg	gacagcacct	ggagaagact	ttgatcaggg	2460
ccaggctaca	agctatgaaa	taagaatgag	taaaagtcta	cagaatatcc	aagatgactt	2520
taacaatgct	attttagtaa	atacatcaaa	gcgaaatcct	cagcaagctg	gcacagggga	2580
gatattttacg	ttctcacccc	aaatttccac	gaatggacct	gaacatcagc	caaattggaga	2640
aacacatgaa	agccacagaa	tttatgttgc	aatacagagca	atggatagga	actccttaca	2700
gtctgctgta	tctaacattg	cccaggcgcc	tctgtttatt	ccccccaatt	ctgactcctgt	2760
acctgccaga	gattatctta	tattgaaagg	agttttaaca	gcaatgggtt	tgataggaat	2820
catttgccct	attatagttg	tgacacatca	tactttaagc	aggaaaaaga	gagcagacaa	2880
gaaagagaat	ggaacaaaat	tattataaat	aaatatocaa	agtgtcttcc	ttcttagata	2940
taagacccat	ggccttcgac	tacaaaaaca	tactaacaac	gtcaaattaa	catcaaaact	3000
gtattaaaaat	gcattgagtt	tttgtacaat	acagataaga	tttttacctg	gtagatcaac	3060
aaattctttt	tgggggtaga	ttagaaaacc	cttacaactt	ggctatgaac	aaataataaa	3120
aattattctt	taaagtaatg	tctttaagg	caaagggaag	ggtaaagtcg	gaccagtgct	3180
aaggaaagtt	tgtttttattg	aggtggaaaa	atagccccaa	gcagagaaaa	ggagggtagg	3240
tctgcattat	aactgtctgt	gtgaagcaat	catttagtta	ctttgattaa	tttttctttt	3300
ctccttatct	gtgcagaaca	ggttgcttgt	ttacaactga	agatcatgct	atatttcata	3360

```

tatgaagccc ctaatgcaaa gctctttacc tcttgctatt ttgttatata tattacagat 3420
gaaatctcac tgctaattgt cagagatctt ttttactgtt aagaggtaac ctttaacaat 3480
atgggtatta cctttgtctc ttcataccgg ttttatgaca aaggtctatt gaatttattt 3540
gtttgtaagt ttctactccc atcaaagcag ctttttaagt tattgccttg gttattatgg 3600
atgatatgta tagcccttat aatgccttaa ctaaggaaga aaagatgta ttctgagttt 3660
gttttaatac atatatgaac atatatgttt attcaattaa accaaagaag aggtcagcag 3720
ggagatacta acctttggaa atgattagct ggctctgttt tttggttaaa taagagtctt 3780
taatcctttc tccatcaaga gttacttacc aagggcaggg gaagggggat atagaggtcc 3840
caaggaaata aaaatcatct ttcactttta attttactcc ttcctcttat ttttttaaaa 3900
gattatcgaa caataaaatc atttgccttt ttaattaaaa acataaaaaa a 3951

```

<210> 161  
 <211> 943  
 <212> PRT  
 <213> Homo sapien

<400> 161

Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1				5					10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
		35					40					45			
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
		50				55					60				
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65					70				75					80	
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
				85					90					95	
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
			100					105					110		
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
		115					120					125			
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
		130					135				140				
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145					150				155					160	
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu
				165					170					175	
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys
			180					185					190		
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys
		195					200					205			
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu
		210				215					220				
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile
225					230					235				240	
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser
				245					250					255	
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu
			260					265					270		
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser
		275					280					285			
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu
		290				295					300				

Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser	305	310	315	320
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu	325	330		335
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala	340	345		350
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn	355	360		365
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val	370	375		380
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe	385	390		395
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile	405	410		415
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr	420	425		430
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser	435	440		445
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys	450	455		460
Phe	Phe	Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe	465	470		475
Ser	Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln	485	490		495
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys	Asn	500	505		510
Thr	Val	Thr	Val	Asp	Asn	Thr	Val	Gly	Asn	Asp	Thr	Met	Phe	Leu	Val	515	520		525
Thr	Trp	Gln	Ala	Ser	Gly	Pro	Pro	Glu	Ile	Ile	Leu	Phe	Asp	Pro	Asp	530	535		540
Gly	Arg	Lys	Tyr	Tyr	Thr	Asn	Asn	Phe	Ile	Thr	Asn	Leu	Thr	Phe	Arg	545	550		555
Thr	Ala	Ser	Leu	Trp	Ile	Pro	Gly	Thr	Ala	Lys	Pro	Gly	His	Trp	Thr	565	570		575
Tyr	Thr	Leu	Asn	Asn	Thr	His	His	Ser	Leu	Gln	Ala	Leu	Lys	Val	Thr	580	585		590
Val	Thr	Ser	Arg	Ala	Ser	Asn	Ser	Ala	Val	Pro	Pro	Ala	Thr	Val	Glu	595	600		605
Ala	Phe	Val	Glu	Arg	Asp	Ser	Leu	His	Phe	Pro	His	Pro	Val	Met	Ile	610	615		620
Tyr	Ala	Asn	Val	Lys	Gln	Gly	Phe	Tyr	Pro	Ile	Leu	Asn	Ala	Thr	Val	625	630		635
Thr	Ala	Thr	Val	Glu	Pro	Glu	Thr	Gly	Asp	Pro	Val	Thr	Leu	Arg	Leu	645	650		655
Leu	Asp	Asp	Gly	Ala	Gly	Ala	Asp	Val	Ile	Lys	Asn	Asp	Gly	Ile	Tyr	660	665		670
Ser	Arg	Tyr	Phe	Phe	Ser	Phe	Ala	Ala	Asn	Gly	Arg	Tyr	Ser	Leu	Lys	675	680		685
Val	His	Val	Asn	His	Ser	Pro	Ser	Ile	Ser	Thr	Pro	Ala	His	Ser	Ile	690	695		700
Pro	Gly	Ser	His	Ala	Met	Tyr	Val	Pro	Gly	Tyr	Thr	Ala	Asn	Gly	Asn	705	710		715
Ile	Gln	Met	Asn	Ala	Pro	Arg	Lys	Ser	Val	Gly	Arg	Asn	Glu	Glu	Glu	725	730		735
Arg	Lys	Trp	Gly	Phe	Ser	Arg	Val	Ser	Ser	Gly	Gly	Ser	Phe	Ser	Val				

	740		745		750
Leu Gly Val Pro Ala Gly Pro His Pro Asp Val Phe Pro Pro Cys Lys					
	755		760		765
Ile Ile Asp Leu Glu Ala Val Lys Val Glu Glu Glu Leu Thr Leu Ser					
	770		775		780
Trp Thr Ala Pro Gly Glu Asp Phe Asp Gln Gly Gln Ala Thr Ser Tyr					
	785		790		795
Glu Ile Arg Met Ser Lys Ser Leu Gln Asn Ile Gln Asp Asp Phe Asn					
	805		810		815
Asn Ala Ile Leu Val Asn Thr Ser Lys Arg Asn Pro Gln Gln Ala Gly					
	820		825		830
Ile Arg Glu Ile Phe Thr Phe Ser Pro Gln Ile Ser Thr Asn Gly Pro					
	835		840		845
Glu His Gln Pro Asn Gly Glu Thr His Glu Ser His Arg Ile Tyr Val					
	850		855		860
Ala Ile Arg Ala Met Asp Arg Asn Ser Leu Gln Ser Ala Val Ser Asn					
	865		870		875
Ile Ala Gln Ala Pro Leu Phe Ile Pro Pro Asn Ser Asp Pro Val Pro					
	885		890		895
Ala Arg Asp Tyr Leu Ile Leu Lys Gly Val Leu Thr Ala Met Gly Leu					
	900		905		910
Ile Gly Ile Ile Cys Leu Ile Ile Val Val Thr His His Thr Leu Ser					
	915		920		925
Arg Lys Lys Arg Ala Asp Lys Lys Glu Asn Gly Thr Lys Leu Leu					
	930		935		940

<210> 162  
 <211> 498  
 <212> DNA  
 <213> Homo sapien

<400> 162

tggagaacca cgtggacagc accatgaaca tgttgggagg	60
agccctctcaa gtcgggtatg aaggagctgg ccgtgttccg	120
accggcagat gggcaagggt ggcaagcatc accttggcct	180
gaccaccccc tgccaggact ccctgccaac aggaactgga	240
ccaccatgcg ccttcggat gagcggggcc ctctggagca	300
ccaactgtga caagcatggc ctgtacaacc tcaaacagt	360
cagcgtgggg agtgctggtg tgtgaacccc aacaccggga	420
accatccggg gggaccccga gtgtcatctc ttctacaatg	480
gtgcacaccc cagcggat	498

<210> 163  
 <211> 1128  
 <212> DNA  
 <213> Homo sapien

<400> 163

gccacctggc cctcctgatc gacgacacac gcacttgaaa	60
aatcaacttt coggaagcaa ccagcccacc agaggagggtc	120
tgcagcggag actggttcag cagtggagcg tcgcggtgtt	180
cctcctgcgg ggcgtcgggt gaggtctctca gccgcgcct	240
atcagctcct ccatgacaag gggaagtcca tccaagattt	300
accatctgat cgcagaaatc cacacagctg aaatcagagc	360
actccaagcc ctctoccaa acaaagaacc accccgtccg	420
atttgggtct gatgatgagg	



```

gcagatacct aactcaggaa actaacaagg tggagacgta caaagagcag ccgctcaaga 480
cacctgggaa gaaaaagaaa ggcaagcccg ggaaacgcaa ggagcaggaa aagaaaaaac 540
ggcgaactcg ctctgcctgg ttagactctg gactgactgg gactgggcta gaaggggacc 600
acctgtctga cacctccaca acgtcgtctg agctcgattc acggaggcat tgaaattttc 660
agcagagacc ttccaaggac atattgcagg attctgtaat agtgaacata tggaaagtat 720
tagaaatatt tattgtctgt aaatactgta aatgcattgg aataaaaactg tctcccccat 780
tgctctatga aactgcacat tggtcattgt gaatattttt ttttttgcca aggctaattc 840
aattattatt atcacattta ccataattta ttttgtccat tgatgtattt attttgtaaa 900
tgtatcttgg tgctgctgaa tttctatatt ttttgaaca taatgcactt tagatataca 960
tatcaagtat gttgataaat gacacaatga agtgtctcta ttttgtggtt gattttaatg 1020
aatgcctaaa tataattatc caaattgatt ttcctttgtg catgtaaaaa taacagtatt 1080
ttaaatttgt aaagaatgtc taataaaata taatctaatt acatcatg 1128

```

&lt;210&gt; 164

&lt;211&gt; 1310

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 164

```

gggcctggtt cgcaaagaag ctgacttcag agggggaaac tttcttcttt taggaggcgg 60
ttagccctgt tccacgaacc caggagaact gctggccaga ttaattagac attgctatgg 120
gagacgtgta aacacactac ttatcattga tgcataata aaaccatttt attttcgcta 180
ttatttcaga ggaagcgctt ctgatttgtt tcttttttcc ctttttgctc tttctggctg 240
tgtggtttgg agaaagcaca gttggagtag ccggttgcta aataagtccc gagcgcgagc 300
ggagacgatg cagcggagac tggttcagca gtggagcgtc gcggtgttcc tgctgagcta 360
cgcggtgccc tctcgggggt gctcggtgga gggctcagc cgccgcctca aaagagctgt 420
gtctgaacat cagctcctcc atgacaaggg gaagtccatc caagatttac ggcgacgatt 480
cttccttcac catctgatcg cagaaatcca cacagctgaa atcagagcta cctcggaggt 540
gtcccctaac tccaagccct ctcccaacac aaagaaccac cccgtccgat ttgggtctga 600
tgatgagggc agatacctaa ctccaggaaac taacaagggt gagacgtaca aagagcagcc 660
gctcaagaca cctgggaaga aaaagaaaagg caagcccggg aaacgcaagg agcaggaaaa 720
gaaaaaacgg cgaactcgct ctgcctggtt agactctgga gtgactggga gtgggctaga 780
aggggaccac ctgtctgaca cctccacaac gtcgctggag ctcgattcac ggaggcattg 840
aaattttcag cagagacctt ccaaggacat attgcaggat tctgtaatag tgaacatatg 900
gaaagtatta gaaatattta ttgtctgtaa atactgtaaa tgcattggaa taaaactgtc 960
tccccattg ctctatgaaa ctgcacattg gtcattgtga atattttttt ttttgccaag 1020
gctaattcaa ttattattat cacatttacc ataatttatt ttgtccattg atgtatttat 1080
tttgtaaatg tatcttggtg ctgctgaatt tctatatttt ttgtaacata atgcacttta 1140
gatatacata tcaagtatgt tgataaatga cacaatgaag tgtctctatt ttgtggttga 1200
ttttaatgaa tgcctaaata taattatcca aattgatttt cctttgtgcc cgtaaaaaata 1260
acagtatttt aaatttgtaa agaattgtcta ataaaatata atctaattac 1310

```

&lt;210&gt; 165

&lt;211&gt; 177

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 165

```

Met Gln Arg Arg Leu Val Gln Gln Trp Ser Val Ala Val Phe Leu Leu
 1             5             10             15
Ser Tyr Ala Val Pro Ser Cys Gly Arg Ser Val Glu Gly Leu Ser Arg
             20             25             30
Arg Leu Lys Arg Ala Val Ser Glu His Gln Leu Leu His Asp Lys Gly
             35             40             45
Lys Ser Ile Gln Asp Leu Arg Arg Arg Phe Phe Leu His His Leu Ile

```

```

      50              55              60
Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
65              70              75              80
Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
      85              90              95
Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
      100              105              110
Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Lys Gly
      115              120              125
Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
      130              135              140
Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
145              150              155              160
His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
      165              170              175
His

```

```

<210> 166
<211> 177
<212> PRT
<213> Homo sapien

```

```

      <400> 166
Met Gln Arg Arg Leu Val Gln Gln Trp Ser Val Ala Val Phe Leu Leu
1      5      10      15
Ser Tyr Ala Val Pro Ser Cys Gly Arg Ser Val Glu Gly Leu Ser Arg
      20      25      30
Arg Leu Lys Arg Ala Val Ser Glu His Gln Leu Leu His Asp Lys Gly
      35      40      45
Lys Ser Ile Gln Asp Leu Arg Arg Arg Phe Phe Leu His His Leu Ile
      50      55      60
Ala Glu Ile His Thr Ala Glu Ile Arg Ala Thr Ser Glu Val Ser Pro
65              70              75              80
Asn Ser Lys Pro Ser Pro Asn Thr Lys Asn His Pro Val Arg Phe Gly
      85              90              95
Ser Asp Asp Glu Gly Arg Tyr Leu Thr Gln Glu Thr Asn Lys Val Glu
      100              105              110
Thr Tyr Lys Glu Gln Pro Leu Lys Thr Pro Gly Lys Lys Lys Lys Gly
      115              120              125
Lys Pro Gly Lys Arg Lys Glu Gln Glu Lys Lys Lys Arg Arg Thr Arg
      130              135              140
Ser Ala Trp Leu Asp Ser Gly Val Thr Gly Ser Gly Leu Glu Gly Asp
145              150              155              160
His Leu Ser Asp Thr Ser Thr Thr Ser Leu Glu Leu Asp Ser Arg Arg
      165              170              175
His

```

```

<210> 167
<211> 3362
<212> DNA
<213> Homo sapien

```

```

<400> 167

```

cacaatgtat	gcagcagget	cagtgtgagt	gaactggagg	cttctctaca	acatgaccca	60
aaggagcatt	gcaggtccta	tttgcaacct	gaagtttgtg	actctcctgg	ttgccttaag	120
ttcagaactc	ccattcctgg	gagctggagt	acagcttcaa	gacaatgggt	ataatggatt	180
gctcattgca	attaatcctc	aggtacctga	gaatcagaac	ctcatctcaa	acattaagga	240
aatgataact	gaagcttcat	tttacctatt	taatgctacc	aagagaagag	tatttttcag	300
aaatataaag	attttaatac	ctgccacatg	gaaagctaata	aataacagca	aaataaaaaca	360
agaatcatat	gaaaaggcaa	atgtcatagt	gactgactgg	tatggggcac	atggagatga	420
tccatacacc	ctacaataca	gaggggtgtg	aaaagaggga	aaatacattc	atttcacacc	480
taatttccta	ctgaatgata	acttaacagc	tggctacgga	tcacgaggcc	gagtgtttgt	540
ccatgaatgg	gcccacctcc	gttgggggtg	gttcgatgag	tataacaatg	acaaaccttt	600
ctacataaat	gggcaaaatc	aaattaaagt	gacaagggtg	tcactctgaca	tcacaggcat	660
ttttgtgtgt	gaaaaagggtc	cttgccccca	agaaaactgt	attattagta	agcttttttaa	720
agaaggatgc	acctttatct	acaatagcac	ccaaaatgca	actgcatcaa	taatgttcat	780
gcaaagttta	tcttctgtgg	ttgaattttg	taatgcaagt	accacacaacc	aagaagcacc	840
aaacctacag	aaccagatgt	gcagcctcag	aagtgcattg	gatgtaatca	cagactctgc	900
tgactttcac	cacagctttc	ccatgaacgg	gactgagctt	ccacctcctc	ccacattctc	960
gcttgtagag	gctggtgaca	aagtggctctg	tttagtgctg	gatgtgtcca	gcaagatggc	1020
agaggctgac	agactccttc	aactacaaca	agccgcagaa	ttttatttga	tgagatttgt	1080
tgaaattcat	accttcgtgg	gcattgccag	tttcgacagc	aaaggagaga	tcagagccca	1140
gctacaccaa	attaacagca	atgatgatcg	aaagttgctg	gtttcatatc	tgcccaccac	1200
tgtatcagct	aaaacagaca	tcagcatttg	ttcagggctt	aagaaaggat	ttgaggtgggt	1260
tgaaaaactg	aatggaaaag	cttatggctc	tgtgatgata	ttagtacca	gcggagatga	1320
taagcttctt	ggcaattgct	taccactgt	gctcagcagt	ggttcaacaa	ttcactccat	1380
tgccctgggt	tcactgcag	ccccaaatct	ggaggaatta	tcacgtctta	caggaggttt	1440
aaagttcttt	gttccagata	tatcaaaactc	caatagcatg	attgatgctt	tcagtagaat	1500
ttcctctgga	actggagaca	ttttccagca	acatattcag	cttgaaaagta	caggtgaaaa	1560
tgtcaaacct	caccatcaat	tgaaaaaacac	agtgaactgtg	gataaactg	tgggcaacga	1620
cactatgttt	ctagttaactg	ggcaggccag	tggtcctcct	gagattatat	tatttgatcc	1680
tgatggacga	aaatactaca	caaataattt	tatcaccaat	ctaacttttc	ggacagctag	1740
tctttggatt	ccaggaacag	ctaagcctgg	gcaactggact	tacaccctga	tgtgtttcca	1800
ccatgcaaaa	ttattgacct	ggaagctgta	aaagtagaag	aggaattgac	cctatcttgg	1860
acagcacctg	gagaagactt	tgatcagggc	caggctacaa	gctatgaaat	aagaatgagt	1920
aaaagtctac	agaatatcca	agatgacttt	aacaatgcta	ttttagtaaa	tacatcaaaag	1980
cgaaatcctc	agcaagctgg	catcagggag	atattttactg	tctcacccca	aattttccacg	2040
aatggacctg	aacatcagcc	aaatggagaa	acacatgaaa	gccacagaat	ttatgtttgca	2100
atacgagcaa	tggataggaa	ctccttacag	tctgctgtat	ctaacattgc	ccaggcgcct	2160
ctgtttatct	cccccaattc	tgatcctgta	cctgccagag	attatcttat	attgaaagga	2220
gttttaacag	caatgggttt	gataggaatc	atttgcttta	ttatagttgt	gacacatcat	2280
actttaagca	ggaaaaagag	agcagacaag	aaagagaatg	gaacaaaatt	attataaata	2340
aatatccaaa	gtgtcttctc	tcttagatat	aagacccatg	gccttcgact	acaaaaacat	2400
actaacaag	tcaaattaac	atcaaaaactg	tattaaaatg	cattgagttt	ttgtacaata	2460
cagataagat	ttttacatgg	tagatcaaca	aattcttttt	gggggtagat	tagaaaaccc	2520
ttacactttg	gctatgaaca	aataataaaa	attattcttt	aaagtaattgt	ctttaaaggc	2580
aaaggggaagg	gtaaagtctg	accagtgtca	aggaaagttt	gttttattga	ggtggaaaaa	2640
tagccccaag	cagagaaaag	gagggtaggt	ctgcattata	actgtctgtg	tgaagcaatc	2700
atthagttac	tttgattaat	ttttcttttc	tccttatctg	tgacagaacag	gttgcttggt	2760
tacaactgaa	gatcatgcta	tatttcatat	atgaagcccc	taatgcaaag	ctctttacct	2820
cttgctatatt	tgttatatat	attacagatg	aaatctcact	gctaattgctc	agagatcttt	2880
tttactgtta	agaggttaacc	tttaacaata	tgggtattac	ctttgtctct	tcataccggt	2940
tttatgacaa	aggtctattg	aatttatattg	tttgtaagtt	tctactccca	tcaaagcagc	3000
tttctaagtt	attgccttgg	ttattatgga	tgatagttat	agcccttata	atgccttaac	3060
taaggaagaa	aagatgttat	tctgagtttg	ttttaataca	tatatgaaca	tatagtttta	3120
ttcaattaaa	ccaaagaaga	ggtcagcagg	gagatactaa	cctttggaaa	tgattagctg	3180
gctctgtttt	ttgggttaaat	aagagtcctt	aatcctttct	ccatcaagag	ttacttacca	3240
agggcagggg	aagggggata	tagaggtcac	aaggaaataa	aatcatctt	tcacttttaa	3300

ttttactcct tcctcttatt tttttaaaag attatcgaac aataaaatca tttgcctttt 3360  
 tt 3362

<210> 168  
 <211> 2784  
 <212> DNA  
 <213> Homo sapien

<400> 168

tctgcatcca	tattgaaaac	ctgacacaat	gtatgcagca	ggctcagtgt	gagtgaactg	60
gaggcttctc	tacaacatga	cccaaaggag	cattgcaggt	cctatttgca	acctgaagtt	120
tgtgactctc	ctggttgcc	taagttcaga	actcccattc	ctgggagctg	gagtacagct	180
tcaagacaat	gggtataatg	gattgctcat	tgcaattaat	cctcagggtac	ctgagaatca	240
gaacctcatc	tcaaacatta	aggaaatgat	aactgaagct	tcattttacc	tatttaatgc	300
taccaagaga	agagtatttt	tcagaaatat	aaagatttta	atacctgcc	catggaaagc	360
taataataac	agcaaaataa	aacaagaatc	atatgaaaag	gcaaatgtca	tagtgactga	420
ctggtatggg	gcacatggag	atgatccata	cacctacaa	tacagagggt	gtggaaaaga	480
gggaaaatac	attcatttca	cacctaat	cctactgaat	gataacttaa	cagctggcta	540
cggatcacga	ggccgagtg	ttgtccatga	atgggcccac	ctccgttggg	gtgtgttcga	600
tgagtataac	aatgacaaac	ctttctacat	aaatgggcaa	aatcaaatta	aagtgacaag	660
gtgttcatct	gacatcacag	gcatttttgt	gtgtgaaaaa	ggctccttgc	cccaagaaaa	720
ctgtattatt	agtaagcttt	ttaaagaagg	atgcaccttt	atctacaata	gcacccaaaa	780
tgcaactgca	tcaataatgt	tcatgcaaag	tttatcttct	gtggttgaat	tttghtaatgc	840
aagtacccac	aaccaagaag	caccaaacct	acagaaccag	atgtgcagcc	tcagaagtgc	900
atgggatgta	atcacagact	ctgctgactt	tcaccacagc	tttcccatga	acgggactga	960
gcttccacct	cctcccacat	tctcgcttgt	agaggctgg	gacaaagtgg	tctgtttagt	1020
gctggatgtg	tccagcaaga	tggcagaggc	tgacagactc	cttcaactac	aacaagccgc	1080
agaattttat	ttgatgcaga	ttgttgaaat	tcataccttc	gtgggcattg	ccagtttcga	1140
cagcaaagga	gagatcagag	cccagctaca	ccaaattaac	agcaatgatg	atcgaaagtt	1200
gctggtttca	tatctgccc	ccactgtatc	agctaaaaca	gacatcagca	tttgttcagg	1260
gcttaagaaa	ggatttgagg	tggttgaaaa	actgaatgga	aaagcttatg	gctctgtgat	1320
gatatttagtg	accagcggag	atgataagct	tcttggcaat	tgcttacc	ctgtgctcag	1380
cagtggttca	acaattcact	ccattgcctt	gggttcatct	gcagcccaa	atctggagga	1440
attatcacgt	cttacaggag	gtttaaagtt	ctttgttcca	gataatatca	actccaatag	1500
catgattgat	gctttcagta	gaatttcctc	tggaaactgga	gacattttcc	agcaacatat	1560
tcagcttgaa	agtacagggtg	aaaatgtcaa	acctcaccat	caattgaaaa	acacagtgac	1620
tgtggataat	actgtgggca	acgacactat	gtttctagtt	acgtggcagg	ccagtgggtcc	1680
tcttgagatt	atattatttg	atcctgatgg	acgaaaatac	tacacaaata	attttatcac	1740
caatctaact	tttcggacag	ctagtctttg	gattccagga	acagctaagc	ctgggactg	1800
gacttacacc	ctgaacaata	cccatcattc	tctgcaagcc	ctgaaagtga	cagtgcctc	1860
tcgcgcctcc	aactcagctg	tgcccccagc	cactgtggaa	gcctttgtgg	aaagagacag	1920
cctccatttt	cctcatcctg	tgatgattta	tgccaatgtg	aaacagggat	tttatcccat	1980
tcttaatgcc	actgtcactg	ccacagttga	gccagagact	ggagatcctg	ttacgctgag	2040
actccttgat	gatggagcag	gtgctgatgt	tataaaaaat	gatggaattt	actcgaggta	2100
ttttttctcc	tttgctgcaa	atggtagata	tagcttgaaa	gtgcatgtca	atcactctcc	2160
cagcataagc	accccagccc	actctatttc	agggagtcat	gctatgtatg	taccagggtta	2220
cacagcaaac	ggtaatatcc	agatgaatgc	tccaaggaaa	tcagtaggca	gaaatgagga	2280
ggagcgaaaag	tggggcttta	gccgagtcag	ctcaggaggc	tccttttcag	tgctgggagt	2340
tccagctggc	ccccaccctg	atgtgtttcc	accatgcaaa	attattgacc	tggagctgt	2400
aaatagaaga	ggaattgacc	ctatcttgga	cagcacctgg	agaagacttt	gatcagggcc	2460
aggctacaag	ctatgaaata	agaatgagta	aaagtctaca	gaatatccaa	gatgacttta	2520
acaatgctat	tttagtaaat	acatcaaagc	gaaatcctca	gcaagctggc	atcagggaga	2580
tattttacgtt	ctcaccccaa	atctccacga	atggacctga	acatcagcca	aatggagaaa	2640
cacatgaaag	ccacagaatt	tatgttgcaa	tacgagcaat	ggataggaac	tccttacagt	2700
ctgctgtatc	taacattgcc	cagggcctc	tgtttattcc	ccccaattct	gatcctgtac	2760

ctgccagaga ttatottata ttga

2784

&lt;210&gt; 169

&lt;211&gt; 592

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 169

Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1				5					10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
		35					40					45			
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
	50					55					60				
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65					70					75					80
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
				85					90					95	
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
			100					105					110		
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
		115					120					125			
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
	130					135					140				
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145					150					155					160
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu
				165					170					175	
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys
			180					185					190		
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys
		195					200					205			
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu
	210					215					220				
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile
225					230					235					240
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser
				245				250						255	
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu
			260					265					270		
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser
		275					280					285			
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu
	290					295					300				
Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser
305					310					315					320
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu
				325				330						335	
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala
			340					345					350		
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn
		355				360					365				
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val

370		375		380											
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe
385					390					395					400
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile
				405					410						415
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr
			420					425					430		
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser
		435					440					445			
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys
	450					455					460				
Phe	Phe	Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe
465					470					475					480
Ser	Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln
				485					490						495
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys	Asn
			500					505					510		
Thr	Val	Thr	Val	Asp	Asn	Thr	Val	Gly	Asn	Asp	Thr	Met	Phe	Leu	Val
		515					520						525		
Thr	Trp	Gln	Ala	Ser	Gly	Pro	Pro	Glu	Ile	Ile	Leu	Phe	Asp	Pro	Asp
	530					535					540				
Gly	Arg	Lys	Tyr	Tyr	Thr	Asn	Asn	Phe	Ile	Thr	Asn	Leu	Thr	Phe	Arg
545					550					555					560
Thr	Ala	Ser	Leu	Trp	Ile	Pro	Gly	Thr	Ala	Lys	Pro	Gly	His	Trp	Thr
				565					570						575
Tyr	Thr	Leu	Met	Cys	Phe	His	His	Ala	Lys	Leu	Leu	Thr	Trp	Lys	Leu
		580						585					590		

<210> 170  
 <211> 791  
 <212> PRT  
 <213> Homo sapien

<400> 170															
Met	Thr	Gln	Arg	Ser	Ile	Ala	Gly	Pro	Ile	Cys	Asn	Leu	Lys	Phe	Val
1				5					10					15	
Thr	Leu	Leu	Val	Ala	Leu	Ser	Ser	Glu	Leu	Pro	Phe	Leu	Gly	Ala	Gly
			20					25					30		
Val	Gln	Leu	Gln	Asp	Asn	Gly	Tyr	Asn	Gly	Leu	Leu	Ile	Ala	Ile	Asn
			35				40					45			
Pro	Gln	Val	Pro	Glu	Asn	Gln	Asn	Leu	Ile	Ser	Asn	Ile	Lys	Glu	Met
		50				55				60					
Ile	Thr	Glu	Ala	Ser	Phe	Tyr	Leu	Phe	Asn	Ala	Thr	Lys	Arg	Arg	Val
65					70				75						80
Phe	Phe	Arg	Asn	Ile	Lys	Ile	Leu	Ile	Pro	Ala	Thr	Trp	Lys	Ala	Asn
			85						90					95	
Asn	Asn	Ser	Lys	Ile	Lys	Gln	Glu	Ser	Tyr	Glu	Lys	Ala	Asn	Val	Ile
			100					105					110		
Val	Thr	Asp	Trp	Tyr	Gly	Ala	His	Gly	Asp	Asp	Pro	Tyr	Thr	Leu	Gln
		115					120					125			
Tyr	Arg	Gly	Cys	Gly	Lys	Glu	Gly	Lys	Tyr	Ile	His	Phe	Thr	Pro	Asn
	130					135				140					
Phe	Leu	Leu	Asn	Asp	Asn	Leu	Thr	Ala	Gly	Tyr	Gly	Ser	Arg	Gly	Arg
145					150					155					160
Val	Phe	Val	His	Glu	Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu

				165					170					175		
Tyr	Asn	Asn	Asp	Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys	
			180					185					190			
Val	Thr	Arg	Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys	
		195					200					205				
Gly	Pro	Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu	
	210					215					220					
Gly	Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile	
225					230					235					240	
Met	Phe	Met	Gln	Ser	Leu	Ser	Ser	Val	Val	Glu	Phe	Cys	Asn	Ala	Ser	
				245					250					255		
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser	Leu	
			260					265					270			
Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His	His	Ser	
		275					280					285				
Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr	Phe	Ser	Leu	
	290					295					300					
Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu	Asp	Val	Ser	Ser	
305					310					315					320	
Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu	Gln	Gln	Ala	Ala	Glu	
				325					330					335		
Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His	Thr	Phe	Val	Gly	Ile	Ala	
			340					345					350			
Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg	Ala	Gln	Leu	His	Gln	Ile	Asn	
		355					360					365				
Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu	Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val	
	370					375					380					
Ser	Ala	Lys	Thr	Asp	Ile	Ser	Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe	
385					390					395					400	
Glu	Val	Val	Glu	Lys	Leu	Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile	
				405					410					415		
Leu	Val	Thr	Ser	Gly	Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr	
			420					425					430			
Val	Leu	Ser	Ser	Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser	
		435					440					445				
Ala	Ala	Pro	Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys	
	450					455					460					
Phe	Phe	Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe	
465					470					475					480	
Ser	Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln	
				485					490					495		
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys	Asn	
			500					505					510			
Thr	Val	Thr	Val	Asp	Asn	Thr	Val	Gly	Asn	Asp	Thr	Met	Phe	Leu	Val	
		515														

Ala Phe Val Glu Arg Asp Ser Leu His Phe Pro His Pro Val Met Ile  
610 615 620  
Tyr Ala Asn Val Lys Gln Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val  
625 630 635 640  
Thr Ala Thr Val Glu Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu  
645 650 655  
Leu Asp Asp Gly Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr  
660 665 670  
Ser Arg Tyr Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys  
675 680 685  
Val His Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile  
690 695 700  
Pro Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn  
705 710 715 720  
Ile Gln Met Asn Ala Pro Arg Lys Ser Val Gly Arg Asn Glu Glu Glu  
725 730 735  
Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser Val  
740 745 750  
Leu Gly Val Pro Ala Gly Pro His Pro Asp Val Phe Pro Pro Cys Lys  
755 760 765  
Ile Ile Asp Leu Glu Ala Val Asn Arg Arg Gly Ile Asp Pro Ile Leu  
770 775 780  
Asp Ser Thr Trp Arg Arg Leu  
785 790

<210> 171  
<211> 1491  
<212> DNA  
<213> Homo sapien

<400> 171  
cctcctgccca gccaaagtga gacatgctta cttcccccctt accttccttc atgatgtggg 60  
aagagtgtctg caaccagcc ctagccaacg ccgcatgaga gggagtgtgc cgagggttc 120  
tgagaagggtt tctctcacat ctagaaagaa gcgcttaaga tgtggcagcc cctcttcttc 180  
aagtggctct tgtcctgttg ccctgggagt tctcaaattg ctgcagcagc ctccaccag 240  
cctgaggatg acatcaatac acagaggaag aagagtcagg aaaagatgag agaagttaca 300  
gactctcctg ggcgaccccg agagcttacc attcctcaga cttcttcaca tgggtgctaac 360  
agatttgttc ctaaaagtaa agctctagag gccgtcaaat tggcaataga agccgggttc 420  
caccatattg attctgcaca tgtttacaat aatgaggagc aggttggtgact ggccatccga 480  
agcaagattg cagatggcag tgtgaagaga gaagacatat tctacacttc aaagctttgg 540  
agcaattccc atcgaccaga gttggtccga ccagccttgg aaaggctact gaaaaatctt 600  
caattggact atgttgacct ctatcttatt cattttccag tgtctgtaaa gccaggtgag 660  
gaagtgatcc caaaagatga aaatggaaaa atactatttg acacagtgga tctctgtgcc 720  
acatgggagg ccatggagaa gtgtaaagat gcaggattgg ccaagtccat cggggtgtcc 780  
aacttcaacc acaggctgct ggagatgatc ctcaacaagc cagggtctca gtacaagcct 840  
gtctgcaacc aggtggaatg tcatccttac ttcaaccaga gaaaactgct ggatttctgc 900  
aagtcaaaaag acattgttct ggttgccctat agtgcctctg gatcccatcg agaagaacca 960  
tggttggtgacc cgaactcccc ggtgctcttg gaggaccagc tcctttgtgc cttggcaaaa 1020  
aagcacaagc gaacccagc cctgattgcc ctgcgctacc agctgcagcg tggggtgtgtg 1080  
gtcctggcca agagctacaa tgagcagcgc atcagacaga acgtgcaggt gtttgaattc 1140  
cagttgactt cagaggagat gaaagccata gatggcctaa acagaaatgt gcgatatttg 1200  
acccttgata tttttgctgg ccccccctaat tatccatttt ctgatgaata ttaacatgga 1260  
gggcattgca tgaggtctgc cagaaggccc tgcgtgtgga tgggtgacaca gaggatggct 1320  
ctatgctggt gactggacac atcgctctg gttaaattct tcctgcttgg cgaattcagt 1380  
aagctacagc taagcccatc ggccggaaaa gaaagacaat aattttgttt ttcattttga 1440



aaaaattaaa tgctctctcc taaagattct tcacctaaaa aaaaaaaaaa a

1491

<210> 172

<211> 364

<212> PRT

<213> Homo sapien

<400> 172

Met	Trp	Gln	Pro	Leu	Phe	Phe	Lys	Trp	Leu	Leu	Ser	Cys	Cys	Pro	Gly
1				5					10					15	
Ser	Ser	Gln	Ile	Ala	Ala	Ala	Ala	Ser	Thr	Gln	Pro	Glu	Asp	Asp	Ile
			20					25					30		
Asn	Thr	Gln	Arg	Lys	Lys	Ser	Gln	Glu	Lys	Met	Arg	Glu	Val	Thr	Asp
		35					40					45			
Ser	Pro	Gly	Arg	Pro	Arg	Glu	Leu	Thr	Ile	Pro	Gln	Thr	Ser	Ser	His
	50					55					60				
Gly	Ala	Asn	Arg	Phe	Val	Pro	Lys	Ser	Lys	Ala	Leu	Glu	Ala	Val	Lys
65				70						75					80
Leu	Ala	Ile	Glu	Ala	Gly	Phe	His	His	Ile	Asp	Ser	Ala	His	Val	Tyr
				85					90					95	
Asn	Asn	Glu	Glu	Gln	Val	Gly	Leu	Ala	Ile	Arg	Ser	Lys	Ile	Ala	Asp
			100					105					110		
Gly	Ser	Val	Lys	Arg	Glu	Asp	Ile	Phe	Tyr	Thr	Ser	Lys	Leu	Trp	Ser
		115					120					125			
Asn	Ser	His	Arg	Pro	Glu	Leu	Val	Arg	Pro	Ala	Leu	Glu	Arg	Ser	Leu
	130					135					140				
Lys	Asn	Leu	Gln	Leu	Asp	Tyr	Val	Asp	Leu	Tyr	Leu	Ile	His	Phe	Pro
145				150						155					160
Val	Ser	Val	Lys	Pro	Gly	Glu	Glu	Val	Ile	Pro	Lys	Asp	Glu	Asn	Gly
				165					170					175	
Lys	Ile	Leu	Phe	Asp	Thr	Val	Asp	Leu	Cys	Ala	Thr	Trp	Glu	Ala	Met
			180					185					190		
Glu	Lys	Cys	Lys	Asp	Ala	Gly	Leu	Ala	Lys	Ser	Ile	Gly	Val	Ser	Asn
		195					200					205			
Phe	Asn	His	Arg	Leu	Leu	Glu	Met	Ile	Leu	Asn	Lys	Pro	Gly	Leu	Lys
	210					215					220				
Tyr	Lys	Pro	Val	Cys	Asn	Gln	Val	Glu	Cys	His	Pro	Tyr	Phe	Asn	Gln
225				230						235					240
Arg	Lys	Leu	Leu	Asp	Phe	Cys	Lys	Ser	Lys	Asp	Ile	Val	Leu	Val	Ala
				245					250					255	
Tyr	Ser	Ala	Leu	Gly	Ser	His	Arg	Glu	Glu	Pro	Trp	Val	Asp	Pro	Asn
		260						265					270		
Ser	Pro	Val	Leu	Leu	Glu	Asp	Pro	Val	Leu	Cys	Ala	Leu	Ala	Lys	Lys
		275					280					285			
His	Lys	Arg	Thr	Pro	Ala	Leu	Ile	Ala	Leu	Arg	Tyr	Gln	Leu	Gln	Arg
	290					295					300				
Gly	Val	Val	Val	Leu	Ala	Lys	Ser	Tyr	Asn	Glu	Gln	Arg	Ile	Arg	Gln
305				310						315					320
Asn	Val	Gln	Val	Phe	Glu	Phe	Gln	Leu	Thr	Ser	Glu	Glu	Met	Lys	Ala
				325					330					335	
Ile	Asp	Gly	Leu	Asn	Arg	Asn	Val	Arg	Tyr	Leu	Thr	Leu	Asp	Ile	Phe
		340						345					350		
Ala	Gly	Pro	Pro	Asn											

```
<210> 174
<211> 238
<212> PRT
<213> Homo sapiens
```

<400> 174  
Gly Ala Ala Ser Pro Arg Pro Leu Arg Phe Cys Gly Gly Ala Arg Ala  
5 10 15  
Arg Arg Pro Leu Ser Ala Val Ala Arg Pro Ala Arg Ser Ser Asp Pro  
20 25 30  
Leu Arg Ser Ala Pro Leu Gly Pro Ala Pro Pro Val Asn Met Ile Arg

35	40	45
Cys Gly Leu Ala Cys Glu Arg Cys Arg Trp Ile Leu Pro Leu Leu Leu		
50	55	60
Leu Ser Ala Ile Ala Phe Asp Ile Ile Ala Leu Ala Gly Arg Gly Trp		
65	70	75 80
Leu Gln Ser Ser Asp His Gly Gln Thr Ser Ser Leu Trp Trp Lys Cys		
	85	90 95
Ser Gln Glu Gly Gly Gly Ser Gly Ser Tyr Glu Glu Gly Cys Gln Ser		
100	105	110
Leu Met Glu Tyr Ala Trp Gly Arg Ala Ala Ala Met Leu Phe Cys		
115	120	125
Gly Phe Ile Ile Leu Val Ile Cys Phe Ile Leu Ser Phe Phe Ala Leu		
130	135	140
Cys Gly Pro Gln Met Leu Val Phe Leu Arg Val Ile Gly Gly Leu Leu		
145	150	155 160
Ala Leu Ala Ala Val Phe Gln Ile Ile Ser Leu Val Ile Tyr Pro Val		
	165	170 175
Lys Tyr Thr Gln Thr Phe Thr Leu His Ala Asn Pro Ala Val Thr Tyr		
	180	185 190
Ile Tyr Asn Trp Ala Tyr Gly Phe Gly Trp Ala Ala Thr Ile Ile Leu		
195	200	205
Ile Gly Cys Ala Phe Phe Phe Cys Cys Leu Pro Asn Tyr Glu Asp Asp		
210	215	220
Leu Leu Gly Asn Ala Lys Pro Arg Tyr Phe Tyr Thr Ser Ala		
225	230	235

&lt;210&gt; 175

&lt;211&gt; 4181

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (3347)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (3502)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (3506)

&lt;223&gt; n=A,T,C or G

<221> unsure  
 <222> (3520)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3538)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3549)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3646)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3940)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3968)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (3974)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4036)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4056)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4062)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4080)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4088)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (4115)  
 <223> n=A,T,C or G

<400> 175

```

ggtggatgcg tttgggttgt agctaggett tttcttttct ttctctttta aaacacatct 60
agacaaggaa aaaacaagcc tcggatctga ttttctactc ctctgttcttg tgcttggttc 120
ttactgtgtt tgtgtathtt aaaggcgaga agacgagggg aacaaaacca gctggatcca 180
tccatcaccg tgggtggttt taatttttctg ttttttctcg ttattttttt ttaaacaacc 240
actcttcaca atgaacaaac tgtatatcgg aaacctcagc gagaacgcgc cccctcggga 300
cctagaaagt atcttcaagg acgccaagat cccgggtgtc ggacccttcc tggatgaagac 360
tggtctacgc ttcgtggact gcccggaaga gagctgggac ctcaaggcca tcgaggcgct 420
ttcaggtaaa atagaactgc acgggaaacc catagaagtt gagcactcgg tcccaaaaag 480
gcaaaggatt cggaaacttc agatacgaaa tatcccgcc cttttacagt gggaggtgct 540
ggatagttaa ctagtccagt atggagtggg ggagagctgt gagcaagtga aactgactc 600
ggaaactgca gttgtaaagt taacctatct cagtaaggac caagctagac aagcactaga 660
caaactgaat ggatttcagt tagagaatct caccttgaaa gtagcctata tccctgatga 720
aatggccgcc cagcaaaacc ccttgcagca gcccgcaggt cgccgggggc ttgggcagag 780
gggctcctca aggcaggggg ctccaggatc cgtatccaag cagaaaccat gtgatttgcc 840

```

tctgcgcctg	ctggttccca	cccaatttgt	tggagccatc	ataggaaaag	aaggtgccac	900
cattcggaac	atcaccaaac	agaccagtc	taaaatcgat	gtccaccgta	aagaaaatgc	960
gggggctgct	gagaagtcga	ttactatcct	ctctactcct	gaaggcacct	ctgcggcttg	1020
taagtctatt	ctggagatta	tgcataagga	agctcaagat	ataaaaattca	cagaagagat	1080
ccccttgaag	atthttagctc	ataataactt	tgttggacgt	cttattggta	aagaagggaag	1140
aaatcttaaa	aaaattgagc	aagacacaga	cactaaaatc	acgatatctc	cattgcagga	1200
attgacgctg	tataatccag	aacgcactat	tacagttaaa	ggcaatgttg	agacatgtgc	1260
caaagctgag	gaggagatca	tgaagaaaat	cagggagctc	tatgaaaatg	atattgcttc	1320
tatgaatctt	caagcacatt	taattcctgg	attaaatctg	aacgccttgg	gtctgttccc	1380
accactttca	gggatgccac	ctcccacctc	agggccccct	tcagccatga	ctcctcccta	1440
cccgcagttt	gagcaatcag	aaacggagac	tgttcatcag	tttatcccag	ctctatcagt	1500
cggtgccatc	atcggcaagc	agggccagca	catcaagcag	ctttctcgtc	ttgctggagc	1560
ttcaattaag	attgctccag	cgaagcacc	agatgctaaa	gtgaggatgg	tgattatcac	1620
tggaccacca	gaggctcagt	tcaaggctca	gggaagaatt	tatggaaaaa	ttaaagaaga	1680
aaactttgtt	agtcctaaag	aagaggtgaa	acttgaagct	catatcagag	tgccatcctt	1740
tgctgctggc	agagttattg	gaaaaggagg	caaaacggtg	aatgaacttc	agaatttgtc	1800
aagtgcagaa	gttgttgtcc	ctcgtgacca	gacacctgat	gagaatgacc	aagtggttgt	1860
caaaataact	ggtcacttct	atgcttgcca	ggttgcccag	agaaaaattc	aggaaattct	1920
gactcaggta	aagcagcacc	aacaacagaa	ggctctgcaa	agtggaccac	ctcagtcagg	1980
acggaagtaa	aggctcagga	aacagcccac	cacagaggca	gatgccaac	caaagacaga	2040
ttgcttaacc	aacagatggg	cgtgacccc	ctatccagaa	tcacatgcac	aagtttttac	2100
ctagccagtt	gtttctgagg	accaggcaac	ttttgaactc	ctgtctctgt	gagaatgtat	2160
actttatgct	ctctgaaatg	tatgacacc	agctttaaaa	caaacaaaca	aacaaacaaa	2220
aaaaggggtg	gggagggagg	gaaagagaag	agctctgcac	ttccctttgt	tgtagtctca	2280
cagtataaca	gatattctaa	ttcttcttaa	tattccccca	taatgccaga	aattggctta	2340
atgatgcttt	cactaaattc	atcaaataga	ttgtccttaa	atccaattgt	taaaattgga	2400
tcagaataat	tatcacagga	acttaaatgt	taagccatta	gcatagaaaa	actgttctca	2460
gtttttattt	tacctaacac	taacatgagt	aacctaaagg	aagtgtgaa	tggtgttggc	2520
aggggtatta	aacgtgcatt	ttactcaac	tacctcaggt	attcagtaat	acaattgaaa	2580
gcaaaattgt	tccttttttt	tgaaaatttt	atatacttta	taatgataga	agtccaaccg	2640
tttttttaaa	aataaattta	aaatttaaca	gcaatcagct	aacaggcaaa	ttaagatttt	2700
tacttctggc	tggtgacagt	aaagctggaa	aattaatttc	agggtttttt	gaggcttttg	2760
acacagttat	tagttaaatc	aaatgttcaa	aaatacggag	cagtgcctag	tatctggaga	2820
gcagcactac	cattttattct	ttcattttata	gttgggaaaag	tttttgacgg	tactaacaaa	2880
gtggtcgcag	gagatttttg	aacggctggt	ttaaatggct	tcaggagact	tcagtttttt	2940
gttttagctac	atgattgaat	gcataataaa	tgctttgtgc	ttctgactat	caatacctaa	3000
agaaaagtga	tcagtgaaga	gatgcaagac	tttcaactga	ctggcaaaaa	gcaagcttta	3060
gcttgtctta	taggatgctt	agtttgccac	tacacttcag	accaatggga	cagtcataga	3120
tggtgtgaca	gtgttttaaac	gcaacaaaag	gctacatttc	catggggcca	gcactgtcat	3180
gagcctcact	aagctattht	gaagatttht	aagcactgat	aaattaaaaa	aaaaaaaaaa	3240
aaattagact	ccaccttaag	tagtaaagta	taacaggatt	tctgtatact	gtgcaatcag	3300
ttctttgaaa	aaaaagtcac	aagatagaga	atacaagaaa	agtttttngg	atataatttg	3360
aatgactgtg	aaaacatatg	acctttgata	acgaactcat	ttgctcactc	cttgacagca	3420
aagcccagta	cgtacaattg	tggtgggtgt	gggtgggtctc	caaggccacg	ctgctctctg	3480
aattgatttt	ttgagttttg	gnttgnaaga	tgatcacagn	catgttacac	tgatcttnaa	3540
ggacatatnt	tataaccctt	taaaaaaaaa	atccctgcc	tcattcttat	ttcgagatga	3600
atttcgatac	agactagatg	tctttctgaa	gatcaattag	acattntgaa	aatgatttaa	3660
agtgttttcc	ttaatgttct	ctgaaaacaa	gtttcttttg	tagtttttaac	caaaaaagtg	3720
ccctttttgt	cactggtttc	tcctagcatt	catgattttt	ttttcacaca	atgaattaaa	3780
attgctaaaa	tcattggactg	gctttctggt	tggatttcag	gtaagatgtg	tttaaggcca	3840
gagcttttct	cagtatttga	tttttttccc	caatatttga	tttttttaaa	atatacacat	3900
aggagctgca	tttaaaacct	gctggtttaa	attctgtcan	atttcaacttc	tagcctttta	3960
gtatggcnaa	tcanaattta	cttttactta	agcatttgta	atttgagta	tctgggtacta	4020
gctaagaaat	aattcnataa	ttgagttttg	tactcnccaa	anatgggtca	ttcctcatgn	4080
ataatgtnc	cccaatgcag	cttcattttc	caganacctt	gacgcaggat	aaattttttc	4140

atcatttagg tccccaaaaa aaaaaaaaaa aaaaaaaaaa a

4181

<210> 176

<211> 580

<212> PRT

<213> Homo sapiens

<400> 176

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser  
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro  
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser  
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His  
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile  
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val  
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln  
100 105 110

Val Asn Thr Asp Ser Glu Thr Ala Val Val Asn Val Thr Tyr Ser Ser  
115 120 125

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu  
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Met Ala Ala  
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln  
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys  
180 185 190

Pro Cys Asp Leu Pro Leu Arg Leu Leu Val Pro Thr Gln Phe Val Gly  
195 200 205

Ala Ile Ile Gly Lys Glu Gly Ala Thr Ile Arg Asn Ile Thr Lys Gln  
210 215 220

Thr Gln Ser Lys Ile Asp Val His Arg Lys Glu Asn Ala Gly Ala Ala  
225 230 235 240

Glu Lys Ser Ile Thr Ile Leu Ser Thr Pro Glu Gly Thr Ser Ala Ala  
245 250 255

Cys Lys Ser Ile Leu Glu Ile Met His Lys Glu Ala Gln Asp Ile Lys  
 260 265 270  
 Phe Thr Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Asn Phe Val  
 275 280 285  
 Gly Arg Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu Gln  
 290 295 300  
 Asp Thr Asp Thr Lys Ile Thr Ile Ser Pro Leu Gln Glu Leu Thr Leu  
 305 310 315 320  
 Tyr Asn Pro Glu Arg Thr Ile Thr Val Lys Gly Asn Val Glu Thr Cys  
 325 330 335  
 Ala Lys Ala Glu Glu Glu Ile Met Lys Lys Ile Arg Glu Ser Tyr Glu  
 340 345 350  
 Asn Asp Ile Ala Ser Met Asn Leu Gln Ala His Leu Ile Pro Gly Leu  
 355 360 365  
 Asn Leu Asn Ala Leu Gly Leu Phe Pro Pro Thr Ser Gly Met Pro Pro  
 370 375 380  
 Pro Thr Ser Gly Pro Pro Ser Ala Met Thr Pro Pro Tyr Pro Gln Phe  
 385 390 395 400  
 Glu Gln Ser Glu Thr Glu Thr Val His Gln Phe Ile Pro Ala Leu Ser  
 405 410 415  
 Val Gly Ala Ile Ile Gly Lys Gln Gly Gln His Ile Lys Gln Leu Ser  
 420 425 430  
 Arg Phe Ala Gly Ala Ser Ile Lys Ile Ala Pro Ala Glu Ala Pro Asp  
 435 440 445  
 Ala Lys Val Arg Met Val Ile Ile Thr Gly Pro Pro Glu Ala Gln Phe  
 450 455 460  
 Lys Ala Gln Gly Arg Ile Tyr Gly Lys Ile Lys Glu Glu Asn Phe Val  
 465 470 475 480  
 Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser  
 485 490 495  
 Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu  
 500 505 510  
 Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr  
 515 520 525  
 Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr  
 530 535 540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val  
 545 550 555 560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser  
 565 570 575

Arg Arg Lys

<210> 177

<211> 401

<212> DNA

<213> Homo sapiens

<400> 177

```
atgccccgta aatgtcttca gtgttcttca gggtagttgg gatctcaaaa gatttggttc 60
agatccaaac aaatacacat tctgtgtttt agctcagtgt tttctaaaaa aagaaactgc 120
cacacagcaa aaaattgttt actttgttgg acaaaccaaa tcagttctca aaaaatgacc 180
ggtgcttata aaaagttata aatatcgagt agctctaaaa caaacacact gaccaagagg 240
gaagtgaact tgtgcttagt atttacattg gatgccagtt ttgtaatcac tgacttatgt 300
gcaaaactgg gcagaaattc tataaactct ttgctgtttt tgatacctgc tttttgtttc 360
attttgtttt gttttgtaaa aatgataaaa cttcagaaaa t 401
```

<210> 178

<211> 561

<212> DNA

<213> Homo sapiens

<400> 178

```
acgcctttca aggggtgtacg caaagcactc attgataccc ttttggtatg ctatgaaaca 60
gcccgctatg ggacaggggt ctttggccag aatgagtacc tacgctatca ggaggccctg 120
agtgaactgg ccactgcggg taaagcacga attgggagct ctacgcgaca tcaccagtca 180
gcagccaaaag acctaaactc gtcccctgag gtctcccca caaccatcca ggtgacatac 240
ctcccctcca gtcagaagag taaacgtgcc aagcacttcc ttgaattgaa gagctttaag 300
gataactata acacattgga gactactctg tgacggagct gaaggactct tgccgtagat 360
taagccagtc agttgcaatg tgcaagacag gctgcttgcc gggccgcctc cggaacatct 420
ggcccagcag gccagactg tatccatcca agttcccggt gtatccagag ttcttagagc 480
ttgtgtctaa agggtaattc cccaaccctt ccttatgagc atttttagaa cattggctaa 540
gactattttc cccagtagc g 561
```

<210> 179

<211> 521

<212> DNA

<213> Homo sapiens

<400> 179

```
cccaacgcgt ttgcaaatat tcccctggta gcctacttcc ttacccccga atattggtaa 60
gatcgagcaa tggtctcagg acatgggttc tcttctcctg tgatcattca agtgctcact 120
gcatgaagac tggtctgtct cagtgtttca acctcaccag ggctgtctct tgggtccacac 180
ctcgctccct gttagtgcg tatgacagcc cccatcaaata gacctgggcc aagtcacggg 240
ttctctgtgg tcaagggttg ttggctgatt ggtggaaagt aggggtggacc aaaggaggcc 300
acgtgagcag tcagcaccag ttctgcacca gcagcgcctc cgtcctagtg ggtgttctct 360
tttctcctgg ccttgggttg gctagggcct gattcgggaa gatgcctttg cagggagggg 420
aggataagtg ggatctacca attgattctg gcaaaacaat ttctaagatt tttttgcttt 480
```



atgtgggaaa cagatctaaa tctcatttta tgctgtattt t

521

<210> 180

<211> 417

<212> DNA

<213> Homo sapiens

<400> 180

```

ggtggaattc gccgaagatg ggggaggtgc aggtccttgt gcttgatggt cgaggccatc 60
tcttgggccg cctggcgccg atcgtggcta aacaggtact gctgggccgg aaggtggtgg 120
tcgtacgctg tgaaggcatc aacatttctg gcaatttcta cagaaacaag ttgaagtacc 180
tggttttctt ccgcaagcgg atgaacacca acccttcccc agggccctac cacttccggg 240
ccccagccg catcttctgg cggaccgtgc gaggtatgct gcccacaaa accaagcgag 300
gccaggccgc tctggaccgt ctcaaggtgt ttgacggcat cccaccgcc tacgacaaga 360
aaaagcggat ggtggttctt gctgccctca aggtcgtgcg tctgaagcct acaagaa 417

```

<210> 181

<211> 283

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (35)

<223> n=A,T,C or G

<400> 181

```

gatttcttct aaataggatg taaaacttct ttcanattac tcttcctcag tctgcctgc 60
caagaactca agtgtaactg tgataaaata acctttccca ggtatattgg caggtatgtg 120
tgtaatctca gaatacacag gtgacataga tatgatatga caactggtaa tgggtggattc 180
atttacattg tttaacttct tatgaccagg ccttaaggga aggtcagttt tttaaaaaac 240
caagtagtgt ctctctacct atctccagat acatgtcaaa aaa 283

```

<210> 182

<211> 401

<212> DNA

<213> Homo sapiens

<400> 182

```

atattcttgc tgcttatgca gctgacattg ttgccctccc taaagcaacc aagtagcctt 60
tatttcccac agtgaaagaa aacgctggcc tatcagttac attacaaaag gcagatttca 120
agaggattga gtaagtagtt ggatggcttt cataaaaaca agaattcaag aagaggattc 180
atgctttaag aaacatttgt tatacattcc tcacaaatta tacctgggat aaaaactatg 240
tagcaggcag tgtgttttcc ttccatgtct ctctgcacta cctgcagtgt gtcctctgag 300
gctgcaagtc tgtcctatct gaattcccag cagaagcact aagaagctcc accctatcac 360
ctagcagata aaactatggg gaaaacttaa atctgtgcat a 401

```

<210> 183

<211> 366

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (325)

<223> n=A,T,C or G

<400> 183

```
accgtgtcca agttttttaga acccttggtta gccagaccga ggtgtcctgg tcaccgtttc 60
accatcatgc tttgatgttc cctgtcttt ctctctctg ctctcaagag caaagggttaa 120
tttaaggaca aagatgaagt cactgtaaac taatctgtca ttgtttttac cttccttttc 180
tttttcagtg cagaaattaa aagtaagtat aaagcaccgt gattgggagt gtttttgctg 240
gtgtcggaat cactggtaaa tgttggtga gaacaatccc tccccttgca cttgtgaaaa 300
cactttgagc gctttaagag attancctga gaaataatta aatatcttt ctcttcaaaa 360
aaaaaa 366
```

<210> 184

<211> 370

<212> DNA

<213> Homo sapiens

<400> 184

```
tcttacttca aaagaaaaat aaacataaaa aataagttgc tggttcctaa caggaaaaat 60
tttaataatt gtactgagag aaactgctta cgtacacatt gcagatcaaa tatttgagat 120
taaaatgtta gtctacatag atgggtgatt gtaactttat tgccattaaa agatttcaaa 180
ttgcattcat gcttctgtgt acacataatg aaaaatgggc aaataatgaa gatctctcct 240
tcagtctgct ctgtttaatt ctgctgtctg ctctctctta atgctgcgtc cctaattgta 300
cacagtttag tgatatctag gagtataaag ttgtcgccca tcaataaaaa tcacaaagtt 360
ggtttaaaaa 370
```

<210> 185

<211> 107

<212> DNA

<213> Homo sapiens

<400> 185

```
ctcatattat tttccttttg agaaattgga aactctttct gttgctatta tattaataaa 60
gttggtgttt attttctggt agtcaccttc cccatttaaa aaaaaaa 107
```

<210> 186

<211> 309

<212> DNA

<213> Homo sapiens

<400> 186

```
gaaaggatgg ctctgggttg cacagagctg ggacttcatg ttcttctaga gagggccaca 60
agagggccac aggggtggcc gggagttgtc agctgatgcc tgctgagagg caggaattgt 120
gccagtgaat gacagtcag agggagtgtc tcttcttggg gaggaagaa ggtagagcct 180
ttctgtctga atgaaaggcc aaggctacag tacagggccc cgccccagcc aggggtgttaa 240
tgcccacgta gtggaggcct ctggcagatc ctgcattcca aggtcactgg actgtacgtt 300
tttatggtt 309
```

<210> 187

<211> 477

<212> DNA

<213> Homo sapiens

<400> 187

```
ttcagtccta gcaagaagcg agaattctga gatcctccag aaagtcgagc agcaccacc 60
tccaacctcg ggccagtgtc ttcaggcttt actggggacc tgcgagctgg cctaattgtg 120
```

```

tggcctgcaa gccaggccat ccttggggcgc cacagacgag ctccgagcca ggtcaggcctt 180
cggaggccac aagctcagcc tcaggcccag gcactgattg tggcagaggg gccactaccc 240
aaggtctagc taggcccacg acctagttac ccagacagtg agaagcccct ggaaggcaga 300
aaagttggga gcatggcaga caggggaagg aaacattttc agggaaaaga catgtatcac 360
atgtcttcag aagcaagtca ggtttcatgt aaccgagtgt cctcttgctg gtccaaaagt 420
agcccagggc tgtagcacag gcttcacagt gattttgtgt tcagccgtga gtcacac 477

```

&lt;210&gt; 188

&lt;211&gt; 220

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 188

```

taaataatgg agatattaat attcctctta gatgaccagt gattccaatt gtcccaagtt 60
ttaaataagt accctgtgag tatgagataa attagtgaca atcagaacaa gtttcagtat 120
cagatgttca agaggaaagt gctattgcat tgattttaat atttgtacat aaacactgat 180
ttttttgagc attattttgt atttgttgta ctttaataacc 220

```

&lt;210&gt; 189

&lt;211&gt; 417

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (76)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (77)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 189

```

accatcttga cagaggatac atgctcccaa aacgtttgtt accacactta aaaatcactg 60
ccatcattaa gcatcnnttt caaaaattata gccattcatg atttactttt tccagatgac 120
tatcattatt ctagtccttt gaatttgtaa ggggaaaaaa aacaaaaaca aaaacttacg 180
atgcactttt ctccagcaca tcagatttca aattgaaaat taaagacatg ctatggtaat 240
gcacttgcta gtactacaca ctttgtacaa caaaaaacag aggcaagaaa caacggaaag 300
agaaaagcct tcctttgttg gcccttaaac tgagtcaaga tctgaaatgt agagatgatc 360
tctgacgata cctgtatggt cttatttgtt aaataaaatt gctggtatga aatgaca 417

```

&lt;210&gt; 190

&lt;211&gt; 497

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 190

```

gcactgcggc gctctcccggt cccgcgggtg ttgtctgtgc tgccgctgct gctgggcctg 60
aacgcaggag ctgtcattga ctggcccaca gaggagggca aggaagtatg ggattatgtg 120
acggtccgca aggatgccta catgttcttg tggtctctatt atgccacca ctctgcaag 180
aacttctcag aactgccctt ggtcatgttg cttcaggggc gtccaggcgg ttctagcact 240
ggatttgga aactttgagga aattgggccc cttgacagtg atctcaaacc acggaacc 300
acctggctcc aggtgccag tctcctattt gtggataatc ccgtgggcac tgggttcagt 360
tatgtgaatg gtagtgggtc ctatgccaa gacctggcta tgggtggctc agacatgatg 420
gttctcctga agaccttctt cagttgccac aaagaattcc agacagttcc attctacatt 480
ttctcagagt cctatgg 497

```

<210> 191  
<211> 175  
<212> DNA  
<213> Homo sapiens

<400> 191  
atgttgaata ttttgcttat taactttggt tattgtcttc tccctcgatt agaattattag 60  
ctacttgagt acaaggattt gagcctgtta cattcactgc tgaatttttag gctcctggaa 120  
gatacccagc attcaataga gaccacacaa taaatatatg tcaaataaaa aaaaa 175

<210> 192  
<211> 526  
<212> DNA  
<213> Homo sapiens

<400> 192  
agtaaacatt attatTTTTT ttatatTTTgc aaaggaaaca tatctaattcc ttcctataga 60  
aagaacagta ttgctgtaat tcctTTTTctt ttcttctctca ttctctctgc cccttaaaaag 120  
attgaagaaa gagaaacttg tcaactcata tccacgttat ctagcaaagt acataagaat 180  
ctatcactaa gtaatgtatc cttcagaatg tgttggttta ccagtgcacac cccatattca 240  
tcacaaaatt aaagcaagaa gtccatagta atttatttgc taatagtgga tttttaatgc 300  
tcagagtttc tgaggtcaaa ttttatcttt tcacttacaa gctctatgat cttaaataat 360  
ttacttaatg tattttggtg tattttcctc aaattaatat tgggtgttcaa gactatatct 420  
aattcctctg atcactttga gaaacaaact tttattaaat gtaaggcact tttctatgaa 480  
ttttaaatat aaaaataaat attgttctga ttattactga aaaaaa 526

<210> 193  
<211> 553  
<212> DNA  
<213> Homo sapiens

<220>  
<221> unsure  
<222> (290)  
<223> n=A,T,C or G  
<221> unsure  
<222> (300)  
<223> n=A,T,C or G  
<221> unsure  
<222> (411)  
<223> n=A,T,C or G  
<221> unsure  
<222> (441)  
<223> n=A,T,C or G

<400> 193  
tccattgtgg tggaattcgc tctctggtaa aggcgtgcag gtgttggccg cggcctctga 60  
gctgggatga gccgtgctcc cgggtggaagc aaggagagcc agccgagcc atggccagta 120  
cagtggtagc agttggactg accattgctg ctgcaggatt tgcaggccgt tacgttttgc 180  
aagccatgaa gcatatggag cctcaagtaa aacaagtttt tcaaagccta ccaaaatctg 240  
ccttcagtgg tggctattat agaggtgggt ttgaacccaa aatgacaaan cgggaagcan 300  
cattaatact aggtgtaagc cctactgcc aataagggaa aataagagat gctcatcgac 360  
gaattatgct tttaaatcat cctgacaaag gaggatctcc ttatatagca nccaaaatca 420  
atgaagctaa agatttacta naagggtcaag ctaaaaaatg aagtaaattgt atgatgaatt 480

ttaagttcgt attagtttat gtatatgagt actaagtttt tataataaaa tgcctcagag 540  
ctacaatttt aaa 553

<210> 194

<211> 320

<212> DNA

<213> Homo sapiens

<400> 194

cccttcccaa tccatcagta aagaccccat ctgccttgte catgccgttt cccaacaggg 60  
atgtcacttg atatgagaat ctcaaatctc aatgccttat aagcattcct tcctgtgtcc 120  
attaagactc tgataattgt ctccctctca taggaatttc tcccaggaaa gaaatatatc 180  
cccatctccg tttcatatca gaactaccgt ccccgatatt cccttcagag agattaaaga 240  
ccagaaaaaa gtgagcctct tcatctgcac ctgtaatagt ttcagttcct attttcttcc 300  
attgacccat atttatacct 320

<210> 195

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (203)

<223> n=A,T,C or G

<221> unsure

<222> (218)

<223> n=A,T,C or G

<400> 195

aagcatgacc tggggaaatg gtcagacctt gtatttgtgtt tttggccttg aaagtagcaa 60  
gtgaccagaa tctgccatgg caacaggctt taaaaaagac ccttaaaaag aactgtctc 120  
aactgtggtg ttagcaccag ccagctctct gtacatttgc tagcttgtag ttttctaaga 180  
ctgagtaaac ttcttatatt tanaaagggg aggctggntt gtaactttcc ttgtacttaa 240  
ttgggtaaaa gtcttttcca caaaccacca tctatattgt gaactttgtt agtcatcttt 300  
tatttggtaa attatgaact 320

<210> 196

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (36)

<223> n=A,T,C or G

<400> 196

atataaaata atacgaaact ttaaaaagca ttggantgtc agtatgttga atcagtagtt 60  
tcactttaac tgtaaacaaat ttcttaggac accattttgg ctagtttctg tgtaagtgtg 120  
aatactacaa aaacttatatt atactgttct tatgtcattt gttatatcca tagatttata 180  
tgatgatatg acatctggct aaaaagaaat tattgcaaaa ctaaccacta tgtacttttt 240  
tataaatact gtatggacaa aaaatggcat tttttatatt aaattgttta gctctggcaa 300  
aaaaaaaaa ttttaagagc tgggtactaat aaaggattat tatgactgtt aaaaaaa 357

<210> 197  
 <211> 565  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> unsure  
 <222> (27)  
 <223> n=A,T,C or G

<400> 197  
 tcagctgagt accatcagga tattttanccc tttaagtgtct gttttgggag tagaaaaacta 60  
 aagcaacaat acttcctctt gacagctttg attggaatgg ggttattaga tcattcacct 120  
 tggtcctaca ctttttagga tgcttggtga acataacacc acttataatg aacatccctg 180  
 gttcctatat tttgggctat gtgggtagga attgttactt gttactgcag cagcagccct 240  
 agaaagtaag cccagggctt cagatctaag ttagtccaaa agctaaatga tttaaagtca 300  
 agttgtaatg ctaggcataa gcactctata atacattaaa ttataggccg agcaattagg 360  
 gaatgtttct gaaacattaa acttgatatt atgtcactaa aattctaaca caaacttaaa 420  
 aaatgtgtct catacatatg ctgtactagg cttcatcatg catttctaaa tttgtgtatg 480  
 atttgaatat atgaaagaat ttatacaaga gtgttattta aaattattaa aaataaatgt 540  
 atataatttg tacctattgt aaaaaa 565

<210> 198  
 <211> 484  
 <212> DNA  
 <213> Homo sapiens

<400> 198  
 tatgtaagta ttggtgtctg ctttaaaaaa ggagaccag acttcacctg tccttttttaa 60  
 acatttgaga acagtgttac tctgagcagt tgggccacct tcacctatc cgacagctga 120  
 ctgttggtatg tgtccattgt cgcagtttg gctgttgccc ggacaggaca ggacctccat 180  
 tgggcgcagc agcaggtggc aggggtgtgg cttgaggtgg gtggcagcgt ctggctcctcc 240  
 tctctggtgc tttctgagag ggtctctaaa gcagagtgtg gttggcctgg gggaaggcag 300  
 agcacgtatt tctccctct agtacctctg catttgtgag tgttccctct ggctttctga 360  
 agggcagcag actcttgagt atactgcaga ggacatgctt tatcagtagg tcctgagggc 420  
 tccaggggct caactgacca agtaacacag aagttggggg atgtggccta tttgggtcgg 480  
 aaac 484

<210> 199  
 <211> 429  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> unsure  
 <222> (77)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (88)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (134)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (151)

<223> n=A,T,C or G  
 <221> unsure  
 <222> (189)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (227)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (274)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (319)  
 <223> n=A,T,C or G

<400> 199

```

gcttatgttt tttgttttaa cttttgtttt ttaacattta gaatattaca ttttgtatta 60
tacagtacct ttctcanaca ttttgtanaa ttcatttcgg cagctcacta ggattttgct 120
gaacattaaa aagngtgata gcgatattag ngccaatcaa atggaaaaaa ggtagtccta 180
ataaacaana cacaacgttt ttatacaaca tactttaaaa tattaanaaa actccttaat 240
attgtttcct attaatgtatt attccttggg caanattttc tgatgccttt gattttctct 300
caatttagca tttgctttng gtttttttct ctatttagca ttctgttaag gcacaaaaac 360
tatgtactgt atgggaaatg ttgtaaaatat taccttttcc acatttttaa cagacaactt 420
tgaatccaa                                     429
  
```

<210> 200

<211> 279

<212> DNA

<213> Homo sapiens

<400> 200

```

gcttttttga ggaattacag ggaagctcct ggaattgtac atggatatct ttatccctag 60
ggggaaatca aggagctggg caccctaat tctttatgga agtgtttaaa actattttta 120
ttttattaca agtattacta gagtagtggt tctactctaa gatttcaaaa gtgcatttaa 180
aatcatacat gttcccgctt gcaaatatat tgttattttg gtggagaaaa aaatagtata 240
ttctacataa aaaattaaag atattaacta agaaaaaaa 279
  
```

<210> 201

<211> 569

<212> DNA

<213> Homo sapiens

<400> 201

```

taggtcagta ttttttagaaa ctcttaatat ctcatactct tgataccaaa agcagccctg 60
attgttaaag cacacacctg cacaagaagc agtgatggtt gcattttacat ttcttgggtg 120
cacaaaaaaa aattctcaaa aagcaaggac ttacgctttt tgcaaagcct ttgagaagtt 180
actggatcat aggaagctta taacaagaat ggaagattct taaataactc actttctttg 240
gtatccagta acagtagatg ttcaaaaatat gtagctgatt aataccagca ttgtgaacgc 300
tgtacaacct tgtggttatt actaagcaag ttactactag cttctgaaaa gtagcttcat 360
aattaatgtt atttatacac tgccttccat gacttttact ttgccctaag ctaatctcca 420
aaatctgaaa tgctactcca atatcagaaa aaaaggggga ggtggaatta tatttcctgt 480
gattttaaga gtacagagaa tcatgcacat ctctgattag ttcatatatg tctagtgtgt 540
aataaaagtc aaagatgaac tctcaaaaa 569
  
```

<210> 202

<211> 501

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 202

```

attaataggc ttaataattg ttggcaagga tccttttgct ttctttggca tgcaagctcc 60
tagcatctgg cagtggggcc aagaaaataa ggtttatgca tgtatgatgg ttttcttctt 120
gagcaacatg attgagaacc agtgtatgtc aacaggtgca tttgagataa ctttaaataga 180
tgtacctgtg tggctctaagc tggaatctgg tcaccttcca tccatgcaac aacttggttca 240
aattcttgac aatgaaatga agctcaatgt gcatatggat tcaatcccac accatcgatc 300
atagcaccac ctatcagcac tgaaaactct tttgcattaa gggatcattg caagagcagc 360
gtgactgaca ttatgaaggc ctgtactgaa gacagcaagc tgtagtagaca gaccagatgc 420
tttcttggca ggctcggtgt acctcttggg aaacctcaat gcaagatagt gtttcagtgc 480
tggcatattt tgggaattctg c

```

501

&lt;210&gt; 203

&lt;211&gt; 261

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (36)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (96)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 203

```

gacaagctcc tggctcttgag atgtcttctc gttaangaga tgggcctttt ggaggtaaag 60
gataaaatga atgagttctg tcatgattca ctattntata acttgcattg cctttactgt 120
gttagctctt tgaatgttct tgaaatttta gactttcttt gtaaacaaat gatatgtcct 180
tatcattgta taaaagctgt tatgtgcaac agtgtggaga ttccttgtct gatttaataa 240
aatacttaaa cactgaaaaa a

```

261

&lt;210&gt; 204

&lt;211&gt; 421

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 204

```

agcatctttt ctacaacggt aaaattgcag aagtagctta tcattaaaaa acaacaacaa 60
caacaataac aataaatcct aagtgtaaat cagttattct accccctacc aaggatatca 120
gctgtttttt tccctttttt ctcttgggaa taattgtggg cttcttccca aatttctaca 180
gctcttttcc tcttctcatg cttgagcttc cctgtttgca cgcattgcgtg tgcaggactg 240
gcttgtgtgc ttggactcgg ctccaggtgg aagcatgctt tcccttggtt ctgttggaga 300
aactcaaacc ttcaagccct aggtgtagcc attttgtcaa gtcattcaact gtatttttgt 360
actggcatta acaaaaaaag aagataaaat attgtacat taaactttaa taaaacttta 420
a

```

421

&lt;210&gt; 205

&lt;211&gt; 460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 205



```

tactctcaca atgaaggacc tggaatgaaa aatctgtgtc taaacaagtc ctcttttagat 60
tttagtgcaa atccagagcc agcgtcgggt gcctcgagta attctttcat gggtagccttt 120
ggaaaagctc tcaggagacc tcacctagat gcctattcaa gctttggaca gccatcagat 180
tgtcagccaa gagcctttta tttgaaagct cattcttccc cagacttgga ctctgggtca 240
gaggaagatg ggaaagaaa gacagatttt caggaagaaa atcacatttg tacctttaaa 300
cagacttttag aaaactacag gactccaaat tttcagtcct atgacttgga cacatagact 360
gaatgagacc aaaggaaaag cttaacatac tacctcaagg tgaactttta tttaaaagag 420
agagaatctt atgtttttta aatggagtta tgaattttta 480

```

&lt;210&gt; 206

&lt;211&gt; 481

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 206

```

tgtggtgaa ttcgggacgc cccagaccc tgactttttc ctgctgggc cgtctcctcc 60
tgcggaagca gtgacctctg accctgggtg accttcgctt tgagtgcctt ttgaacgctg 120
gtcccgcggg acttggtttt ctcaagctct gtctgtccaa agacgctccg gtccagggtcc 180
cgctgcctt ggggtggatac ttgaaccca gacgccctc tgtctgtctg tgtccggagg 240
cggccttccc atctgcctgc ccaccggag ctctttccgc cggcgcaggg tcccaagccc 300
acctcccgcc ctgagtcctg cgggtgtgct ctgggcacgt cctgcacaca caatgcaagt 360
cctggcctcc gcgcccgcgc gccacgcga gccgtaccgc ccgccaaactc tgttatattat 420
ggtgtgaccc cctggagggtg cctcggccc accggggcta tttattgttt aatttatattg 480
t 481

```

&lt;210&gt; 207

&lt;211&gt; 605

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 207

```

accttttttg gattcagggc tcctcacaat taaaatgagt gtaatgaaac aagggtgaaaa 60
tatagaagca tccctttgta tactgttttg ctacttacag tgtacttggc attgctttat 120
ctcactggat tctcacggta ggatttctga gatcttaatc taagctccaa agttgtctac 180
ttttttgata ctaggggtgt ccttttggtt tacagagcag ggtcacttga tttgctagct 240
gggtggcagaa ttggcaccat taccaggtc tgactgacca ccagtcagag gcactttatt 300
tgtatcatga aatgatttga aatcattgta aagcagcgaa gtctgataat gaatgccagc 360
tttccttgtg ctttgataac aaagactcca aatattcttg agaacctgga taaaagtattg 420
aagggtctaga ttgggatttg aagacaaaat ttagaggaaat cttacatttt tgcaataaca 480
aacattaatg aaagcaaaac attataaaaag taattttaat tcaccacata cttatcaatt 540
tcttgatgct tccaaatgac atctaccaga tatgggttttg tggacatctt tttctgttta 600
cataa 605

```

&lt;210&gt; 208

&lt;211&gt; 655

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 208

```

ggcgttggtt tggattcccg tcgtaactta aagggaact ttcacaatgt ccggagccct 60
tgatgtcctg caaatgaagg aggaggatgt ccttaagttc cttgcagcag gaaccactt 120
aggtggcacc aatottgact tccagatgga acagtacatc tataaaagga aaagtgatgg 180
catctatatc ataaatctca agaggacctg ggagaagctt ctgctggcag ctctgtgcaat 240
tgttgccatt gaaaacctg ctgatgtcag tgttatatcc tccaggaata ctggccagag 300
ggctgtgctg aagtttgctg ctgccactgg agccactcca attgctggcc gcttcactcc 360

```

```

tggaaccttc actaaccaga tccaggcagc cttccgggag ccacggcttc ttgtgggttac 420
tgaccccgagg gctgaccacc agcctctcac ggaggcatct tatgttaacc tacctaccat 480
tgcgctgtgt aacacagatt ctctctcgcg ctatgtggac attgccatcc catgcaacaa 540
caagggagct cactcagtgg gtttgatgtg gtggatgctg gctcgggaag ttctgcgcat 600
gcgtggcacc atttcccggtg aacacccatg ggaggatcatg cctgatctgt acttc 655

```

&lt;210&gt; 209

&lt;211&gt; 621

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 209

```

catttagaac atgggttatca tccaagacta ctctaccctg caacattgaa ctccaagag 60
caaatccaca ttctctttga gttctgcagc ttctgtgtaa atagggcagc tgcgtcttat 120
gccgtagaat cacatgatct gaggaccatt catggaagct gctaaatagc ctagtctggg 180
gagtcttcca taaagttttg catggagcaa acaaacagga ttaaactagg tttggttcct 240
tcagccctct aaaagcatag ggcttagcct gcaggcttcc ttgggcttcc tctgtgtgtg 300
tagttttgta aacactatag catctgttaa gatccagtgt ccatggaaac cttcccacat 360
gccgtgactc tggactatat cagttttttg aaagcagggt tcctctgcct gctaacaagc 420
ccacgtggac cagtctgaat gtctttcctt tacacctatg tttttaaata gtcaaacttc 480
aagaaacaat ctaaacaagt ttctgttgca tatgtgtttg tgaacttgta tttgtattta 540
gtaggcttct atattgcatt taacttgttt ttgtaactcc tgattcttcc ttttcggata 600
ctattgatga ataaagaaat t 621

```

&lt;210&gt; 210

&lt;211&gt; 533

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (20)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (21)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (61)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 210

```

cgccttgggg agccggcggn ngagtccggg acgtggagac ccgggggtccc ggcagccggg 60
nggcccgcgg gccaggggtg gggatgcacc gccgcgggggt gggagctggc gccatcgcca 120
agaagaaact tgcagaggcc aagtataagg agcgaggagc ggtcttggct gaggaccagc 180
tagcccagat gtcaaagcag ttggacatgt tcaagaccaa cctggaggaa tttgccagca 240
aacacaagca ggagatccgg aagaatcctg agttccgtgt gcagttccag gacatgtgtg 300
caaccattgg cgtggatccg ctggcctctg gaaaaggatt ttggctctgag atgctgggcg 360
tgggggactt ctattacgaa ctaggtgtcc aaattatcga agtgtgcctg gcgctgaagc 420
atcggaatgg aggtctgata actttggagg aactacatca acaggtgttg aagggaaggg 480
gcaagttcgc ccaggatgtc agtcaagatg acctgatcag agccatcaag aaa 533

```

&lt;210&gt; 211

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<400> 211  
 ttagcttgag ccgagaacga ggcgagaaag ctggagaccg aggagaccgc ctagagcgga 60  
 gtgaacgggg aggggaccgt ggggaccggc ttgatcgtgc gcggacacct gctaccaagc 120  
 ggagcttcag caaggaagtg gaggagcgga gtagagaacg gccctcccag cctgaggggc 180  
 tgcgcaaggc agctagcctc acggaggatc gggaccgtgg gcgggatgcc gtgaagcgag 240  
 aagctgccct acccccagtg agccccctga aggcggctct ctctgaggag gagttagaga 300  
 agaaatccaa ggctatcatt gaggaatata tccatctcaa tgacatgaaa gaggcagtcc 360  
 agtgcgtgca ggagctggcc tcacctcct tgctcttcat ctttgtacgg catgggtgctg 420  
 agtctacgct ggagcgcgagt gccattgctc g 451

<210> 212  
 <211> 471  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> unsure  
 <222> (54)  
 <223> n=A,T,C or G

<400> 212  
 gtgattattc ttgatcaggg agaagatcat ttagatttgt tttgcattcc ttanaatgga 60  
 gggcaacatt ccacagctgc cctggctgtg atgagtgtcc ttgcaggggc cggagtagga 120  
 gcactggggg gggggcggaa ttgggggttac tcgatgtaag ggattccttg ttgttggtgt 180  
 gagatccagt gcagttgtga tttctgtgga tcccagcttg gttccaggaa ttttgtgtga 240  
 ttggcttaaa tccagttttc aatcttcgac agctgggctg gaacgtgaac tcagtagctg 300  
 aacctgtctg acccggtcac gttcttggat cctcagaact ctttgcctct gtcggggtgg 360  
 ggggtgggaac tcacgtgggg agcgggtggc gagaaaatgt aaggattctg gaatacatat 420  
 tccatgggac tttccttccc tctcctgctt cctcttttcc tgctccctaa c 471

<210> 213  
 <211> 511  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> unsure  
 <222> (27)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (63)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (337)  
 <223> n=A,T,C or G  
 <221> unsure  
 <222> (442)  
 <223> n=A,T,C or G

<400> 213  
 ctaattagaa acttgctgta cttttntttt tcttttaggg gtcaaggacc ctctttatag 60  
 ctncattttg cctacaataa attattgcag cagtttgcaa tactaaaata ttttttatag 120  
 actttatatt tttccttttg ataaagggat gctgcatagt agagtgggtg taattaaact 180  
 atctcagccg tttccctgct ttcccttctg ctccatatgc ctcatgtcc ttccagggag 240

```

ctcttttaat cttaaagtgc tacatttcat gctcttagtc aaattctgtt acctttttaa 300
taactcttcc cactgcatat ttccatcttg aattggnggt tctaaattct gaaactgtag 360
ttgagataca gctattttaat atttctggga gatgtgcatc cctcttcttt gtggttgccc 420
aagggtgttt tgcgtaactg anactccttg atatgcttca gagaatttag gcaaactg 480
gccatggccg tgggagtact gggagtaaaa t 511

```

&lt;210&gt; 214

&lt;211&gt; 521

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 214

```

agcattgcc aataatccct aattttccac taaaaatata atgaaatgat gttaagcttt 60
ttgaaaagtt taggttaaac ctactgttgt tagattaatg tatttggtgc ttccctttat 120
ctggaatgtg gcattagctt ttttatttta accctcttta attcttattc aattccatga 180
cttaaggttg gagagctaaa cactgggatt tttggataac agactgacag ttttgcataa 240
ttataatcgg cattgtacat agaaaggata tggctacctt ttgttaaate tgcactttct 300
aaatatcaaa aaagggaat gaagtataaa tcaatttttg tataatctgt ttgaaacatg 360
agttttatatt gcttaatat agggctttgc cccttttctg taagtctctt gggatcctgt 420
gtagaagctg ttctcattaa acaccaaaca gttaagtcca ttctctggta ctagctacaa 480
attcggtttc atattctact taacaattta aataaactga a 521

```

&lt;210&gt; 215

&lt;211&gt; 381

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (17)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (20)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (60)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (61)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (365)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 215

```

gagcggagag cggaccngtn agagccctga gcagccccac cgcgcgcgc ggcctagttn 60
ncatcacacc ccgggaggag ccgcagctgc cgcagccggc cccagtcacc atcacgcgaa 120
ccatgagcag cgaggccgag acccagcagc cgcccgccgc ccccccgcc gccccgcgc 180
tcagcgccgc cgacaccaag cccggcacta cgggcagcgc cgcagggagc ggtggcccg 240
gcggcctcac atcggcggcg cctgcgggcg gggacaagaa ggtcatcgca acgaaggttt 300
tgggaacagt aaaatggttc aatgtaagga acggatatgg tttcatcaac aggaatgaca 360
ccaangaaga tgtatttgta c 381

```

&lt;210&gt; 216

&lt;211&gt; 425

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 216

```

ttactaacta ggtcattcaa ggaagtcaag ttaacttaaa catgtcacct aaatgcactt 60
gatgggtgttg aaatgtccac cttcttaaat ttttaagatg aacttagttc taaagaagat 120
aacaggccaa tcctgaaggt actccctggt tgcctgcagaa tgcagatat tttggatggt 180
gcataagagt cctatttgcc ccagttaatt caacttttgt ctgcctgttt tgtggactgg 240
ctggctctgt tagaactctg tccaaaaagt gcatggaata taacttgtaa agcttcccac 300
aattgacaat atatatgcat gtgttttaac caaatccaga aagcttaaac aatagagctg 360
cataatagta tttattaaag aatcacaaact gtaaacaatga gaataactta aggattctag 420
tttag                                           425

```

&lt;210&gt; 217

&lt;211&gt; 181

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 217

```

gagaaaccaa atgataggtt gtagagcctg atgactccaa acaaagccat caccgcatt 60
cttcctcctt cttctgggtgc tacagctcca agggcccttc accttcattg ctgaaatgga 120
actttggcctt tttcagtgga agaatatggt gaaggtttca ttttgttcta gaaaaaaaaa 180
a                                           181

```

&lt;210&gt; 218

&lt;211&gt; 405

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 218

```

caggccttcc agttcactga caaacatggg gaagtgtgcc cagctggctg gaaacctggc 60
agtgatacca tcaagcctga tgtccaaaag agcaaagaat atttctccaa gcagaagtga 120
gcgctgggct gttttagtgc caggctgcgg tgggcagcca tgagaacaaa acctcttctg 180
tatttttttt ttccattagt aaaacacaag acttcagatt cagccgaatt gtggtgtctt 240
acaaggcagg cctttcctac aggggggtgga gagaccagcc tttcttcctt tggtaggaat 300
ggcctgagtt ggcgttgtgg gcaggctact ggtttgtatg atgtattagt agagcaaccc 360
attaatcttt tgtagtttgt attaaacttg aactgagaaa aaaaaa 405

```

&lt;210&gt; 219

&lt;211&gt; 216

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (207)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (210)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 219

```

actccaagag ttagggcagc agagtggagc gatttagaaa gaacatttta aaacaatcag 60
ttaatttacc atgtaaaatt gctgtaaatg ataatgtgta cagattttct gttcaaatat 120
tcaattgtaa acttcttggt aagactgtta cgtttctatt gcttttgtat gggatattgc 180

```

aaaaataaaa aggaaagaac cctcttnaan aaaaaa

216

&lt;210&gt; 220

&lt;211&gt; 380

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 220

```
cttacaaatt gcccccatgt gtaggggaca cagaaccctt tgagaaaact tagatttttg 60
tctgtacaaa gtctttgcct ttttccttct tcattttttt ccagtacatt aaatttgtca 120
atttcattctt tgagggaac tgattagatg ggttggtgtt gtgttctgat ggagaaaaca 180
gcacccaag gactcagaag atgattttta cagttcagaa cagatgtgtg caatattggt 240
gcatgtaata atgttgagtg gcagtcacaaa gtcattgatt ttatcttagt tcttcattac 300
tgcattgaaa aggaaaacct gtctgagaaa atgcctgaca gtttaattta aaactatggt 360
gtaagtcttt gacaaaaaaa                                     380
```

&lt;210&gt; 221

&lt;211&gt; 398

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 221

```
ggttagtaag ctgtcgactt tgtaaaaaag ttaaaaatga aaaaaaaagg aaaaatgaat 60
tgtatattta atgaatgaac atgtacaatt tgccactggg aggaggttcc tttttgttgg 120
gtgagtcctgc aagtgaattt cactgatgtt gatattcatt gtgtgtagtt ttatttcggt 180
cccagccccg tttcctttta ttttggagct aatgccagct gcgtgtctag ttttgagtgc 240
agtaaaaatag aatcagcaaa tcaactcttat ttttcattcct tttccggtat tttttgggtt 300
gtttctgtgg gagcagtgtg caccaactct tcctgtatat tgcctttttg ctggaaaatg 360
ttgtatgttg aataaaaattt tctataaaaa ttaaaaaa                                     398
```

&lt;210&gt; 222

&lt;211&gt; 301

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; unsure

&lt;222&gt; (49)

&lt;223&gt; n=A,T,C or G

&lt;221&gt; unsure

&lt;222&gt; (64)

&lt;223&gt; n=A,T,C or G

&lt;400&gt; 222

```
ttcgataatt gatctcatgg gctttccctg gaggaaggt tttttttgnt gtttattttt 60
taanaacttg aaacttgtaa actgagatgt ctgtagcttt tttgcccatc tgtagtgtat 120
gtgaagattt caaacctga gagcactttt tctttgttta gaattatgag aaaggcacta 180
gatgacttta ggatttgcatt ttttcctttt attgcctcat ttcttgtgac gccttggttg 240
ggagggaaat ctgtttattt tttcctacaa ataaaaagct aagattctat atcgcaaaaa 300
a                                                                 301
```

&lt;210&gt; 223

&lt;211&gt; 200

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 223

gtaagtgtt aggaagaaac ttgcaaaca tttaatgagg atacactgtt cttttttaaa 60  
 attccttcac actgtaattt aatgtgtttt atattctttt gtagtaaaac aacataactc 120  
 agatttctac aggagacagt ggttttattt ggattgtctt ctgtaatagg tttcaataaa 180  
 gctggatgaa cttaaaaaaa 200

&lt;210&gt; 224

&lt;211&gt; 385

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 224

gaaaggtttg atccggactc aaagaaagca aaggagtgtg agccgccatc tgctggagca 60  
 gctgtaactg caagacctgg acaagagatt cgtcagcgaa ctgcagctca aagaaacctt 120  
 tctccaacac cagcaagccc taaccagggc cctcctccac aagttccagt atctcctgga 180  
 ccaccaaagg acagttctgc ccctgggtgga cccccagaaa ggactgttac tccagcccta 240  
 tcatcaaagt tgttaccaag acatcttgga tcccctgcta cttcagtgcg tggaatgggt 300  
 aaacagagca cttaatgtta tttacagttt atattgtttt ctctgggttac caataaaacg 360  
 ggccattttc aggtggtaaa aaaaa 385

&lt;210&gt; 225

&lt;211&gt; 560

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 225

Met Glu Cys Leu Tyr Tyr Phe Leu Gly Phe Leu Leu Leu Ala Ala Arg  
 1 5 10 15  
 Leu Pro Leu Asp Ala Ala Lys Arg Phe His Asp Val Leu Gly Asn Glu  
 20 25 30  
 Arg Pro Ser Ala Tyr Met Arg Glu His Asn Gln Leu Asn Gly Trp Ser  
 35 40 45  
 Ser Asp Glu Asn Asp Trp Asn Glu Lys Leu Tyr Pro Val Trp Lys Arg  
 50 55 60  
 Gly Asp Met Arg Trp Lys Asn Ser Trp Lys Gly Gly Arg Val Gln Ala  
 65 70 75 80  
 Val Leu Thr Ser Asp Ser Pro Ala Leu Val Gly Ser Asn Ile Thr Phe  
 85 90 95  
 Ala Val Asn Leu Ile Phe Pro Arg Cys Gln Lys Glu Asp Ala Asn Gly  
 100 105 110  
 Asn Ile Val Tyr Glu Lys Asn Cys Arg Asn Glu Ala Gly Leu Ser Ala  
 115 120 125  
 Asp Pro Tyr Val Tyr Asn Trp Thr Ala Trp Ser Glu Asp Ser Asp Gly  
 130 135 140  
 Glu Asn Gly Thr Gly Gln Ser His His Asn Val Phe Pro Asp Gly Lys  
 145 150 155 160  
 Pro Phe Pro His His Pro Gly Trp Arg Arg Trp Asn Phe Ile Tyr Val  
 165 170 175  
 Phe His Thr Leu Gly Gln Tyr Phe Gln Lys Leu Gly Arg Cys Ser Val  
 180 185 190  
 Arg Val Ser Val Asn Thr Ala Asn Val Thr Leu Gly Pro Gln Leu Met  
 195 200 205  
 Glu Val Thr Val Tyr Arg Arg His Gly Arg Ala Tyr Val Pro Ile Ala

210		215		220
Gln Val Lys Asp Val Tyr Val Val Thr Asp Gln Ile Pro Val Phe Val				
225		230		235
Thr Met Phe Gln Lys Asn Asp Arg Asn Ser Ser Asp Glu Thr Phe Leu				240
	245		250	255
Lys Asp Leu Pro Ile Met Phe Asp Val Leu Ile His Asp Pro Ser His				
	260		265	270
Phe Leu Asn Tyr Ser Thr Ile Asn Tyr Lys Trp Ser Phe Gly Asp Asn				
	275		280	285
Thr Gly Leu Phe Val Ser Thr Asn His Thr Val Asn His Thr Tyr Val				
	290		295	300
Leu Asn Gly Thr Phe Ser Leu Asn Leu Thr Val Lys Ala Ala Ala Pro				
305		310		315
Gly Pro Cys Pro Pro Pro Pro Pro Pro Arg Pro Ser Lys Pro Thr				320
	325		330	335
Pro Ser Leu Gly Pro Ala Gly Asp Asn Pro Leu Glu Leu Ser Arg Ile				
	340		345	350
Pro Asp Glu Asn Cys Gln Ile Asn Arg Tyr Gly His Phe Gln Ala Thr				
	355		360	365
Ile Thr Ile Val Glu Gly Ile Leu Glu Val Asn Ile Ile Gln Met Thr				
	370		375	380
Asp Val Leu Met Pro Val Pro Trp Pro Glu Ser Ser Leu Ile Asp Phe				
385		390		395
Val Val Thr Cys Gln Gly Ser Ile Pro Thr Glu Val Cys Thr Ile Ile				400
	405		410	415
Ser Asp Pro Thr Cys Glu Ile Thr Gln Asn Thr Val Cys Ser Pro Val				
	420		425	430
Asp Val Asp Glu Met Cys Leu Leu Thr Val Arg Arg Thr Phe Asn Gly				
	435		440	445
Ser Gly Thr Tyr Cys Val Asn Leu Thr Leu Gly Asp Asp Thr Ser Leu				
	450		455	460
Ala Leu Thr Ser Thr Leu Ile Ser Val Pro Asp Arg Asp Pro Ala Ser				
465		470		475
Pro Leu Arg Met Ala Asn Ser Ala Leu Ile Ser Val Gly Cys Leu Ala				
	485		490	495
Ile Phe Val Thr Val Ile Ser Leu Leu Val Tyr Lys Lys His Lys Glu				
	500		505	510
Tyr Asn Pro Ile Glu Asn Ser Pro Gly Asn Val Val Arg Ser Lys Gly				
	515		520	525
Leu Ser Val Phe Leu Asn Arg Ala Lys Ala Val Phe Phe Pro Gly Asn				
	530		535	540
Gln Glu Lys Asp Pro Leu Leu Lys Asn Gln Glu Phe Lys Gly Val Ser				
545		550		555
				560

<210> 226  
 <211> 9  
 <212> PRT  
 <213> Homo sapien

<400> 226  
 Ile Leu Ile Pro Ala Thr Trp Lys Ala  
 1 5

<210> 227  
 <211> 9



<212> PRT  
<213> Homo sapien

<400> 227  
Phe Leu Leu Asn Asp Asn Leu Thr Ala  
1 5

<210> 228  
<211> 9  
<212> PRT  
<213> Homo sapien

<400> 228  
Leu Leu Gly Asn Cys Leu Pro Thr Val  
1 5

<210> 229  
<211> 10  
<212> PRT  
<213> Homo sapien

<400> 229  
Lys Leu Leu Gly Asn Cys Leu Pro Thr Val  
1 5 10

<210> 230  
<211> 10  
<212> PRT  
<213> Homo sapien

<400> 230  
Arg Leu Thr Gly Gly Leu Lys Phe Phe Val  
1 5 10

<210> 231  
<211> 9  
<212> PRT  
<213> Homo sapien

<400> 231  
Ser Leu Gln Ala Leu Lys Val Thr Val  
1 5

<210> 232  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 232  
Ala Gly Ala Asp Val Ile Lys Asn Asp Gly Ile Tyr Ser Arg Tyr Phe  
5 10 15

Phe Ser Phe Ala  
20

<210> 233

<211> 21

<212> PRT

<213> Homo sapiens

<400> 233

Phe Phe Ser Phe Ala Ala Asn Gly Arg Tyr Ser Leu Lys Val His Val  
5 10 15

Asn His Ser Pro Ser  
20

<210> 234

<211> 20

<212> PRT

<213> Homo sapiens

<400> 234

Phe Leu Val Thr Trp Gln Ala Ser Gly Pro Pro Glu Ile Ile Leu Phe  
5 10 15

Asp Pro Asp Gly  
20

<210> 235

<211> 20

<212> PRT

<213> Homo sapiens

<400> 235

Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu Phe Ile Pro  
5 10 15

Pro Asn Ser Asp  
20

<210> 236

<211> 20

<212> PRT

<213> Homo sapiens

<400> 236

Ile Gln Asp Asp Phe Asn Asn Ala Ile Leu Val Asn Thr Ser Lys Arg  
5 10 15

Asn Pro Gln Gln  
20

<210> 237

<211> 21  
<212> PRT  
<213> Homo sapiens

<400> 237  
Arg Asn Ser Leu Gln Ser Ala Val Ser Asn Ile Ala Gln Ala Pro Leu  
                  5                  10                  15

Phe Ile Pro Pro Asn  
                  20

<210> 238  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 238  
Thr His Glu Ser His Arg Ile Tyr Val Ala Ile Arg Ala Met Asp Arg  
                  5                  10                  15

Asn Ser Leu Gln  
                  20

<210> 239  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 239  
Arg Asn Pro Gln Gln Ala Gly Ile Arg Glu Ile Phe Thr Phe Ser Pro  
                  5                  10                  15

Gln Ile Ser Thr  
                  20

<210> 240  
<211> 21  
<212> PRT  
<213> Homo sapiens

<400> 240  
Gly Gln Ala Thr Ser Tyr Glu Ile Arg Met Ser Lys Ser Leu Gln Asn  
                  5                  10                  15

Ile Gln Asp Asp Phe  
                  20

<210> 241  
<211> 20  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 241

Glu Arg Lys Trp Gly Phe Ser Arg Val Ser Ser Gly Gly Ser Phe Ser  
5 10 15

Val Leu Gly Val  
20

&lt;210&gt; 242

&lt;211&gt; 20

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 242

Gly Ser His Ala Met Tyr Val Pro Gly Tyr Thr Ala Asn Gly Asn Ile  
5 10 15

Gln Met Asn Ala  
20

&lt;210&gt; 243

&lt;211&gt; 20

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 243

Val Asn His Ser Pro Ser Ile Ser Thr Pro Ala His Ser Ile Pro Gly  
5 10 15

Ser His Ala Met  
20

&lt;210&gt; 244

&lt;211&gt; 20

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 244

Ala Val Pro Pro Ala Thr Val Glu Ala Phe Val Glu Arg Asp Ser Leu  
5 10 15

His Phe Pro His  
20

&lt;210&gt; 245

&lt;211&gt; 20

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 245

Lys Pro Gly His Trp Thr Tyr Thr Leu Asn Asn Thr His His Ser Leu

117

5

10

15

Gln Ala Leu Lys  
20

<210> 246  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 246  
Asn Leu Thr Phe Arg Thr Ala Ser Leu Trp Ile Pro Gly Thr Ala Lys  
5 10 15

Pro Gly His Trp  
20

<210> 247  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 247  
Leu His Phe Pro His Pro Val Met Ile Tyr Ala Asn Val Lys Gln Gly  
5 10 15

Phe Tyr Pro Ile  
20

<210> 248  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 248  
Pro Glu Thr Gly Asp Pro Val Thr Leu Arg Leu Leu Asp Asp Gly Ala  
5 10 15

Gly Ala Asp Val  
20

<210> 249  
<211> 20  
<212> PRT  
<213> Homo sapiens

<400> 249  
Gly Phe Tyr Pro Ile Leu Asn Ala Thr Val Thr Ala Thr Val Glu Pro  
5 10 15

Glu Thr Gly Asp

20

<210> 250  
 <211> 20  
 <212> PRT  
 <213> Homo sapiens

<400> 250  
 Phe Asp Pro Asp Gly Arg Lys Tyr Tyr Thr Asn Asn Phe Ile Thr Asn  
                             5                            10                            15

Leu Thr Phe Arg  
                   20

<210> 251  
 <211> 20  
 <212> PRT  
 <213> Homo sapiens

<400> 251  
 Leu Gln Ala Leu Lys Val Thr Val Thr Ser Arg Ala Ser Asn Ser Ala  
                             5                            10                            15

Val Pro Pro Ala  
                   20

<210> 252  
 <211> 153  
 <212> PRT  
 <213> Homo sapien

<400> 252  
 Met Ala Ser Val Arg Val Ala Ala Tyr Phe Glu Asn Phe Leu Ala Ala  
   1                            5                            10                            15  
 Trp Arg Pro Val Lys Ala Ser Asp Gly Asp Tyr Tyr Thr Leu Ala Val  
                             20                            25                            30  
 Pro Met Gly Asp Val Pro Met Asp Gly Ile Ser Val Ala Asp Ile Gly  
                             35                            40                            45  
 Ala Ala Val Ser Ser Ile Phe Asn Ser Pro Glu Glu Phe Leu Gly Lys  
                             50                            55                            60  
 Ala Val Gly Leu Ser Ala Glu Ala Leu Thr Ile Gln Gln Tyr Ala Asp  
   65                            70                            75                            80  
 Val Leu Ser Lys Ala Leu Gly Lys Glu Val Arg Asp Ala Lys Ile Thr  
                             85                            90                            95  
 Pro Glu Ala Phe Glu Lys Leu Gly Phe Pro Ala Ala Lys Glu Ile Ala  
                             100                            105                            110  
 Asn Met Cys Arg Phe Tyr Glu Met Lys Pro Asp Arg Asp Val Asn Leu  
                             115                            120                            125  
 Thr His Gln Leu Asn Pro Lys Val Lys Ser Phe Ser Gln Phe Ile Ser  
                             130                            135                            140  
 Glu Asn Gln Gly Ala Phe Lys Gly Met  
   145                            150

<210> 253  
 <211> 462  
 <212> DNA  
 <213> Homo sapien

<400> 253  
 atggccagtg tccgcgtggc ggccctacttt gaaaactttc tcgcggcgtg gcggcccgtg 60  
 aaagcctctg atggagatta ctacaccttg gctgtaccga tgggagatgt accaatggat 120  
 ggtatctctg ttgctgatat tggagcagcc gtctctagca tttttaattc tccagaggaa 180  
 tttttaggca aggccgtggg gctcagtgc gaagcaactaa caatacagca atatgctgat 240  
 gttttgtcca aggctttggg gaaagaagtc cgagatgcaa agattacccc ggaagctttc 300  
 gagaagctgg gattccctgc agcaaaggaa atagccaata tgtgtcgttt ctatgaaatg 360  
 aagccagacc gagatgtcaa tctcacccac caactaaatc ccaaagtcaa aagcttcagc 420  
 cagtttatct cagagaacca gggagccttc aagggcattg ag 462

<210> 254  
 <211> 8031  
 <212> DNA  
 <213> Homo sapien

<400> 254  
 tggcgaatgg gacgcgccct gtagcggcgc attaagcgcg gcgggtgtgg tggttacgcg 60  
 cagcgtgacc gctacacttg ccagcgcctt agcgcgcgt cctttcgttt tcttcccttc 120  
 ctttctcgcc acgttcgcgg gctttccccc tcaagctcta aatcgggggc tccctttagg 180  
 gttccgattt agtgctttac ggcacctcga cccccaaaaa cttgattagg gtgatggttc 240  
 acgtagtggg ccatcgccct gatagacggg ttttcgcctt ttgacgttgg agtccacgtt 300  
 ctttaatatg ggactcttgt tccaaactgg aacaacactc aaccctatct cggctctattc 360  
 ttttgattta taagggattt tgccgatttc ggccctattgg ttaaaaaatg agctgattta 420  
 acaaaaaatt aacgcgaatt ttaacaaaat attaacgttt acaatttcag gtggcacttt 480  
 tcggggaaat gtgcgcggaa cccctatttg tttatttttc taaatacatt caaatatgta 540  
 tccgctcatg aattaattct tagaaaaact catcgagcat caaatgaaac tgcaatttat 600  
 tcatatcagg attatcaata ccatattttt gaaaaagccg tttctgtaat gaaggagaaa 660  
 actcaccgag gcagttccat aggatggcaa gatcctggta tcgggtctgcg attccgactc 720  
 gtccaacatg aatacaacct attaatcttc cctcgtcaaa aataaggtta tcaagtgaga 780  
 aatcaccatg agtgacgact gaatccgggtg agaatggcaa aagtttatgc atttctttcc 840  
 agacttgttc aacaggccag ccattacgct cgtcatcaaa atcactcgca tcaaccaaac 900  
 cgttattcat tctgtattgc gctgagcga gacgaaatac gcgatcgtg ttaaaaggac 960  
 aattacaaac aggaatcgaa tgcaaccggc gcaggaacac tgccagcgca tcaacaatat 1020  
 tttcacctga atcaggatat tcttctaata cctggaatgc tgttttcccg gggatcgag 1080  
 tgggtgagtaa ccatgcatca tcaggagtac ggataaaatg cttgatggtc ggaagaggca 1140  
 taaattccgt cagccagttt agtctgacca tctcatctgt aacatcattg gcaacgctac 1200  
 ctttgccatg tttcagaaac aactctggcg catcgggctt cccatacaat cgatagattg 1260  
 tcgcacctga ttgcccagca ttatcgcgag cccattttata cccatataaa tcagcatcca 1320  
 tgttggaatt taatcgcggc ctagagcaag acgtttcccg ttgaatatgg ctcataaacac 1380  
 cccttgattt actgtttatg taagcagaca gttttattgt tcatgaccaa aatcccttaa 1440  
 cgtgagtttt cgttccactg agcgtcagac ccgtagaaa agatcaaagg atcttcttga 1500  
 gatccttttt ttctgcgcgt aatctgctgc ttgcaaacia aaaaaccacc gctaccagcg 1560  
 gtggtttggt tgccggatca agagctacca actctttttc cgaaggtaac tggcttcagc 1620  
 agagcgcaga taccaaatac tgtccttcta gtgtagcgt agttaggcca ccacttcaag 1680  
 aactctgtag caccgcctac atacctcgt ctgctaatec tgttaccagt ggctgctgcc 1740  
 agtggcgata agtcgtgtct tacccgggtg gactcaagac gatagttacc ggataaggcg 1800  
 cagcggtcgg gctgaacggg gggttcgtgc acacagccca gcttgagcg aacgacctac 1860  
 accgaactga gatacctaca gcgtgagcta tgagaaagcg ccacgcttcc cgaagggaga 1920  
 aaggcggaca ggtatccggt aagcggcagg gtcggaacag gagagcgac gagggagctt 1980

ccagggggaa	acgcctggta	totttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	2040
cgtcgatttt	tgtgatgctc	gtcagggggg	cggagcctat	ggaaaaacgc	cagcaacgcg	2100
gcctttttac	ggttcctggc	cttttgcctg	ccttttgcctc	acatgttctt	tcctgcgtta	2160
tcccttgatt	ctgtggataa	ccgtattacc	gcctttgagt	gagctgatac	cgctcgccgc	2220
agccgaacga	ccgagcgcag	cgagtcagtg	agcagaggaag	cggaaagagcg	cctgatgcgg	2280
tattttctcc	ttacgcctct	gtgcgggtatt	tcacaccgca	tatatggtgc	actctcagta	2340
caatctgctc	tgatgccgca	tagttaagcc	agtatacact	ccgctatcgc	tacgtgactg	2400
ggtcatggct	gcgccccgac	acccgcccaac	acccgcctgac	gcgcccctgac	gggcttgtct	2460
gctcccggca	tccgcttaca	gacaagctgt	gaccgtctcc	gggagctgca	tgtgtcagag	2520
gttttcaccg	tcatcaccca	aacgcgcgag	gcagctgcgg	taaagctcat	cagcgtgggtc	2580
gtgaagcgat	tcacagatgt	ctgcctgttc	atccgcgtcc	agctcgttga	gtttctccag	2640
aagcgttaat	gtctggcttc	tgataaagcg	ggccatgtta	agggcgggtt	tttctgttt	2700
ggtcactgat	gcctccgtgt	aagggggatt	tctgttcatg	ggggtaatga	taccgatgaa	2760
acgagagagg	atgctcacga	tacgggttac	tgatgatgaa	catgcccggt	tactggaacg	2820
ttgtgaggg	aaacaactgg	cggatatggat	gcggcgggac	cagagaaaaa	tcactcaggg	2880
tcaatgccag	cgcttcgtta	atacagatgt	aggtgttcca	cagggtagcc	agcagcatcc	2940
tgcatgcag	atccggaaca	taatgggtga	gggcgctgac	ttccgcgttt	ccagacttta	3000
cgaacacgg	aaaccgaaga	ccattcatgt	tggtgtcag	gtcgcagacg	ttttgcagca	3060
gcagtcgctt	cacgttcgct	cgcgtatcgg	tgattcattc	tgctaaccag	taaggcaacc	3120
ccgccagcct	agccgggtcc	tcaacgacag	gagcacgac	atgcgcaccc	gtggggccgc	3180
catgccggcg	ataatggcct	gcttctcgcc	gaaacgtttg	gtggcgggac	cagtgcgaa	3240
ggcttgagcg	agggcgtgca	agattccgaa	taccgcaagc	gacaggccga	tcctcgtcgc	3300
gctccagcga	aagcggctcc	cgccgaaaat	gaccagagc	gctgccggca	cctgtcctac	3360
gagttgcatg	ataaagaaga	cagtcataag	tgccggcgacg	atagtcatgc	cccgcgcca	3420
ccggaaggag	ctgactgggt	tgaaggctct	caaggccatc	ggtcgagatc	ccggtgccta	3480
atgagtgcag	taacttacat	taattgcgtt	gcgtcactg	cccgttttcc	agtcgggaaa	3540
cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	gtttgcgtat	3600
tgggcgccaag	ggtgggtttt	cttttcacca	gtgagacggg	caacagctga	ttgcccttca	3660
ccgcctggcc	ctgagagagt	tgcagcaagc	ggtccacgct	ggtttgcccc	agcaggcgaa	3720
aatcctgttt	gatgggtggt	aacggcgggg	tataacatga	gctgtcttcg	gtatcgctgt	3780
atcccactac	cgagatatcc	gcaccaacgc	gcagcccggg	ctcggtaatg	gcgcgcattg	3840
cgcccagcgc	catctgatcg	ttggcaacca	gcctgcagct	gggaacgatg	ccctcattca	3900
gcatttgcat	ggtttggtga	aaaccggaca	tggcactcca	gtcgcttcc	cgttccgcta	3960
tcggctgaat	ttgattgoga	gtgagatatt	tatgccagcc	agccagacgc	agacgcgcgc	4020
agacagaact	taatgggccc	gctaacagcg	cgatttgctg	gtgacccaat	gcgaccagat	4080
gctccacgcc	cagtcgcgta	ccgtcttcat	gggagaaaat	aatactgttg	atgggtgtct	4140
ggtcagagac	atcaagaaat	aacgcgggaa	cattagtgcg	ggcagcttcc	acagcaatgg	4200
catcctgggtc	atccagcgga	tagttaatga	tcagcccact	gacgcgttgc	gcgagaagat	4260
tgtgcaccgc	cgttttacag	gcttcgacgc	cgttcgttcc	taccatcgac	accaccacgc	4320
tggcaccag	ttgatcgggc	cgagatttaa	tcgcccgcgac	aatttgcgac	ggcgcgtgca	4380
gggccagact	ggaggtggca	acgccaatca	gcaacgactg	tttgcccgc	agttgttgtg	4440
ccacgcggtt	gggaatgtaa	ttcagctccg	ccatcgccgc	ttccactttt	tcgcccgttt	4500
tcgcagaaac	gtggctggcc	tggttcacca	cgccgggaaac	ggtctgataa	gagacaccgg	4560
catactctgc	gacatcgat	aacgttactg	gtttcacatt	caccaccctg	aattgactct	4620
cttcggggcg	ctatcatgcc	ataccgcgaa	aggttttgcg	ccattcgatg	gtgtccggga	4680
tctcgacgct	ctcccttatg	cgactcctgc	attaggaagc	agcccagtag	taggttgagg	4740
ccgttgagca	ccgcgcgcgc	aaggaatggt	gcctgcaagg	agatggcgcc	caacagtcct	4800
ccggccacgg	ggcctgccac	catacccacg	ccgaaacaag	cgctcatgag	cccgaagtgg	4860
cgagcccgat	cttccccatc	ggtgatgtcg	gcgatatagg	cgccagcaac	cgcacctgtg	4920
gcgcgggtga	tgccggccac	gatgcgtccg	gcgtagagga	tcgagatctc	gatcccgcga	4980
aattaatacg	actcactata	ggggaattgt	gagcggataa	caattccct	ctagaaataa	5040
ttttgtttta	ctttaagaag	gagatataca	tatgcagcat	caccaccatc	accacggagt	5100
acagcttcaa	gacaatgggt	ataatggatt	gctcattgca	attaatctc	aggtacctga	5160
gaatcagaac	ctcatctcaa	acattaagga	aatgataact	gaagcttcat	tttacctatt	5220
taatgctacc	aagagaagag	tatttttcag	aatataaag	attttaatac	ctgccacatg	5280



gaaagcta	aat	aaataaaa	agaatcat	gaaaagg	atgtcat	5340
gactgact	tatgggg	atggagat	tccatacac	ctacaata	gaggggt	5400
aaaagagg	aaatacat	atttcacac	taatttcta	ctgaatga	acttaacag	5460
tggctacg	tcacgagg	gagtgttt	ccatgaat	gcccacct	gttgggg	5520
gttcgatg	tataacaat	acaaacct	ctacataaa	gggcaaaat	aaattaaag	5580
gacaagg	tcacgtg	tcacaggc	ttttgtgt	gaaaaagg	cttgcctcc	5640
agaaaact	attattag	agcttttta	agaaggat	acctttat	acaatagca	5700
ccaaaatg	actgcatc	taatgttc	gcaaagtt	tcttctgt	ttgaatttt	5760
taatgca	accacaac	aagaagca	aaacctac	aaccagat	gcagcctc	5820
aagtgcag	gatgtaat	cagactct	tgactttc	cacagcttc	ccatgaacg	5880
gactgagc	ccacctct	ccacattct	gcttgtag	gctggtga	aagtggct	5940
tttagtg	gatgtgtc	gcaagatg	agaggctg	agactcct	aactacaac	6000
agccgcag	ttttattt	tgcagatt	tgaatttc	accttcgt	gcattgcc	6060
tttcgac	aaaggaga	tcagagcc	gctacacca	attaacag	atgatgat	6120
aaagttg	gtttcatat	tgcccacc	tgtatcag	aaaacag	tcagcatt	6180
ttcaggg	aagaaagg	ttgaggtg	tgaaaaact	aatggaaa	cttatggc	6240
tgtgatga	ttagtga	gcggagat	taagcttc	ggcaattg	tacctact	6300
gctcagc	ggttcaac	ttcactcc	tgccctgg	tcacgtgc	ccccaaat	6360
ggaggaat	tcacgtct	caggaggt	aaagttct	gttcagat	tatcaaact	6420
caatagca	attgatgc	tcagtaga	ttcctctg	actggaga	ttttccag	6480
acatattc	cttgaaag	caggtgaaa	tgtcaaac	caccatca	tgaaaaac	6540
agtgaact	gataaact	tgggcaac	cactatgt	ctagttac	ggcaggcc	6600
tggtcctc	gagattat	tatttgat	tgatggac	aaatacta	caaataat	6660
tatcacca	ctaacttt	ggacagct	tctttgg	ccaggaac	ctaagcct	6720
gcactgg	tacaccct	acaatacc	tcattctc	caagccct	aagtgaac	6780
gacctctc	gcctcca	cagctgtg	cccagcc	gtggaag	ttgtgga	6840
agacagcc	catttctc	atcctgtg	gattttgc	aatgtgaa	agggattt	6900
tcccattc	aatgccact	tcactgcc	agtttagc	gagactgg	atcctgtt	6960
gctgagac	cttgatga	gagcaggt	tgatgtta	aaaaatga	gaatttact	7020
gaggtatt	ttctcctt	ctgcaaat	tagatatg	ttgaaagt	atgtcaat	7080
ctctcccg	ataagcac	cagccact	tattccag	agtcatgc	tgtatgt	7140
aggttac	gcaaacg	atattcag	gaatgctc	aggaaatc	taggcag	7200
tgaggagg	cgaaagt	gcttttag	agtcagct	ggaggctc	tttcagt	7260
gggagttc	gctggccc	accctgat	gtttccac	tgcaaaat	ttgacct	7320
agctgta	gtagaagg	aattgacc	atcttgga	gcacctgg	aagacttt	7380
tcagggcc	gctacaag	atgaaata	aatgagta	agtctaca	atatcca	7440
tgacttta	aatgctat	tagtaaata	atcaaagc	aatcctca	aagctgg	7500
caggggag	tttacgtt	caccccaa	ttccacga	ggacctga	atcagcca	7560
tgagaaac	catgaaag	acagaatt	tggttga	cgagcaat	ataggaac	7620
cttacagt	gctgtatc	acattgccc	ggcgctct	tttattccc	ccaattct	7680
tcctgtac	gccagag	atcttat	gaaaggag	ttaacag	tggtttg	7740
aggaatca	tgcttata	tagttgtg	acatcata	ttaacgag	aaaagag	7800
agacaaga	gagaatgg	caaaatt	ataatga	ctgcagat	ccatcac	7860
ggcgccg	cgagcacc	caccacc	actgagat	ggctgcta	aaagccc	7920
aggaagct	gttggctg	gccaccg	agcaata	agcataac	cttgggg	7980
ctaaacgg	cttgagg	ttttgtg	aaggagga	tatatccg	t	8031

&lt;210&gt; 255

&lt;211&gt; 401

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 255

gtggccagng	actagaaggc	gaggcgccgc	gggaccatgg	cggcgggcggc	ggacgagcgg	60
agtccanagg	acggagaaga	cgaggaagag	gaggagcagt	tggttctggt	ggaattatca	120
ggaattattg	attcagactt	cctctcaaaa	tgtgaaaata	aatgcaaggt	tttgggcatt	180
gacactgaga	ggccccattct	gcaagtggac	agctgtgtct	ttgctgggga	gtatgaagac	240
actctangga	cctgtgttat	atttgaagaa	aatgntnaac	atgctgatac	agaaggcaat	300
aataaaacag	tgctaaaata	taaatgccat	acaatgaaga	agctcagcat	gacaagaact	360
ctcctgacag	agaagaagga	aggagaagaa	aacatangtg	g		401

<210> 256

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 256

tggtggncct	gggatgggga	accgcggtgg	cttccngnga	ggtttcggca	ntggcatccg	60
gggccggggt	cgcgcccgng	gacggggccg	gggcnangc	cgnganctc	gcggangcaa	120
ggccgaggat	aaggagtga	tgcccgtcac	caacttgggc	cgcttgncca	aggacatgaa	180
nancaagccc	ctgnaggaga	tctatntctt	cttccctgcc	ccattaagga	atcaagagat	240
catttgattt	cttcttgggg	gcctctctca	aggatnaggt	ttttgaagat	tatgccagtg	300
canaaannan	accccgttgc	ccngtccatc	tncacccaac	ncttccaagg	gcnatttttg	360
tttaggcctc	attncngggg	ggaaccttaa	cccaatttgg	g		401

<210> 257

<211> 401

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(401)

<223> n = A,T,C or G

<400> 257

atgtatgtaa	aacacttcat	aaaatgtaaa	gggctataac	aaatatgtta	taaagtgatt	60
ctctcagccc	tgaggatatac	agaatcattt	gcctcagact	gctgttggat	tttaaaattt	120
ttaaaatatc	tgctaagtaa	tttgctatgt	cttctccac	actatcaata	tgctgtcttc	180
taacaggctc	cccactttct	tttaatgtgc	tgttatgagc	tttggacatg	agataaccgt	240
gcctgttcag	agtgtctaca	gtaagagctg	gacaaactct	ggaggggacac	agtctttgag	300
acagctcttt	tggttgcttt	ccacttttct	gaaaggttca	cagtaacctt	ctagataata	360
gaaactccca	gttaaagcct	angctancaa	tttttttttag	t		401

<210> 258

<211> 401

<212> DNA

<213> Homo sapien

<400> 258  
 ggagcgctag gtcggtgtac gaccgagatt aggggtgcgtg ccagctccgg gagggcgcgg 60  
 tgaggggccc ggcccaagct gccgaccga gccgatcgtc agggtegcc ggcctcagc 120  
 tctgtggagg agcagcagta gtcggagggt gcaggatatt agaaatggct actccccagt 180  
 caattttcat ctttgcaatc tgcattttta tgataacaga attaattctg gcctcaaaaa 240  
 gctactatga tatcttaggt gtgccaaaat cggcatcaga gcgccaaatc aagaaggcct 300  
 ttcacaagtt ggccatgaag taccacctg aaaaaataa gaccagatg ctgaagcaaa 360  
 attcagagag attgcagaag catatgaaac actctcagat g 401

<210> 259  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<400> 259  
 attgggtttg gagggaggat gatgacagag gaatgccctt tggccatcac ggttttgatt 60  
 ctccagaata ttgtgggttt gatcatcaat gcagtcattg taggctgcat tttcatgaaa 120  
 acagctcagg ctacagaag ggcagaaact ttgattttca gccgccatgc tgtgattgcc 180  
 gtccgaaatg gcaagctgtg cttcatgttc cgagtgggtg acctgaggaa aagcatgatc 240  
 attagtgcct ctgtgcgcac ccagggtggtc aagaaaacaa ctacacctga aggggagggtg 300  
 gttcctattc accaactgga cattcctgtt gataacccaa tcgagagcaa taacattttt 360  
 ctggtggccc ctttgatcat ctgccacgtg attgacaagc g 401

<210> 260  
 <211> 363  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)... (363)  
 <223> n = A,T,C or G

<400> 260  
 aggaganang gaggggggana tgaataggga tggagaggga natagtggat gagcagggca 60  
 canggagagg aancagaaag gagaggcaag acaggagagac acacancaca nangangana 120  
 cagggtggggg ctgggggtggg gcatggagag cctttanagt cncccaggcc accctgctct 180  
 cgctggngctg ttgaaaccca ctccatggct tctgccact gcagttgggc ccagggtctgg 240  
 cttattnctg gaatgcaagt ggctgtggct tggagcctcc cctctggnnn anggaaannn 300  
 attgctccct tatctgcttg gaatatctga gtttttccan cccggaata aaacacacac 360  
 aca 363

<210> 261  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)... (401)  
 <223> n = A,T,C or G

<400> 261  
 cggctctccg ccgctctccc ggggtttcgg ggcacttggg tcccacagtc tggctctgct 60  
 tcaccttccc ctgacctgag tagtcgccat ggcacaggtt ctgagaggca ctgngactga 120

```

cttccctgga tttgatgagc gggctgatgc anaaactctt cggaaggcta tgaaaggctt 180
gggcacagat gaggagagca tcctgactct gttgacatcc cgaagtaatg ctcagcgcca 240
ggaaatctct gcagctttta agactctgtt tggcagggat cttctggatg acctgaaatc 300
agaactaact ggaaaatttg aaaaattaat tgtggctctg atgaaaccct ctcggcttta 360
tgatgcttat gaactgaaac atgccttgaa gggagctgga a 401

```

```

<210> 262
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (401)
<223> n = A,T,C or G

```

```

<400> 262
agtctanaac atttctaata ttttgngett tcatatatca aaggagatta tgtgaaacta 60
tttttaaata ctgtaaaagt acatatagtt ataagatata tttctgtaca gtagagaaaag 120
agtttataac atgaagaata ttgtaccatt atacattttc attctcgatc tcataagaaa 180
ttcaaaagaa taatgataga ggtgaaaata tgtttacttt ctctaaatca agcctagtgt 240
tcaactcaaa aattatgntg catagtttta ttttgaattt aggttttggg actacttttt 300
tccancttca atgagaaaat aaaatctaca actcaggagt tactacagaa gttctaanta 360
tttttttgc tannagcnaa aaatataaac atatgaaaat g 401

```

```

<210> 263
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (401)
<223> n = A,T,C or G

```

```

<400> 263
ctgtccgacc aagagaggcc ggccgagccc gaggcttggg cttttgcttt ctggcggagg 60
gatctgcggc ggtttaggag gcggcgctga tcctgggagg aagaggcagc tacggcggcg 120
gcggcgggtg cggctagggc ggcggcgaat aaaggggccc cgcgcgggtg atgcggtgac 180
cactgcggca ggccaggag ctgagtgggc cccggccctc agcccgtccc gncggacccg 240
ctttcctcaa ctctccatct tctcctgccg accgagatcg ccgaggcggn ctcaggctcc 300
ctanccctt ccccgtccct tccccncccc cgtccccgcc ccgggggccg ccgccacccg 360
cctcccacca tggctctgaa ganaatccac aaggaattga a 401

```

```

<210> 264
<211> 401
<212> DNA
<213> Homo sapien

```

```

<400> 264
aacaccagcc actccaggac cctgaaggc ctctaccagg tcaccagtgt tctgcgccta 60
aagccacccc ctggcagaaa cttcagctgt gtgtttctgga atactcacgt gagggaaactt 120
actttggcca gcattgacct tcaaagtcag atggaaacca ggacccatcc aacttggctg 180
cttcacatct tcctccctc ctgcatcatt gctttcattt tcatagccac agtgatagcc 240
ctaagaaaac aactctgtca aaagctgtat tcttcaaaag acacaacaaa aagacctgtc 300

```

```
accacaacaa agaggggaagt gaacagtgct gtgaatctga acctgtggtc ttgggagcca 360
gggtgacctg atatgacatc taaagaagct tctggactct g 401
```

```
<210> 265
<211> 271
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(271)
<223> n = A,T,C or G
```

```
<400> 265
gccacttcct gtggacatgg gcagagcgct gctgccagtt cctggtagcc ttgaccacna 60
cgctgggggg tctttgtgat ggtcatgggt ctcatttgca cttgggggtg tgggattcaa 120
gttagaagtt tctagatctg gccggggcgca gtggctcaca cctgtaatcc cagcacttta 180
ggaggctgag gcaggcgcat catgaggtca ggagatcgag accgtcctgg ctaacacagt 240
gaaaccccgct ctctactaaa aatacaaaaa a 271
```

```
<210> 266
<211> 401
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G
```

```
<400> 266
attcataaat ttagctgaaa gatactgatt caatttgtat acagngaata taaatgagac 60
gacagcaaaa ttttcatgaa atgtaaaata tttttatagt ttgttcatac tatatgaggt 120
tctattttta atgactttct ggatttttaa aaatttcttt aaatacaatc atttttgtaa 180
tatttttttt atgcttatga tctagataat tgcagaatat cattttatct gactctgtct 240
tcataagaga gctgtggccg aattttgaac atctgttata gggagtgatc aaattagaag 300
gcaatgtgga aaaacaattc tgggaaagat ttctttatat gaagtcctg ccactagcca 360
gccatcctaa ttgatgaaa ttatctgttc acaggcctgc a 401
```

```
<210> 267
<211> 401
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G
```

```
<400> 267
gaagaggcat cacctgatcc cggagacctt tggagttaag aggcggcgga agcgagggcc 60
tgtggagtcg gatcctcttc ggggtgagcc agggtcggcg cgcgcggctg tctcanaact 120
catgcagctg ttcccgcgag gcctgtttga ggaacgcgctg ccgccatcg tgctgaggag 180
ccagggtgtac agccttgtgc ctgacaggac cgtggcgagc cggcagctga aggagcttca 240
agagcanggg gagacaaaat cgtccagctg ggcttcnact tggatgccca tggaanttat 300
```

tctttcnctt ganggactta cnngggaccc aagaanccct tncaaggggc ccttngtgga 360  
 tgggncccgga aaccccnnta tttgcccttg ggggggncca a 401

<210> 268  
 <211> 223  
 <212> DNA  
 <213> Homo sapien

<400> 268  
 tcgccatggt ggccaggctg gtcttgaact cctgacttta agtgatccac ccgcctcaac 60  
 ctcccaaagt gctgggatta caggtgtgag ccaccgcgcc tggcctgata catactttta 120  
 gaatcaagta gtcacgcact tttctgttc atttttctaa aaagtaaata tacaaatggt 180  
 ttgttttttg tttttttgt ttgtttgtt ctgtttttt ttt 223

<210> 269  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<400> 269  
 actatgtaaa ccacattgta ctttttttta ctttggcaac aaatatttat acatacaaga 60  
 tgctagttca tttgaatatt tctcccaact tatccaagga tctccagctc taacaaaatg 120  
 gtttattttt atttaaagt caatagttgt tttttaaaat ccaaatacaga ggtgcaggcc 180  
 accagttaaa tgccgtctat caggttttgt gccttaagag actacagagt caaagctcat 240  
 ttttaaagga gtaggacaaa gttgtcacag gtttttggtg ttgtttttat tgcccccaaa 300  
 attacatggt aatttccatt tatatcaggg attctattta cttgaagact gtgaagttgc 360  
 cattttgtct cattgttttc tttgacataa ctaggatcca t 401

<210> 270  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 270  
 tggtgttgga ttcacctcag cactgcttgg tatctgcacc ctacctctct ttagaggctg 60  
 ccttgtcaac tgaaaaatgc acctgacttc gagcaagact ctttccttag gttctggatc 120  
 tgtttgagcc ccatggcact gagctggaat ctgagggctt tgttccaagg atgtgatgat 180  
 gtgggagaat gttctttgaa agagcagaaa tccagtctgc atggaaacag cctgtagagn 240  
 agaagtttcc agtgataagt gttcactgtt ctaaggaggt acaccacagc tacctgaatt 300  
 ttcccaaaat gagtgcttct gtgcgttaca actggccttt gtacttgact gtgatgactt 360  
 tgttttttct tttcaattct anatgaacat gggaaaaaat g 401

<210> 271  
 <211> 329  
 <212> DNA  
 <213> Homo sapien

<400> 271  
 ccacagcctc caagtcaggt ggggtggagt ccagagctg cacagggttt ggcccaagtt 60  
 tctaaggag gcaacttctc ccctcgccca tcagtgccag ccctgctgg ctggtgcctg 120

agccccctcag	acagccccct	gccccgcagg	cctgccttct	cagggacttc	tgcggggcct	180
gaggcaagcc	atggagtgag	acccaggagc	eggacacttc	tcaggaaatg	gcttttccca	240
acccccagcc	cccaccggg	ggttcttct	gttctgtgac	tgtgtatagt	gccaccacag	300
cttatggcat	ctcattgagg	acaaaaaaa				329

<210> 272  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (401)  
 <223> n = A,T,C or G

<400> 272						
nggctgntaa	cntcggaggt	nacttcctgg	actatcctgg	agacccccctc	cgtttccacg	60
nncatnatat	cntcatngc	tgggcccntn	angacacnat	cccactccaa	cacctgngng	120
atgctggnen	cctnggaacc	ancntcagaa	ngacctgnt	cntntgtnt	ccgcaantg	180
aagnnaangc	gggntacacc	tnctgcant	ggnccacnct	gcngggaact	ntacacacct	240
acgggatgtg	gctgcgccan	gagccaagag	cnthtctgga	tgattcccca	gcctcttggn	300
agggantcta	caacattgct	nnntaccttt	ntccnncngc	nnntnttgga	ntacaggngn	360
tnntaacact	acatcttttt	tactgcncn	tncttggtyg	g		401

<210> 273  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1) ... (401)  
 <223> n = A,T,C or G

<400> 273						
cagcaccatg	aagatcaaga	tcategcacc	cccagagcgc	aagtactcgg	tgtggatcgg	60
tggctccatc	ctggcctcac	tgtccacctt	ccagcagatg	tggattagca	agcaggagta	120
cgacgagtcg	ggcccccca	tcgtccaccg	caaagtcttc	taaacggact	cagcagatgc	180
gtagcatttg	ctgcatgggt	taattgagaa	tagaaaattg	ccccggcaa	atgcacacac	240
ctcatgctag	cctcacgaaa	ctggaataag	ccttcgaaaa	gaaattgtcc	ttgaagcttg	300
tatctgatat	cagcactgga	ttgtagaact	tgttgctgat	tttgaccttg	tattgaagtt	360
aactgttccc	cttgggtatta	acgtgtcagg	gctgagtgnt	c		401

<210> 274  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<400> 274						
ccaccacac	ccaccgcgcc	ctcgttcgcc	tcttctccgg	gagccagtc	gcgccaccgc	60
cgcgcgccag	gccatcgcca	ccctccgcag	ccatgtccac	caggtcctgt	tcctcgtcct	120
cctaccgcag	gatgttcggc	ggccccggca	ccgcgagcgc	gcgcagctcc	agccggagct	180
acgtgactac	gtccaccgc	acctacagcc	tgggcagcgc	gctgcgcccc	agcaccagcc	240
gcagcctcta	cgctcgtcc	ccgggcggcg	tgtatgccac	gcgctcctct	gccgtgcgcc	300
tgcggagcag	cgtgcccggg	gtgcggctcc	tgcaggactc	ggtggacttc	tcgctggccg	360

acgccatcaa caccgagttc aagaacaccc gcaccaacga g 401

<210> 275  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<400> 275  
 ccacttccac cactttgtgg agcagtgcct tcagcgcaac ccggatgcc a ggtatccctg 60  
 ctggcctggg cctgggcttc gggagagcag aggggtgctca ggagggt aag gccagggtgt 120  
 gaagggactt acctcccaaa ggttctgcag gggaatctgg agctacacac aggagggatc 180  
 agtcctggg tgtgtcagag gccagcctgg ggagctctgg ccactgcttc ccatgagctg 240  
 agggagaggg agaggggacc cgaggctgag gcataagtgg caggatttcg ggaagctggg 300  
 gacacggcag tgatgctgcg gtctctcttc ccctttccct ccaggcccag tgccagcacc 360  
 ctctgaacc actctttctt caagcagatc aagcgacgtg c 401

<210> 276  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 276  
 tctgatattg ntacccttga gccacctaag ttagaagaaa ttggaaatca agaagttgtc 60  
 attgttgaag aagcacagag ttcagaagac tttaacatgg gctcttcctc tagcagccag 120  
 tatactttct gtcagccaga aactgtatct tcatctcagc ctagtgatga tgaatcaagt 180  
 agtgatgaaa ccagtaatca gccagtcct gccttttagac gacgccgtgc taggaagaag 240  
 accgtttctg cttcagaatc tgaagaccgg ctagttgggtg aacaagaaac tgaaccttct 300  
 aaggagttga gtaaaccgtc gttcagtagt ggtctcaata agtgtgttat acttgctttg 360  
 gtgattgcaa tcagcatggg atttggccat ttctatggca c 401

<210> 277  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 277  
 aactttggca acatatctca gcaaaaacta cagctatggt attcatgcc a aataaaaagc 60  
 tgtgcagagg agtggctgca atgaggtcac aacgggtgtg gatgtaaaag agatcttcaa 120  
 gtctcatca cccatccctc gaactcaagt cccgctcatt acaaattctt cttgccagt 180  
 tccacacatc ctgccccatc aagatgttct catcatgtgt tacgagnggc gctcaaggat 240  
 gatgcttctt gaaaattgct tagttgaaaa atggagagat cagcttagta aaagatccat 300  
 acagtgggaa gagaggctgc aggaacagcg ganaacagtt caggacaaga agaaaacagc 360  
 cgggcgcacc agtcgtagta atcccccaa accaaaggga a 401

<210> 278



<211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 278  
 aatgagtgtg agaccacaaa tgaatgccgg gaggatgaaa tgtgttggaa ttatcatggc 60  
 ggcttccgtt gttatccacg aaatccttgt caagatccct acattctaac accagagAAC 120  
 cgatgtgttt gcccagtctc aaatgccatg tgccgagAAC tgccccagtc aatagtctac 180  
 aaatacatga gcatccgacg tgataggtct gtgccatcag acatcttcca gatacaggcc 240  
 acaactatTT atgccaacac catcaatact tttcggatta aatctggaaa tgaaaatgga 300  
 gagtctacct acgacaacaa anccctgtaa gtgcaatgct tgtgctcgtg aagncattat 360  
 caggaccaag agaacatatc gtggacctgg agatgctgac a 401

<210> 279  
 <211> 401  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 279  
 aaattattgc ctctgatata tacctaagtn aacanaacat taatacctaa gtaaacataa 60  
 cattaacttgg aggggttgcag nttctaantg aaactgtatt tgaaactttt aagtatactt 120  
 taggaaacaa gcatgaacgg cagtctagaa taccagAAC atctacttgg gtagcttggn 180  
 gccattatcc tgtggaatct gatatgtctg gnagcatgtc attgatggga catgaagaca 240  
 tctttggaaa tgatgagatt atttcctgtg ttaaaaaaaaa aaaaaatctt aaattcctac 300  
 aatgtgAAC tgaaactaat aattttgatc ctgatgtatg ggacagcgta tctgtaccag 360  
 gctctaaata acaaaagnta gggngacaag nacatgttcc t 401

<210> 280  
 <211> 326  
 <212> DNA  
 <213> Homo sapien

<400> 280  
 gaagtggaat tgtataattc aattcgataa ttgatctcat gggctttccc tggaggaaag 60  
 gttttttttg ttgttttttt ttttaagaact tgaaacttgt aaactgagat gtctgtagct 120  
 tttttgccca tctgtagtgt atgtgaagat ttcaaaacct gagagcactt tttctttgtt 180  
 tagaattatg agaaaggcac tagatgactt taggatttgc atttttccct ttattgcctc 240  
 atttcttgtg acgccttgtt ggggagggaa atctgtttat tttttcctac aaataaaaaag 300  
 ctaagattct atatcgcaaa aaaaaa 326

<210> 281  
 <211> 374  
 <212> DNA  
 <213> Homo sapien

```

<400> 281
caacgcgttt gcaaatatc ccctggtagc ctacttcctt acccccgaa attggtaaga      60
tcgagcaatg gcttcaggac atgggttctc ttctcctgtg atcattcaag tgctcactgc      120
atgaagactg gcttgtctca gtgtttcaac ctcaccaggg ctgtctcttg gtccacacct      180
cgctccctgt tagtgccgta tgacagcccc catcaaata ccttggccaa gtcacggttt      240
ctctgtggtc aaggttgggt ggctgattgg tggaaagtag ggtggaccaa aggaggccac      300
gtgagcagtc agcaccagtt ctgcaccagc agcgctccg tcctagtggg tgttcctggt      360
tctcctggcc ctgg                                     374

```

```

<210> 282
<211> 404
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(404)
<223> n = A,T,C or G

```

```

<400> 282
agtgtggtgg aattcccgca tcctanncgc cgactcacac aaggcagagt ngccatggag      60
aaaattccag tgtcagcatt cttgtcctt gtggccctct cctacactct ggccagagat      120
accacagtca aacctgnagc caaaaaggac acaaaggact ctcgacccaa actgccccan      180
accctctcca gaggttgggg tgaccaactc atctggactc anacatatga agaagctcta      240
tataaatcca agacaagcaa caaaccttg atgattatc atcacttga tgagtgccca      300
cacagtcaag ctttaaagaa agtgtttgct gaaaataaag aaatccagaa attggcagag      360
cagtttgtcc tcctcaatct ggtttatgaa acaactgaca aaca                               404

```

```

<210> 283
<211> 184
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(184)
<223> n = A,T,C or G

```

```

<400> 283
agtgtggtgg aattcacttg ctttaanttg gggcaaaaga gaaaaagaag gattgatcag      60
agcattgtgc aatacagttt cattaactcc ttccctcgt cccccaaaaa tttgaatttt      120
ttttcaaca ctcttacacc tgttatggaa aatgtcaacc tttgtaagaa aacccaaata      180
aaaa                                              184

```

```

<210> 284
<211> 421
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(421)
<223> n = A,T,C or G

```

```

<400> 284

```

```

ctattaatcc tgcacaaata tttttaatta cgtacaaaaga tctgacatgt caccacagga      60
cccatttcac ccactgctct gtttggccgc cagtcttttg tctctctctt cagcaatgg      120
gaggcggata ccctttctc gggaanana aatccatggg ttgttgccct tgccaataac      180
aaaaatgttg gaaagtcgag tggcaaagct gttgccattg gcattcttca cgtgaaccac      240
gtcaaaagat ccagggtgcc tctctctgtt ggtgatcaca ccaattcttc ctaggttagc      300
acctccagtc accatacaca ggttaccagt gtcgaacttg atgaaatcag taatcttgcc      360
agtctctaaa tcaatctgaa tggatatcatt caccttgatg aggggatcgg ggtagcggat      420
g                                                                                   421

```

```

<210> 285
<211> 361
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(361)
<223> n = A,T,C or G

```

```

<400> 285
ctgggtggta actctttatt tcattgtccg gaanaaagat gggagtggga acaggggtgga      60
cactgtgcag gcttcagctt ccactccggg caggattcag gctatctggg accgcagga      120
ctgccagggt cacagccctg gctcccagg caggcaggca aggtgacggg actggaagcc      180
cttttcanag ccttgaggga gctggtccgt ccacaagcaa tgagtgccac tctgcagttt      240
gcaggggatg gataaacagg gaaacactgt gcattcctca cagccaacag tgtaggtctt      300
ggtgaagccc cggcgctgag ctaagctcag gctgttccag ggagccacga aactgcagg      360
a                                                                                   361

```

```

<210> 286
<211> 336
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(336)
<223> n = A,T,C or G

```

```

<400> 286
tttgagtggc agcgccttta tttgtggggg ccttcaaggg agggctcgtg ggggcagcgg      60
ggaggaanag ccganaaact gtgtgaccgg ggcctcaggg ggtgggcatt gggggctcct      120
cttgcanatg ccattggca tcaccgggtg agccattggg ggcagcgggt accggtcctt      180
tcttgttcaa catagggtag gtggcagcca cgggtccaac tcgcttgagg ctgggccctg      240
ggcgctccat tttgtgttcc angagcatgt ggttctgtgg cgggagcccc acgcaggccc      300
tgaggatggt ctcgatgcag ctgcgctggc ggaaaaa                                     336

```

```

<210> 287
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 287
tgggtaccaa atttntttat ttgaaggaat ggnacaaatc aaanaactta agnggatgtt      60
ttggtacaac ttatanaaaa ggnaaaggaa accccaacat gcatgcnctg ctttgngac      120
cagggaagtc accccacggc tatggggaaa ttancccagag gcttancttt cattatcact      180
gtctcccagg gngngcttgt caaaaanata ttccnccaag ccaaattcgg gcgctcccat      240
nttgcncag ttggtcacgt ggtcacccaa ttctttgatg gctttcacct gctcattcag      300
g                                                                    301

```

```

<210> 288
<211> 358
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(358)
<223> n = A,T,C or G

```

```

<400> 288
aagtttttaa acttttttatt tgcatattaa aaaaattgng cattccaata attaaaaatca      60
tttgaacaaa aaaaaaatg gcactctgat taaactgcat tacagcctgc aggacacctt      120
gggccagctt ggttttactc tanatttcac tgtcgtccca cccacttct tccacccac      180
ttcttccttc accaaccatgc aagttctttc cttccctgcc agccanatag atagacagat      240
gggaaaggca ggcgcggcct tcgttgtcag tagttctttg atgtgaaagg ggcagcacag      300
tcatttaaac ttgatccaac ctctttgcat cttacaaagt taaacagcta aaagaagt      358

```

```

<210> 289
<211> 462
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(462)
<223> n = A,T,C or G

```

```

<400> 289
ggcatcagaa atgctgttta tttctctgct gctcccaage tggetggcct ttgcagagga      60
gcagacaaca gatgcatagt tgggganaaa gggaggacag gttccaggat agaggggtgca      120
ggctgaggga ggaagggtaa naggaaggaa ggccatcctg gatccccaca tttcagtctc      180
anatgaggac aaagggactc ccaagcccc aaatcatcan aaaacaccaa ggagcaggag      240
gagcttgagc aggccccagg gagcctcana gccataccag ccactgtcta cttcccatec      300
tcctctccca ttccctgtct gcttcanacc acctcccage taagccccag ctccatcccc      360
ccaatcctgg cccttgccag cttgacagtc acagtgcctg gaattccacc actgaggctt      420
ctcccagttg gattaggacg tcgcctgtgt agcatgctgc cc                                                                    462

```

```

<210> 290
<211> 481
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(481)

```

<223> n = A,T,C or G

<400> 290

tacttttcccta	aacttttatta	aagaaaaaaag	caataagcaa	tgngnggtaaa	tctctanaac	60
atacccaatt	ttctgggctt	cctcccccca	gaatgtgaca	ttttgatttc	caaacatgcc	120
anaagtgtat	ggttcccaac	tgtactaaag	taggtganaa	gctgaagtcc	tcaagtgttc	180
atcttccaac	ttttcccaag	ctgtggtctg	tcttttgatc	agcaataatt	gcctgaacag	240
ctactatggc	ttcgttgatt	tttgtctgta	gctctctgag	ctcctctatg	tgcagcaatc	300
gcanaatttg	agcagcttca	ttaanaactg	catctcctgt	gtcaaaaacca	anaatatgtt	360
tgtctaaagc	aacaggtaag	ccctcttttg	tttgatttgc	cttancaact	gcctcctgtg	420
tcaggcgctc	ctgaaccaaa	atccgaattg	ccttaagcat	taccaggtaa	tcctcatgac	480
g						481

<210> 291

<211> 381

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 291

tcctagtaat	gtaaaaccat	ttgtttaatt	ctaaatcaaa	tcactttcac	aacagtgaag	60
attagtgaat	ggttaaggng	tgccactgta	catatcatca	ttttctgact	ggggctcagga	120
cctggctccta	gtccacaagg	gtggcaggag	gaggggtggag	gctaanaaca	cagaaaacac	180
acaaaanaaa	ggaaagctgc	cttggcanaa	ggatgaggng	gtgagcttgc	cgaaggatgg	240
tggaaggagg	gctccctgtt	ggggccgagc	caggagctcc	aagtcagctc	tcctgcctta	300
cttagctcct	ggcanagggt	gagtgaggac	ctacgagggt	caaaatcaaa	tggcatttgg	360
ccagcctggc	tttactaaca	g				381

<210> 292

<211> 371

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(371)

<223> n = A,T,C or G

<400> 292

gaaaaaataa	tcggtttaat	tgaaaaacct	gnaggatact	attccactcc	cccanatgag	60
gaggctgagg	anaccaaacc	cctacatcac	ctcgtagcca	cttctgatac	tcttcacgag	120
gcagcaggca	aagacaattc	ccaaaaacct	nacaaaagca	attccaaggg	ctgctgcagc	180
taccaccanc	acatttttcc	tcagccagcc	cccaatcttc	tccacacagc	cctccttatg	240
gategccttc	tcgttgaaat	taatcccaca	gccacagta	acattaatgc	ancaggagtc	300
ggggaactcg	ttcttcgaca	tggaagggat	tttctcccaa	tctgtgtagt	tagcagcccc	360
acagcactta	a					371

<210> 293

<211> 361

<212> DNA

<213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(361)  
 <223> n = A,T,C or G

<400> 293  
 gattttaaag aaaacacttt attgttcagc aattaaaagt tagccaaata tgtatttttc 60  
 tccataatth attgngatgt tatcaacatc aagtaaaatg ctcattttca tcatttgctt 120  
 ctgttcatgt tttcttgaac acgtcttcaa ttttccttcc aaaatgctgc atgccacact 180  
 tgaggtaacg aagcanaagt atttttaaac atgacagcta anaacattca tctacagcaa 240  
 cctatatgct caatacatgc cgcgtgatcc tagtagtttt ttcacaacct tctacaagtt 300  
 tttggaaaac atctgttatg atgactttca tacaccttca cctcaaaggc tttcttgcac 360  
 c 361

<210> 294  
 <211> 391  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(391)  
 <223> n = A,T,C or G

<400> 294  
 tattttaaag tttaattatg attcanaaaa aatcgagcga ataactttct ctgaaaaaat 60  
 atattgactc tgtatanacc acagttattg gggganaagg gctggtagg taaattatcc 120  
 tattttttat tctgaaaatg atattaatan aaagtcccgt ttccagtctg attataaaga 180  
 tacatatgcc caaaatggct ganaataaat acaacaggaa atgcaaaagc tgtaaagcta 240  
 agggcatgca ananaaaatc tcanaatacc caaagnggca acaaggaaacg tttggctgga 300  
 atttgaagtt atttcagtca tctttgtctt tggctccatg tttcaggatg cgtgtgaact 360  
 cgatgtaatt gaaattcccc tttttatcaa t 391

<210> 295  
 <211> 343  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(343)  
 <223> n = A,T,C or G

<400> 295  
 ttcttttgtt ttattgataa cagaaactgt gcataattac agatttgatg aggaatctgc 60  
 aaataataaa gaatgtgtct actgccagca aaatacaatt attccatgcc ctctcaacat 120  
 acaaatatag agttcttcac accanatggc tctggtgtaa caaagccatt ttanatgttt 180  
 aattgtgctt ctacaaaacc ttcanagcat gaggtagttt cttttacctt cnatattttc 240  
 cacatttcca ttattacact tttagtgage taaaatcctt ttaacatagc ctgcggatga 300  
 tctttcacaa aagccaagcc tcattttcaa agggttttatt tct 343

<210> 296  
 <211> 241  
 <212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (241)

<223> n = A,T,C or G

<400> 296

ttcttgata	ttggttgtt	ttgtgaaaa	gtttttgtt	ttcttctcag	tcaactgaat	60
tattttctcta	ctttgcctc	ctgatgcca	catgananaa	cttaanataa	tttctaacag	120
cttccacttt	ggaaaaaaa	aaaacctgtt	ttcctcatgg	aaccccagga	gttgaaagt	180
gatanatcgc	tctcaaaatc	taaggctctg	ttcagcttta	cattatgtta	cctgacgttt	240
t						241

<210> 297

<211> 391

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (391)

<223> n = A,T,C or G

<400> 297

gttgtggctg	anaatgctgg	agatgctcag	ttctctccct	cacaaggtag	gccacaaatt	60
cttggtggtg	ccctcacatc	tggggtcttc	aggcaccagc	catgcctgcc	gaggagtgt	120
gtcaggacan	accatgtccg	tgctaggccc	aggcacagcc	caaccactcc	tcatccaagt	180
ctctcccagg	tttctgggtc	cgatgggcaa	ggatgacccc	tccagtggct	ggtacccccc	240
catcccacta	ccctcacat	gctctcactc	tccatcaggt	ccccaatcct	ggcttccctc	300
ttcacgaact	ctcaaagaaa	aggaaggata	aaacctaaat	aaaccagaca	gaagcagctc	360
tggaaaagta	caaaaagaca	gccagagggtg	t			391

<210> 298

<211> 321

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1) ... (321)

<223> n = A,T,C or G

<400> 298

caagccaaac	tgtntccagc	tttattaaan	atactttcca	taaacaatca	tggtattttca	60
ggcaggacat	gggcanacaa	tcgttaacag	tatacaacaa	ctttcaaact	cccttntttca	120
atggactacc	aaaaatcaaa	aagccactat	aaaacccaat	gaagtctttca	tctgatgtct	180
tgaacaggga	aagttttaaag	ngagggttga	cattttcacat	ttagcatgtt	gtttaacaac	240
ttttcacaag	ccgacctga	ctttcaggaa	gtgaaatgaa	aatggcanaa	tttatctgaa	300
natccacaat	ctaaaaatgg	a				321

<210> 299

<211> 401

<212> DNA

<213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(401)  
 <223> n = A,T,C or G

<400> 299  
 tatcataaag agtgttgaag tttatatttatt atagcaccat tgagacattt tgaaattgga 60  
 attggtaaaa aaataaaaca aaaagcattt gaattgtatt tggnggaaca gcaaaaaaag 120  
 agaagtatca tttttctttg tcaaattata ctgtttccaa acatttttga aataaataac 180  
 tggaattttg tcggtcactt gcaactggtg acaagattag aacaagagga acacatatgg 240  
 agttaaatat tttttgttgg gatttcanat agagtttggg ttataaaaag caaacagggc 300  
 caacgtccac accaaattct tgatcaggac caccaatgtc ataggngca atatctacaa 360  
 taggtagtct cacagccttg cgtgttcgat attcaaagac t 401

<210> 300  
 <211> 188  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(188)  
 <223> n = A,T,C or G

<400> 300  
 tgaatgcttt gtcattatata gaaagttaaa gtgcaataat gtttgaanac aataagtggg 60  
 ggtgtatctt gtttctaata agataaactt ttttgtcttt gctttatctt attagggagt 120  
 tgtatgtcag tgtataaaac atactgtgtg gtataacagg cttataaat tctttaaaag 180  
 gaaaaaaa 188

<210> 301  
 <211> 291  
 <212> DNA  
 <213> Homo sapien

<400> 301  
 aagattttgt tttatatttatt tatggctaga aagacactgt tatagccaaa atcggcaatg 60  
 acactaaaga aatcctctgt gcttttcaat atgcaaatat atttcttcca agagttgcc 120  
 tgggtgtgact tcaagagttc atgttaactt cttttctgga aacttccttt tcttagttgt 180  
 tgtattcttg aagagcctgg gccatgaaga gcttgccata gttttgggca gtgaactcct 240  
 tgatgttctg gcagtaagtg tttatctggc ctgcaatgag cagcgagtcc a 291

<210> 302  
 <211> 341  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(341)  
 <223> n = A,T,C or G

<400> 302  
 tgatttttca taatttttatt aatnatcac tgggaaaact aatggttcgc gtatcacaca 60



```

attacactac aatctgatag gagtggtaaa accagccaat ggaatccagg taaagtacaa 120
aaacgccacc ttttattgtc ctgtcttatt tctcggaag gagggttcta ctttacacat 180
ttcatgagcc agcagtggac ttgagttaca atgtgtaggt tccttgtggt tatagctgca 240
gaagaagcca tcaaatctt gaggacttga catctctcgg aaagaagcaa actagtggat 300
ccccgggct gcaggaattc gatatcaagc ttatcgatac c 341

```

```

<210> 303
<211> 361
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(361)
<223> n = A,T,C or G

```

```

<400> 303
tgcagacagt aaatnaattt tatttgngtt cacagaacat actaggcgat ctcgacagtc 60
gtccgtgac agcccaccaa cccccaaccc tntacctcgc agccacccta aaggcgactt 120
caanaanatg gaaggatctc acggatctca ttctaatgg tccgccgaag tctcacacag 180
tanacagacg gagttganat gctggaggat gcagtcacct cctaaactta cgaccacca 240
ccanacttca tcccagccgg gacgtcctcc cccacccgag tcctcccat ttcttctcct 300
actttgccgc agttccaggn gtcttcttc caccagtccc acaaagctca ataaatacca 360
a 361

```

```

<210> 304
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 304
ctctttacaa cagcctttat ttncggccct tgatcctgct cggatgctgg tggaggccct 60
tagctccgcc cgccaggctc tgtgccgcct ccccgaggc gcanattcat gaacacggtg 120
ctcaggggct tgaggccgta ctccccagc gggagctggt cctccagggg cttcccctcg 180
aaggctcagc anaacaggtc gtctgcaca ccctccagcc cgctcacttg ctgcttcagg 240
tgggccacgg tctgcgtcag ccgcacctcg taggtgctgc tgcggccctt gttattctc 300
a 301

```

```

<210> 305
<211> 331
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(331)
<223> n = A,T,C or G

```

```

<400> 305
ganaggctag taacatcagt tttattgggt tgggngggca accatagcct ggctgggggn 60

```

```

ggggctggcc ctcacagggt gttgagttcc agcaggggtct ggtccaagggt ctggtgaatc 120
tcgacgttct cctccttggc actggccaag gtctcttcta ggtcatcgat ggttttctcc 180
aactttgcc aacacctctc ggcaaaactct gtcgggggtct canccctcctt cagcttctcc 240
tccaacagtt tgatctcctc ttcataattta tcttcttttg gggaataactc ctcctctgag 300
gccatcaggg acttgagggc ctggtccatg g 331

```

&lt;210&gt; 306

&lt;211&gt; 457

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 306

```

aatatgtaaa ggtaataact tttattatat taaagacaat gcaaacgaaa aacagaattg 60
agcagtgc aaatttaaagg actgttttgt tctcaaagtt gcaagtttca aagccaaaag 120
aattatatgt atcaaatata taagtaaaaa aaagtttagac tttcaagcct gtaatcccag 180
cactttggga ggctgaggca ggtggatcac taacattaaa aagacaacat tagattttgt 240
cgatttatag caattttata aatatataac tttgtcactt ggatcctgaa gcaaaaataat 300
aaagtgaatt tgggattttt gtacttggtt aaaagtttaa caccctaaat tcacaactag 360
tggatcccc gggtgcagg aattcgatat caagcttatc gataccgtcg acctcgaggg 420
ggggcccggt acccaattcg ccctatagtg agtcgta 457

```

&lt;210&gt; 307

&lt;211&gt; 491

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 307

```

gtgcttggac ggaaccggc gctcgttccc caccgggccc ggccgcccac agccagccct 60
ccgtcaacct ttcaccgcac cctcggactg ccccaaggcc cccgcccgcg ctccagcgcc 120
gcgagccac cgccgcccgc gccgcctctc cttagtgcgc gccatgacga ccgctccac 180
ctgcagggtg cgccagaact accaccagga ctcagaggcc gccatcaacc gccagatcaa 240
cctggagctc tacgcctcct acgtttacct gtccatgtct tactactttg accgcatga 300
tgtggctttg aagaactttg ccaaataact tcttcaccaa tctcatgagg agagggaaca 360
tgctgagaaa ctgatgaagc tgcagaacca acgaggtggc cgaatcttcc ttcaggatat 420
caagaaacca gactgtgatg actgggagag cgggctgaat gcaatggagt gtgcattaca 480
tttgga a 491

```

&lt;210&gt; 308

&lt;211&gt; 421

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 308

```

ctcagcgctt cttctttctt ggtttgatcc tgactgctgt catggcgtgc cctctggaga 60
aggccctgga tgtgatggtg tccaccttcc acaagtactc gggcaaagag ggtgacaagt 120
tcaagctcaa caagtcagaa ctaaaggagc tgctgaccgc ggagctgccc agcttcttgg 180
ggaaaaggac agatgaagct gctttccaga agctgatgag caacttggac agcaacaggg 240
acaacgaggt ggacttccaa gagtactgtg tcttctgtc ctgcatcgcc atgatgtgta 300
acgaattctt tgaaggcttc ccagataagc agcccaggaa gaaatgaaaa ctcctctgat 360
gtggttgggg ggtctgccag ctggggccct ccctgtcgcc agtgggcact ttttttttc 420
c 457

```

&lt;210&gt; 309

&lt;211&gt; 321

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 309

accaa	atggc	ggatgacgc	gggtgcagcgg	ggggggcccgg	gggccctggt	ggccctggga	60
tgggga	accg	cgggtggcttc	cgcggagggt	tcggcagtg	catccggggc	cggggtcgcg	120
gccgtggacg	ggggccggggc	cgaggccgcg	gagctcgcg	aggcaaggcc	gaggataaag		180
agtggatgcc	cgtcaccaag	ttgggcccgt	tgggtcaagga	catgaagatc	aagtccctgg		240
aggagatcta	tctcttctcc	ctgcccatta	aggaatcaga	gatcattgat	ttcttcctgg		300
gggcctctct	caaggatgag	g					321

&lt;210&gt; 310

&lt;211&gt; 381

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 310

ttaaccagcc	atattggctc	aataaatagc	ttcggtaagg	agttaatttc	cttctagaaa	60
tcagtgccta	tttttcctgg	aaactcaatt	ttaaatagtc	caattccatc	tgaagccaag	120
ctgttgatc	tttcattcgg	tgacattctc	tcccatgaca	cccagaaggg	gcagaagaac	180
cacatttttc	atttatagat	gtttgcatcc	tttgtattaa	aattattttg	aaggggttgc	240
ctcattggat	ggcttttttt	tttttcctcc	agggagaagg	ggagaaatgt	acttggaat	300
taatgtatgt	ttacatctct	ttgcaaattc	ctgtacatag	agatatat	tttaagtgtg	360
aatgtaacaa	catactgtga	a				381

&lt;210&gt; 311

&lt;211&gt; 538

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 311

tttgaattta	caccaagaac	ttctcaataa	aagaaaatca	tgaatgctcc	acaattttcaa	60
cataccacaa	gagaagttaa	tttcttaaca	ttgtgttcta	tgattatttg	taagaccttc	120
accaagttct	gatatctttt	aaagacatag	ttcaaaattg	cttttgaaaa	tctgtattct	180
tgaaaaatata	cttgttggtg	attaggtttt	taaataccag	ctaaaggatt	acctcactga	240
gtcatcagta	ccctcctatt	cagctcccca	agatgatgtg	tttttgctta	ccctaagaga	300
ggttttcttc	ttatttttag	ataattcaag	tgcttagata	aattatgttt	tctttaagtg	360
tttatggtaa	actcttttaa	agaaaattta	atatgttata	gctgaatctt	tttggttaact	420
ttaaatcttt	atcatagact	ctgtacatat	gttcaaatta	gctgcttgcc	tgatgtgtgt	480
atcatcgggtg	ggatgacaga	acaaacatat	ttatgatcat	gaataatgtg	ctttgtaa	538

&lt;210&gt; 312

&lt;211&gt; 176

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 312

ggaggagcag	ctgagagata	gggtcagtga	atgcggttca	gcctgctacc	tctcctgtct	60
tcatagaacc	attgccttag	aattattgta	tgacacgttt	tttggttggt	aagctgtaag	120
gtttgtttct	ttgtgaacat	gggtattttg	aggggagggg	ggaggagta	gggaag	176

&lt;210&gt; 313

&lt;211&gt; 396

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 313

ccagcacc	cc	caggccctgg	gggacctggg	ttctcagact	gccaaagaag	ccttgccatc	60
tggcgctccc	atggctcttg	caacatctcc	ccttcgtttt	tgaggggggtc	atgccggggg	120	
agccaccagc	ccctcactgg	gttcggagga	gagtcaggaa	gggccaaagca	cgacaaagca	180	
gaaacatcgg	atttggggaa	cgcgtgtcaa	tcccttggtc	cgcagggctg	ggcgggagag	240	
actgtttctgt	tccttggtga	actgtgttgc	tgaaagacta	cctcgttctt	gtcttgatgt	300	
gtcacccggg	caactgcctg	ggggcgggga	tgggggcagg	gtggaagcgg	ctccccattt	360	
tataccaaag	gtgctacatc	tatgtgatgg	gtgggg			396	

&lt;210&gt; 314

&lt;211&gt; 311

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 314

cctcaacatc	ctcagagagg	actggaagcc	agtccttaag	ataaactcca	taatttatgg	60
cctgcagtat	ctcttcttgg	agcccaaccc	cgaggaccca	ctgaacaagg	aggccgcaga	120
ggtcctgcag	aacaaccggc	ggctgtttga	gcagaacgtg	cagcgctcca	tgcgggggtg	180
ctacatcggc	tcacctaact	ttgagcgctg	cctgaaatag	ggttggcgca	taccaccccc	240
cgccacggcc	acaagccctg	gcacccctg	caaataattta	ttggggggcca	tgggtagggg	300
tttggggggc	g					311

&lt;210&gt; 315

&lt;211&gt; 336

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 315

tttagaacat	ggttatcatc	caagactact	ctaccctgca	acattgaact	ccaagagca	60
aatccacatt	cctcttgagt	tctgcagctt	ctgtgtaaat	agggcagctg	tcgtctatgc	120
cgtagaatca	catgatctga	ggaccattca	tggaaagctg	taaatagcct	agtctgggga	180
gtcttccata	aagttttgca	tggagcaaac	aaacaggatt	aaactagggt	tggttccttc	240
agccctctaa	aagcataggg	cttagcctgc	aggcttccct	gggctttctc	tgtgtgtgta	300
gtttttgtaa	cactatagca	tctgttaaga	tccagt			336

&lt;210&gt; 316

&lt;211&gt; 436

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 316

aacatgggtc	gcgtgcctta	agagagacgc	ttcctgcaga	acaggacctg	actacaaaga	60
atgtttccat	tgggaattgtt	ggtaaagact	tggagttttac	aatctatgat	gatgatgatg	120
tgtctccatt	cctggaagg	cttgaagaaa	gaccacagag	aaaggcacag	cctgctcaac	180
ctgctgatga	acctgcagaa	aaggctgatg	aaccaatgga	acattaagt	ataagccagt	240
ctatatatgt	attatcaaat	atgtaagaat	acaggcacca	catactgatg	acaataatct	300
atactttgaa	ccaaaagtgt	cagagtgggtg	gaatgctatg	tttttaggaat	cagtccagat	360
gtgagttttt	tccaagcaac	ctcactgaaa	cctatataat	ggaatacatt	tttctttgaa	420
agggctctgt	taatca					436

&lt;210&gt; 317

&lt;211&gt; 196

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<400> 317  
 tattccttgt gaagatgata tactatTTTT gttaagcgtg tctgtattta tgtgtgagga 60  
 gctgctggct tgcagtgcgc gtgcacgtgg agagctggtg cccggagatt ggacggcctg 120  
 atgctccctc ccttgccttg gtccagggaa gctggccgag ggtcctggct cctgaggggc 180  
 atctgcccc ccccca 196

<210> 318  
 <211> 381  
 <212> DNA  
 <213> Homo sapien  
 <220>  
 <221> misc\_feature  
 <222> (1)... (381)  
 <223> n = A,T,C or G

<400> 318  
 gacgcttngg ccgtaacgat gatcggagac atcctgctgt tccggacgtt gctgatgaat 60  
 gccggggcgg tgctgaactt taagctgaaa aagaaggaca cncagggtt tggggaggag 120  
 tncagggagc ccaacacagg tgacaacatc cgggaattct tgctgancct cagatacttt 180  
 cnaatcttca tcncctgtg gaacatcttc atgatgttct gcatgattgt gctgntcggc 240  
 tcttgaatcc cancgatgaa accannaact cactttcccg ggatgccgan tctccattcc 300  
 tccattctcg atgacttcaa naatgttttt gaccaaaaaa ccgacaacct tcccagaaag 360  
 tccaagctcg tgggtggngg a 381

<210> 319  
 <211> 506  
 <212> DNA  
 <213> Homo sapien

<400> 319  
 ctaagcttta cgaatggggg gacaacttat gataaaaact agagctagtg aattagccta 60  
 tttgtaaaata ctttgtttat aattgatagg atacatcttg gacatggaat tgttaagcca 120  
 cctctgagca gtgtatgtca ggacttggtc attaggttgg cagcagaggg gcagaaggaa 180  
 ttatacagggt agagatgtat gcagatgtgt ccatatatgt ccatatttac attttgatag 240  
 ccattgatgt atgcatctct tggctgtact ataagaacac attaatcaa tggaaataca 300  
 ctttgctaatt attttaatgg tatagatctg ctaatgaatt ctcttaaaaa cactactgtat 360  
 tctgttgctg tgtgtttcat tttaaattga gcattaaggg aatgcagcat ttaaatacaga 420  
 actctgccaa tgccttttatc tagaggcgtg ttgccatttt tgtcttatat gaaatttctg 480  
 tccaagaaa ggcaggatta catctt 506

<210> 320  
 <211> 351  
 <212> DNA  
 <213> Homo sapien

<400> 320  
 ctgacctgca ggacgaaacc atgaagagcc tgatccttct tgccatcctg gccgccttag 60  
 cggtagtaac tttgtgttat gaatcacatg aaagcatgga atcttatgaa cttaatccct 120  
 tcattaacag gagaaatgca aataccttca tatcccttca gcagagatgg agagctaaag 180  
 tccaagagag gatccgagaa cgtctotaagc ctgtccacga gctcaatagg gaagcctgtg 240  
 atgactacag acttttgcga cgtctacgcca tggtttatgg atacaatgct gcctataatc 300  
 gctacttcag gaagcgccga gggacccaaat gagactgagg gaagaaaaaa a 351

<210> 321

<211> 421  
 <212> DNA  
 <213> Homo sapien

<400> 321  
 ctccggaggcg ttcagctgct tcaagatgaa gctgaacatc tccttcccag ccaactggctg 60  
 ccagaaactc attgaagtgg acgatgaacg caaacttcgt actttctatg agaagcgtat 120  
 ggccacagaa gttgctgctg acgctctggg tgaagaatgg aagggttatg tgggccgaat 180  
 cagtgggtggg aacgacaaac aagggtttccc catgaagcag ggtgtcttga cccatggccg 240  
 tgtccgcctg ctactgagta aggggcattc ctgttacaga ccaaggagaa ctggagaaaag 300  
 aaagagaaaa tcagttcgtg gttgcattgt ggatgcaaat ctgagcgttc tcaacttggg 360  
 tattgtaaaa aaaggagaga aggatattcc tggactgact gatactacag tgccctgcgcg 420  
 c 421

<210> 322  
 <211> 521  
 <212> DNA  
 <213> Homo sapien

<400> 322  
 agcagctctc ctgccacagc tcctcacccc ctgaaaatgt tcgcctgctc caagtttgctc 60  
 tccactccct ccttggtcaa gagcacctca cagctgctga gccgtccgct atctgcagtg 120  
 gtgctgaaac gaccggagat actgacagat gagagcctca gcagcttggtc agtctcatgt 180  
 ccccttacct caattgtctc tagccgcagc ttccaaacca gcgccatttc aagggacatc 240  
 gacacagcag ccaagtccat tggagctggg gctgccacag ttgggggtggc tggttctggg 300  
 gctgggattg gaactgtgtt tgggagcctc atcattgggt atgccaggaa cccttctctg 360  
 aagcaacagc tcttctccta cgccattctg ggctttgccc tctcggaggc catggggctc 420  
 ttttgtctga tggtagcctt tctcatcctc ttgtccatgt gaaggagccg tctccacctc 480  
 ccatagttct ccgcgctctg gttggccccg tgtgttcctt t 521

<210> 323  
 <211> 435  
 <212> DNA  
 <213> Homo sapien

<400> 323  
 ccgaggtcgc acgcgtgaga cttctccgcc gcagacgccg ccgcgatgog ctacgtcgcc 60  
 tcctacctgc tggctgccct agggggcaac tcctcccca gcgccaaagg catcaagaag 120  
 atcttggaac gcgtgggtat cgaggcggac gacgaccggc tcaacaagg tctcagtga 180  
 ctgaatggaa aaaacattga agacgtcatt gccagggtta ttggcaagct tgccagtga 240  
 cctgctgggt gggctgtagc cgtctctgct gcccaggct ctgcagcccc tgetgctgg 300  
 tctgccccctg ctgcagcaga ggagaagaaa gatgagaaga aggaggagt tgaagagtca 360  
 gatgatgaca tgggatttgg cctttttgat taaattcctg ctccccctgca aataaagcct 420  
 ttttacacat ctcaa 435

<210> 324  
 <211> 521  
 <212> DNA  
 <213> Homo sapien

<400> 324  
 aggagatcga ctttcgggtgc ccgcaagacc agggctggaa cgcgcgagatc acgctgcaga 60  
 tgggtgcagta caagaatcgt caggccatcc tggcgtgcaa atccacgcgg cagaagcagc 120  
 agcacctggg ccagcagcag cccccctcgc agccgcagcc gcagccgcag ctccagcccc 180  
 aacccagcc tcagcctcag ccgcaacccc agccccaatc acaacccag cctcagcccc 240

aacccaagcc	tcagccccag	cagctccacc	cgtatccgca	tcacatcca	catccacact	300
ctcatcctca	ctcgcaccca	caccctcacc	cgcaccgca	tcgcaccaa	ataccgcacc	360
cacaccacaca	gccgcactcg	cagccgcacg	ggcaccggct	tctccgcagc	acctccaact	420
ctgectgaaa	ggggcagctc	ccgggcaaga	caagggtttg	aggacttgag	gaagtgggac	480
gagcacattt	ctattgtctt	cacttggatc	aaaagcaaaa	c		521

&lt;210&gt; 325

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 325

atcttcattt	ccattaacct	ggaagctttc	atgaatatcc	tcttctttta	aaacatttta	60
acattattta	aacagaaaaa	gatgggctct	ttctggtttag	ttgttacatg	atagcagaga	120
tattttttact	tagattactt	tgggaatgag	agattgtttg	cttgaactct	ggcactgtac	180
agtgaatgtg	tctgtagtgt	tgtagtttg	cattaagcat	gtataacatt	caagtatgtc	240
atccaaataa	gaggcatata	cattgaattg	tttttaatac	tctgacaagt	tgactcttcg	300
acccccaccc	ccaccaaga	cattttaata	gtaaatagag	agagagagaa	gagttaatga	360
acatgaggta	gtgttcact	ggcaggatga	cttttcaata	gctcaaatca	atttcagtgc	420
ctttatcact	tgaattatta	acttaatttg	a			451

&lt;210&gt; 326

&lt;211&gt; 421

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(421)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 326

cgcggtcgta	agggctgagg	atttttggtc	cgcacgctcc	tgctcctgac	tcaccgctgt	60
tcgctctcgc	cgaggaacaa	gtcggtcagg	aagcccgcgc	gcaacagcca	tggtttttaa	120
ggataccgga	aaaacacccg	tggagccgga	ggtggcaatt	caccgaattc	gaatcacctt	180
aacaagccgc	aacgtaaaat	ccttggaaaa	ggtgtgtgct	gacttgataa	gaggcgcaaa	240
agaaaagaat	ctcaaagtga	aaggaccagt	tcgaatgcct	accaagactt	tgagantcac	300
tacaagaaaa	actccttggt	gtgaagggtc	taagacgtgg	gatcgtttcc	agatgagaat	360
tcacaagcga	ctcattgact	tgcacagtcc	ttctgagatt	gttaagcaga	ttacttccat	420
c						421

&lt;210&gt; 327

&lt;211&gt; 456

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 327

atcttgacga	ggctgcggtg	tctgctgcta	ttctccgagc	ttcgcaatgc	cgctaagga	60
cgacaagaag	aagaaggacg	ctggaaaagtc	ggccaagaaa	gacaaagacc	cagtgaacaa	120
atccgggggc	aaggccaaaa	agaagaagtg	gtccaaaggc	aaagtccggg	acaagctcaa	180
taacttagtc	ttgtttgaca	aagctaccta	tgataaactc	tgtaagggaag	ttcccaacta	240
taaaacttata	acccagctg	tggtctctga	gagactgaag	attcgagggt	ccctggccag	300
ggcagccctt	caggagctcc	ttagtaaaag	acttatcaaa	ctggtttcaa	agcacagagc	360
tcaagtaatt	tacaccagaa	ataccaaggg	tggagatgct	ccagctgctg	gtgaagatgc	420
atgaataggt	ccaaccagct	gtacatttgg	aaaaat			456

<210> 328  
 <211> 471  
 <212> DNA  
 <213> Homo sapien

<400> 328  
 gtggaagtga catcgtcttt aaaccctgcg tggcaatccc tgacgcacog cegtgatgcc 60  
 caggaagac agggcgacct ggaagtccaa ctacttcctt aagatcatcc aactattgga 120  
 tgattatccg aaatgtttca ttgtgggagc agacaatgtg ggctccaagc agatgcagca 180  
 gatccgcatg tcccttcgcg ggaaggctgt ggtgctgatg ggcaagaaca ccatgatgcg 240  
 caaggccatc cgagggcacc tggaaaacaa cccagctctg gagaaactgc tgccatcatat 300  
 ccgggggaat gtgggctttg tgttcaccaa ggaggacctc actgagatca gggacatggt 360  
 gctggccaat aagggtgccag ctgctgcccg tgctgggtgcc attgccccat gtgaagtcac 420  
 tgtgccagcc cagaacactg gtctcgggcc cgagaagacc tcctttttcc a 471

<210> 329  
 <211> 278  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(278)  
 <223> n = A,T,C or G

<400> 329  
 gtttaaactt aagcttggta ccgagctcgg atccactagt ccagtgtggt ggaattctag 60  
 aaattgagat gccccccag gccagcaaat gtctcttttt gttcaaagtc tttttttatt 120  
 ccttgatatt tttctttttt tttttttttt ttgnggatgg ggacttgtga atttttctaa 180  
 aggtgctatt taacatggga gganagcgtg tgccggctcca gccagcccg ctgctcactt 240  
 tccacctct ctccacctgc ctctggcttc tcaggcct 278

<210> 330  
 <211> 338  
 <212> DNA  
 <213> Homo sapien

<400> 330  
 ctcaggcttc aacatcgaat acgcccagc ccccttcgcc ctattcttca tagccgaata 60  
 cacaaacatt attataataa acaccctcac cactacaatc ttcctaggaa caacatatga 120  
 cgcactctcc cctgaactct acacaacata ttttgtcacc aagaccctac ttctaacctc 180  
 cctgttctta tgaattcgaa cagcatatccc ccgattccgc tacgaccaac tcatacacct 240  
 cctatgaaaa aacttcctac cactcacctc agcattactt atatgatatg tctccatacc 300  
 cattacaatc tccagcattc cccctcaaac ctaaaaaa 338

<210> 331  
 <211> 2820  
 <212> DNA  
 <213> Homo sapiens

<400> 331  
 tggcaaaatc ctggagccag aagaaaggac agcagcattg atcaatctta cagctaacat 60  
 gttgtacctg gaaaacaatg cccagactca atttagtgag ccacagtaca cgaacctggg 120



```

gctcctgaac agcatggacc agcagattcg gaacgggtcc tcgtccacca gtccctataa 180
cacagaccac gcgcagaaca gcgtcaecgc gccctcgccc tacgcacagc ccagcccccac 240
cttcgatgct ctctctccat caccgcgcac cccctccaac accgactacc caggcccgca 300
cagttccgac gtgtccttcc agcagtcgag caccgccaag tcggccacct ggacgtattc 360
cactgaactg aagaaactct actgccaaat tgcaaagaca tgccccatcc agatcaaggt 420
gatgacccca cctcctcagg gagctgttat ccgcgcacatg cctgtctaca aaaaagctga 480
gcacgtcacg gaggtggtga agcgggtgccc caaccatgag ctgagccgtg agttcaacga 540
gggacagatt gccctccta gtcatttgat tcgagtagag gggaacagcc atgcccagta 600
tgtagaagat cccatcacag gaagacagag tgtgtgtgta ccttatgagc caccgccagg 660
tggcactgaa ttcaagacag tcttgtaaaa tttcatgtgt aacagcagtt gtgttgagg 720
gatgaaccgc cgtccaattt taatcattgt tactctggaa accagagatg ggcaagtcct 780
gggccgacgc tgctttgagg ccgggatctg tgcttgccca ggaagagaca ggaaggcgga 840
tgaagatagc atcagaaagc agcaagtttc ggacagtaca aagaacgggt atggtacgaa 900
gcgccggtt cgtcagaaca cacatggtat ccagatgaca tccatcaaga aacgaagatc 960
cccagatgat gaactgttat acttaccagt gaggggcccgt gagacttatg aaatgctgtt 1020
gaagatcaaa gagtccctgg aactcatgca gtaccttctc cagcacacaa ttgaaacgta 1080
caggcaacag caacagcagc agcaccagca cttacttcag aaacagacct caatacagtc 1140
tccatcttca tatggtaaca gtcccccacc tctgaacaaa atgaacagca tgaacaagct 1200
gccttctgtg agccagctta tcaaccctca gcagcgcaac gccctcactc ctacaaccat 1260
tctgatggc atgggagcca acattcccat gatgggcacc cacatgcca tggctggaga 1320
catgaatgga ctacgcccc cccaggcact cctccccca ctctccatgc catccacctc 1380
ccactgcaca cccccacctc cgtatccac agattgcagc attgtcagtt tcttagcgag 1440
gttgggctgt tcatcatgtc tggactatth cagaccagc gggctgacca ccatctatca 1500
gattgagcat tactccatgg atgatctggc aagcttgaaa atccctgagc aatttcgaca 1560
tgcatctgg aagggcaccc tggaccaccg gcagctccac gaattctcct ccccttctca 1620
tctcctgcgg accccaagca gtgcctctac agtcagtggt ggctccagtg agaccgggg 1680
tgagcgtgtt attgatgctg tgcgattcac cctccgccag accatctctt tcccaccccg 1740
agatgagtgg aatgacttca actttgacat ggatgctcgc cgcaataagc aacagcgcat 1800
caaagaggag ggggagttag cctcaccatg tgagctcttc ctatccctct cctaactgcc 1860
agccccctaa aagcactcct gcttaatctt caaagccttc tccctagctc ctccccttcc 1920
tcttgtctga tttcttaggg gaaggagaag taaggagcta cctcttacct aacatctgac 1980
ctggcatcta attctgattc tggctttaag ccttcaaaac tatagcttgc agaactgtag 2040
ctgccatggc taggtagaag tgagcaaaaa agagtgggt gtctccttaa gctgcagaga 2100
tttctcattg acttttataa agcatgttca ccttatagt ctaagactat atatataaat 2160
gtataaatat acagtataga tttttgggtg gggggcattg agtattgttt aaaatgtaat 2220
ttaaatgaaa gaaaattgag ttgcacttat tgaccatttt ttaatttact tgttttgat 2280
ggcttgtcta tactccttcc cttaaggggt atcatgtatg gtgataggta tctagagctt 2340
aatgctacat gtgagtgcga tgatgtacag attctttcag ttctttggat tctaaatata 2400
tgccacatca aacctttgag tagatccatt tccattgctt attatgtagg taagactgta 2460
gatatgtatt cttttctcag tgttggtata ttttatatta ctgacatttc ttctagtgat 2520
gatggttcac gttggggtga tttaatccag ttataagaag aagttcatgt ccaaacgggtc 2580
ctctttagtt tttgggtggg aatgaggaaa attcttaaaa ggcccatagc agccagttca 2640
aaaacacccg acgtcatgta tttgagcata tcagtaacct ccttaaatat aataaccaga 2700
taccttatct tacaatgttg attgggaaaa catttgcctg ccattacaga ggtattaaaa 2760
ctaaatttca ctactagatt gactaactca aatacacatt tgctactgtt gtaagaattc 2820

```

&lt;210&gt; 332

&lt;211&gt; 2270

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 332

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggg gtgccacct 60
acagtactgc cctgaccctt acatccagcg tttcgtagaa acccagctca tttctcttgg 120

```

```

aaagaaagtt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgtccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgcca tcccctccaa caccgactac 540
ccaggcccg c acagtttgc cgtgtccttc cagcagtcga gcaccgcca gtcggccacc 600
tggacgtatt ccactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gctgtctac 720
aaaaaagctg agcagtcac ggaggtggtg aagcggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgcctctcct agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccaccccagg ttggcactga attcacgaca gtcttgtaca atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcgcagc ctgctttgag gcccggtct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcctgtt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380
tcaatacagt ctccatcttc atatggtaac agtccccac ctctgaacaa aatgaacagc 1440
atgaacaagc tgcttctgtg gagccagctt atcaaccctc agcagcgcaa cgccctcact 1500
cctacaacca ttctgatgg catgggagcc aacattccca tgatgggcac ccacatgcca 1560
atggctggag acatgaatgg actcagcccc acccaggcac tccctcccc actctccatg 1620
ccatccacct cccactgcac acccccacct ccgtatccaa cagattgcag cattgtcgg 1680
ttcttagoga ggttgggctg ttcatcatgt ctggactatt tcacgacca ggggctgacc 1740
accatctatc agattgagca ttactccatg gatgatctgg caagtctgaa aatccctgag 1800
caattctgac atgocactcg gaagggcac ctggaccacc ggcagctcca cgaattctcc 1860
tccccttctc atctcctcg gacccaagc agtgcctcta cagtcaagtgt gggctccagt 1920
gagaccgggg gtgagcgtgt tattgatgct gtgcgattca cctccgcca gaccatctct 1980
ttccacccc gagatgagtg gaatgacttc aactttgaca tggatgctcg ccgcaataag 2040
caacagcgca tcaaagagga gggggagtga gcctcaccat gtgagctctt cctatccctc 2100
tctaactgc cagcccccta aaagcactcc tgcttaatct tcaaagcctt ctccctagct 2160
cctccccctc ctcttgtctg atttcttagg ggaaggagaa gtaaggaggc acctcttacc 2220
taacatctga cctggcatct aattctgatt ctggctttaa gccttcaaaa 2270

```

&lt;210&gt; 333

&lt;211&gt; 2816

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 333

```

tcgttgatat caaagacagt tgaaggaaat gaattttgaa acttcacggg gtgccaccct 60
acagtactgc cctgaccctt acatccagcg tttcgtagaa acccagctca tttctcttgg 120
aaagaaagtt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagagggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctcgtccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgcca tcccctccaa caccgactac 540
ccaggcccg c acagtttgc cgtgtccttc cagcagtcga gcaccgcca gtcggccacc 600
tggacgtatt ccactgaact gaagaaactc tactgcaaaa ttgcaaagac atgccccatc 660

```

```

cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtgggtg aagcgggtgcc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccccctct agtcatttga ttcgagtaga ggggaacagc 840
catgcccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccaccccagg ttggcactga attcacgaca gtcttgtaca atttcatgtg taacagcagt 960
tgtgttggag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggccgacg ctgctttgag gcccggtatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggg 1140
gatggtacga agcgcctgtt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccttg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacatctc 1380
ctttcagcct gcttcaggaa tgagcttgtg gagccccgga gagaaactcc aaaacaatct 1440
gacgtcttct ttagacattc caagccccca aaccgatcag tgtaccata gagccctatc 1500
tctatathtt aagtgtgtgt gttgtatttc catgtgtata tgtgagtgtg tgtgtgtgta 1560
tgtgtgtgcg tgtgtatcta gccctcataa acaggacttg aagacacttt ggctcagaga 1620
cccaactgct caaaggcaca aagccactag tgagagaatc ttttgaaggg actcaaacct 1680
ttacaagaaa ggatgttttc tgcagatttt gtatccttag accggccatt ggtgggtgag 1740
gaaccactgt gtttgtctgt gagctttctg ttgtttcctg ggaggagggg gtcaggtggg 1800
gaaaggggca ttaagatgtt tattggaacc cttttctgtc ttcttctgtt gttttctaa 1860
aattcacagg gaagcttttg agcaggcttc aaacttaaga tgtcttttta agaaaaggag 1920
aaaaaagttg ttattgtctg tgcataagta agttgtaggt gactgagaga ctcagtcaga 1980
cccttttaat gctggctcatg taataatatt gcaagtagta agaaacgaag gtgtcaagtg 2040
tactgctggg cagcgagggtg atcattacca aaagtaatca actttgtggg tggagagtgc 2100
tttgtgagaa cttgcattat ttgtgtcctc cctcatgtg taggtagaac atttcttaat 2160
gctgtgtacc tgcctctgcc actgtatgtt ggcactgtt atgctaaagt ttttcttgta 2220
catgaaacc tgggaagacct actacaaaaa aactgttggt tggcccccat agcaggtgaa 2280
ctcattttgt gcttttaata gaaagacaaa tccacccag taatattgcc cttacgtagt 2340
tgttttacat tattcaaagc tcaaaataga atttgaagcc ctctcacaaa atctgtgatt 2400
aatttgctta attagagctt ctatccctca agcctacct ccataaaacc agccatatta 2460
ctgatactgt tcagtgcatt tagccaggag acttacgttt tgagtaagt agatccaagc 2520
agacgtgtta aaatcagcac tcctggactg gaaattaaag attgaaagg tagactactt 2580
ttcttttttt tactcaaaag tttagagaat ctctgtttct ttccatttta aaaacatatt 2640
ttaagataat agcataaaga ctttaaaaaat gttcctcccc tccatcttcc cacaccagc 2700
caccagcact gtattttctg tcaccaagac aatgatttct tgttattgag gctgttgctt 2760
ttgtggatgt gtgattttta ttttcaataa acttttgcac cttggtttaa aagaaa 2816

```

&lt;210&gt; 334

&lt;211&gt; 2082

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 334

```

agatgctaca gcgactgcac acccaggctg tatgatacag cctattgtct ccgggctgca 60
aacctgtcca gcatgtgatg tgggtgggata ctgaattgaa taccgaatac tgtaggcaat 120
tgtaacacag tggtaaagtct ttgtgtatct aaacatagct aaacacaaaa aggtatagta 180
agaatatggg attataatct tatggaacta tcattgtata tgtggtttgt caaccagaat 240
gtagttatac agcacaggac tgtgcttatg atgtgccaaag cacagctctc agtactaact 300
cctttaatct tcatatcaac cctaggagggt aacttcttaa gtagattcat attgtaaggg 360
tctcgggggtg ggggggttg caaaatcctg gagccagaag aaaggacagc agcattgatc 420
aatcttacag ctaacatgtt gtacctggaa aacaatgccc agactcaatt tagtgagcca 480
cagtacacga acctggggct cctgaacagc atggaccagc agattcagaa cggctcctcg 540
tccaccagtc cctataaac agaccacgcg cagaacagcg tcacggcgcc ctgcgctac 600
gcacagccca gctccacctt cgatgctctc tctccatcac ccgccatccc ctccaacacc 660

```

```

gactacccag gcccgcacag ttctgacgtg tccttccagc agtcgagcac cgccaagtgc 720
gccacctgga cgtattccac tgaactgaag aaactctact gccaaattgc aaagacatgc 780
cccatccaga tcaaggtgat gacccacact cctcagggag ctgttatccg cgccatgcct 840
gtctacaaaa aagctgagca cgtcacggag gtggtgaagc ggtgccccaa ccatgagctg 900
agccgtgaat tcaacgaggg acagattgcc cctcctagtc atttgattcg agtagagggg 960
aacagccatg cccagtatgt agaagatccc atcacaggaa gacagagtgt gctggtacct 1020
tatgagccac cccaggttgg cactgaattc acgacagtct tgtacaattt catgtgtaac 1080
agcagttgtg ttggagggat gaaccgccgt ccaattttta tcatgtttac tctggaaacc 1140
agagatgggc aagtcctggg ccgacgctgc tttgaggccc ggatctgtgc ttgcccagga 1200
agagacagga aggcggatga agatagcatc agaaagcagc aagtttcgga cagtacaaag 1260
aacggtgatg gtacgaagcg cccgtctcgt cagaacacac atggtatcca gatgacatcc 1320
atcaagaaac gaagatcccc agatgatgaa ctgttatact taccagtga gggccgtgag 1380
acttatgaaa tgctgttgaa gatcaaagag tccctggaac tcatgcagta ccttcctcag 1440
cacacaattg aaacgtacag gcaacagcaa cagcagcagc accagcactt acttcagaaa 1500
cagtgaagtgt atcaacgtgt catttttaga ggcatgagtg acggtgactt tatttggatc 1560
agcaataggg tgattgatga gcaatgtgga acataatggg agatagcaga ttgtcataga 1620
ttcagatgac ctggtatggc aaccctcttt cagttgcaac cttttttacg tgtcttatta 1680
taaccttccc ttcagaattc cacttatgtt ctgaaattaa atacaaacca tttctggtga 1740
attacaaaga aactcacact aacagttctc ttctctatat gcttgggtcca tacacactaa 1800
cagtaagtac acactctatt tggtagtgat gtgtataattt gaaaacatga aatcttttct 1860
catcccaatg gattgtctta taaatctcct gggatgcaca ctatccactt ttgggaataa 1920
cactgtagac cagggatagc aaataggctt tactataata taaagtgaat tgtttgaatg 1980
ctgtaatgag aagaattctg agacctagtg catgataatt ggggaaatat ctgggtgcag 2040
aaggataagg tagcatcatg ttgccgtatt ttagcatctc tg 2082

```

&lt;210&gt; 335

&lt;211&gt; 4849

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 335

```

cgttgatata aaagacagtt gaaggaaatg aattttgaaa cttcacggtg tgccacccta 60
cagtactgcc ctgaccctta catccagcgt ttctgtagaaa cccagctca tttctcttgg 120
aaagaaagtt attaccgatc caccatgtcc cagagcacac agacaaatga attcctcagt 180
ccagaggttt tccagcatat ctgggatttt ctggaacagc ctatatgttc agttcagccc 240
attgacttga actttgtgga tgaaccatca gaagatggtg cgacaaacaa gattgagatt 300
agcatggact gtatccgcat gcaggactcg gacctgagtg accccatgtg gccacagtac 360
acgaacctgg ggctcctgaa cagcatggac cagcagattc agaacggctc ctctgccacc 420
agtccctata acacagacca cgcgcagaac agcgtcacgg cgccctcgcc ctacgcacag 480
cccagctcca ccttcgatgc tctctctcca tcaccgcca tccccccaa caccgactac 540
ccaggcccg caggtttcga cgtgtccttc cagcagtcga gcaccgccaa gtcggccacc 600
tggacgtatt cactgaact gaagaaactc tactgccaaa ttgcaaagac atgccccatc 660
cagatcaagg tgatgacccc acctcctcag ggagctgtta tccgcgccat gcctgtctac 720
aaaaaagctg agcacgtcac ggaggtggtg aagcgggtgc ccaaccatga gctgagccgt 780
gaattcaacg agggacagat tgccctcct agtcatttga ttcgagtaga ggggaacagc 840
catgccagt atgtagaaga tcccatcaca ggaagacaga gtgtgctggt accttatgag 900
ccacccagg ttggcactga attcacgaca gtcttgtaaa atttcatgtg taacagcagt 960
tgtgttgag ggatgaaccg ccgtccaatt ttaatcattg ttactctgga aaccagagat 1020
gggcaagtcc tgggcccagc ctgctttgag gcccgatct gtgcttgccc aggaagagac 1080
aggaaggcgg atgaagatag catcagaaag cagcaagttt cggacagtac aaagaacggt 1140
gatggtacga agcgcocggt tcgtcagaac acacatggta tccagatgac atccatcaag 1200
aaacgaagat cccagatga tgaactgtta tacttaccag tgaggggccc tgagacttat 1260
gaaatgctgt tgaagatcaa agagtccctg gaactcatgc agtaccttcc tcagcacaca 1320
attgaaacgt acaggcaaca gcaacagcag cagcaccagc acttacttca gaaacagacc 1380

```

tcaatacagt	ctccatcttc	atatggtaac	agctccccac	ctctgaacaa	aatgaacagc	1440
atgaacaagc	tgctttctgt	gagccagctt	atcaaccctc	agcagcgcaa	cgccctcact	1500
cctacaacca	ttcctgatgg	catgggagcc	aacattccca	tgatggggcac	ccacatgcc	1560
atggctggag	acatgaatgg	actcagcccc	accagggcac	tccctcccc	actctccatg	1620
ccatccacct	cccagtgac	acccccacct	ccgtatccca	cagattgcag	cattgtcagt	1680
ttcttagcga	ggttgggctg	ttcatcatgt	ctggactatt	tcacgaccca	ggggctgacc	1740
accatctatc	agattgagca	ttactccatg	gatgatctgg	caagtctgaa	aatccctgag	1800
caatttcgac	atgcgatctg	gaagggcatc	ctggaccacc	ggcagctcca	cgaattctcc	1860
tcccccttc	atctcctgcg	gaccccaagc	agtgcctcta	cagtcagtgt	gggctccagt	1920
gagacccggg	gtgagcgtgt	tattgatgct	gtgcgattca	ccctccgcca	gaccatctct	1980
ttcccacccc	gagatgagtg	gaatgacttc	aactttgaca	tggatgctcg	ccgcaataag	2040
caacagcgca	tcaaagagga	gggggagtg	gcctcaccat	gtgagctctt	cctatccctc	2100
tctaactgc	cagcycccta	aaagcactcc	tgcttaatct	tcaaagcctt	ctccctagct	2160
cctccccctc	ctcttgctctg	atttcttagg	ggaaggagaa	gtaagaggct	acctcttacc	2220
taacatctga	cctggcatct	aattctgatt	ctggctttaa	gccttcaaaa	ctatagcttg	2280
cagaactgta	gctgccatgg	ctaggtagaa	gtgagcaaaa	aagagttggg	tgtctcctta	2340
agctgcagag	atttctcatt	gacttttata	aagcatgttc	acccttatag	tctaagacta	2400
tatatataaa	tgtataaata	tacagtatag	atttttgggt	ggggggcatt	gagtattgtt	2460
taaaatgtaa	tttaaagtga	agaaaattga	gttgcaactta	ttgaccattt	tttaatttac	2520
ttgttttgga	tggttgctct	atactccttc	ccttaagggg	tatcatgtat	ggtgataggt	2580
atctagagct	taatgctaca	tgtgagtgc	gatgatgtac	agattccttc	agttccttgg	2640
attctaaata	catgccacat	caaacctttg	agtagatcca	tttccattgc	ttattatgta	2700
ggtaagactg	tagatatgta	ttcttttctc	agtgttggt	tattttatat	tactgacatt	2760
tcttctagt	atgatgggtc	acgttgggt	gatttaatcc	agttataaga	agaagttcat	2820
gtccaaacgt	cctctttagt	ttttggttgg	gaatgaggaa	aattcttaaa	aggcccatag	2880
cagccagttc	aaaaacaccc	gacgtcatgt	atttgagcat	atcagtaacc	cccttaaatt	2940
taataacaga	taccttatct	tacaatatgt	attgggaaaa	catttgctgc	cattacagag	3000
gtattaaaa	taaatttcac	tactagattg	actaaactca	atacacattt	gctactgttg	3060
taagaattct	gattgatttg	attgggatga	atgccactca	tctagtctca	acagtgaagt	3120
tttactgtct	attaatattc	agggtaaata	ggaactcattc	agaaatgttg	agtcgtgtat	3180
aaacagtaag	atatctcaat	gaaccataaa	ttcaactttg	taaaaatctt	ttgaagcata	3240
gataatattg	tttggtaaat	gtttcttttg	tttggtaaat	gtttctttta	aagaccctcc	3300
tattctataa	aactctgcat	gtagaggctt	gtttaccttt	ctctctctaa	ggtttacaat	3360
aggagtgggt	atttgaaaaa	tataaaaatta	tgagattgggt	tttctgtggg	cataaattgc	3420
atcactgtat	cattttcttt	tttaaccggt	aagagtttca	gtttgttgga	aagtaactgt	3480
gagaaccag	tttcccgctc	atctccctta	gggactaccc	atagacatga	aaggctccca	3540
cagagcaaga	gataagtctt	tcattggctgc	tggtgcttaa	accacttaaa	cgaagagttc	3600
ccttgaaact	ttgggaaaac	atgttaatga	caatattcca	gatctttcag	aaatataaca	3660
catttttttg	catgcatgca	aatgagctct	gaaatcttcc	catgcattct	ggtcaagggc	3720
tgctattgca	cataagcttc	cattttaatt	ttaaagtgc	aaagggccag	cgtggctcta	3780
aaaggtaatg	tgtggattgc	ctctgaaaag	tgtgtatata	ttttgtgtga	aattgcatac	3840
tttgatattt	gattattttt	ttttcttct	tgggatagtg	ggatttccag	aaccacactt	3900
gaaacctttt	tttatcgttt	ttgtattttc	atgaaaatac	catttagtaa	gaataccaca	3960
tcaaataaga	aataatgcta	caattttaag	aggggaggga	agggaaagtt	tttttttatt	4020
atttttttaa	aattttgtat	gttaaagaga	atgagtcctt	gatttcaaag	ttttgttgta	4080
cttaaatggt	aataagcact	gtaaacttct	gcaacaagca	tgagctttg	caaaccatt	4140
aaggggaaga	atgaaagctg	ttccttggtc	ctagtaagaa	gacaaaactgc	ttcccttact	4200
ttgctgaggg	tttgaataaa	cctaggactt	ccgagctatg	tcagtactat	tcaggtaaca	4260
ctagggcctt	ggaaattcct	gtactgtgtc	tcattggattt	ggcactagcc	aaagcgaggc	4320
accttactg	gcttacctcc	tcattggcagc	ctactctcct	tgagtgtatg	agtagccagg	4380
gtaaggggta	aaaggatagt	aagcatagaa	accactagaa	agtgggctta	atggagtctt	4440
tgtggcctca	gctcaatgca	gttagctgaa	gaattgaaaa	gtttttgttt	ggagacgttt	4500
ataaacagaa	atggaaagca	gagttttcat	taaatccttt	tacctttttt	ttttcttggg	4560
aatcccttaa	aataacagta	tgtgggatat	tgaatgttaa	agggatattt	ttttctatt	4620
atttttataa	ttgtacaaaa	ttaagcaaat	gttaaaagtt	ttatatgctt	tattaatgtt	4680

```

ttcaaaaggt attatacatg tgatacattt tttaagcttc agttgcttgt cttctggtac 4740
tttctgttat gggcttttgg ggagccagaa gccaatctac aatctctttt tgtttgccag 4800
gacatgcaat aaaatttaaa aaataaataa aaactaatta agaaataaaa 4849

```

&lt;210&gt; 336

&lt;211&gt; 1386

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 336

```

atgttgtagc tggaaaacaa tgcccagact caatttagtg agccacagta cacgaacctg 60
gggtcctga acagcatgga ccagcagatt cagaacggct cctcgtccac cagtcacctat 120
aacacagacc acgcgcagaa cagcgtcacg gcgcctcgc cctacgcaca gccagctcc 180
accttcgatg ctctctctcc atcaccgcc atcccccca acaccgacta cccaggcccg 240
cacagtttcg acgtgtcctt ccagcagtcg agcaccgcca agtcggccac ctggacgtat 300
tccactgaac tgaagaaact ctactgccaa attgcaaaga catgccccat ccagatcaag 360
gtgatgaccc cacctcctca gggagctgtt atccgcgcca tgctgtctta caaaaaagct 420
gagcacgtca cggagggtgt gaagcgggtc cccaacctag agctgagccg tgaattcaac 480
gagggacaga ttgccccctc tagtcatttg attcgagtag aggggaacag ccatgcccag 540
tatgtagaag atcccatcac aggaagacag agtggtctgg taccttatga gccaccccag 600
gttggcactg aattcacgac agtcttgtac aatttcattg gtaacagcag ttgtgttgga 660
gggatgaacc gccgtccaat tttaatcatt gttactctgg aaaccagaga tgggcaagtc 720
ctgggcccag gctgctttga ggcccggatc tgtgcttgcc caggaagaga caggaaggcg 780
gatgaagata gcatcagaaa gcagcaagtt tcggacagta caaagaacgg tgatggtacg 840
aagcgcccggt ttcgtcagaa cacacatggt atccagatga catccatcaa gaaacgaaga 900
tccccagatg atgaactggt atacttacca gtgagggggc gtgagactta tgaaatgctg 960
ttgaagatca aagagtccct ggaactcatg cagtaccttc ctcagcacac aattgaaacg 1020
tacaggcaac agcaacagca gcagcaccag cacttacttc agaaacagac ctcaatacag 1080
tctccatctt catatggtaa cagctcccc cctctgaaca aaatgaacag catgaacaag 1140
ctgccttctg tgagccagct tatcaaccct cagcagcgca acgcccctac tcctacaacc 1200
attcctgatg gcatgggagc caacattccc atgatgggca cccacatgcc aatggctgga 1260
gacatgaatg gactcagccc caccaggcca ctccctcccc cactctccat gccatccacc 1320
tcccactgca cacccccacc tccgtatccc acagattgca gcattgtcag gatctggcaa 1380
gtctga 1386

```

&lt;210&gt; 337

&lt;211&gt; 1551

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 337

```

atgtcccaga gcacacagac aaatgaattc ctcagtccag aggttttcca gcatactctg 60
gattttctgg aacagcctat atgttcagtt cagcccattg acttgaactt tgtggatgaa 120
ccatcagaag atggtgagac aaacaagatt gagattagca tggactgtat ccgcatgcag 180
gactcggacc tgagtgaccc catgtggcca cagtacacga acctggggct cctgaacagc 240
atggaccagc agattcagaa cggctcctcg tccaccagtc cctataacac agaccacgcg 300
cagaacagcg tcacggcgcc ctgcacctac gcacagccca gctccacctt cgatgctctc 360
tctccatcac ccgccatccc ctccaacacc gactaccag gccgcacag tttcgacgtg 420
tccttcacag agtcgagcac cgccaagtcg gccacctgga cgtattccac tgaactgaag 480
aaactctact gccaaattgc aaagacatgc cccatccaga tcaagggtgat gacccacact 540
cctcagggag ctgttatccg cgccatgcct gtctacaaaa aagctgagca cgtcacggag 600
gtggtgaagc ggtgccccaa ccatgagctg agcctggaat tcaacgaggg acagattgcc 660
cctcctagtc atttgattcg agtagagggg aacagccatg cccagtatgt agaagatccc 720

```

```

atcacaggaa gacagagtgt gctggtacct tatgagccac cccaggttgg cactgaattc 780
acgacagtct tgtacaattt catgtgtaac agcagttgtg ttggagggat gaaccgccgt 840
ccaattttta tcatgtttac tctggaaacc agagatgggc aagtcctggg ccgacgctgc 900
tttgaggccc ggatctgtgc ttgcccagga agagacagga aggcggatga agatagcatc 960
agaaagcagc aagtttcgga cagtacaaag aacggtgatg gtacgaagcg cccgtttcgt 1020
cagaacacac atggtatcca gatgacatcc atcaagaaac gaagatcccc agatgatgaa 1080
ctgttatact taccagtgtg gggccgtgag acttatgaaa tgctgttgaa gatcaaagag 1140
tccctggaac tcatgcagta ccttctcag cacacaattg aaacgtacag gcaacagcaa 1200
cagcagcagc accagcactt acttcagaaa cagacctcaa tacagtctcc atcttcatat 1260
ggtaacagct cccacactct gaacaaaatg aacagcatga acaagctgcc ttctgtgagc 1320
cagcttatca accctcagca gcgcaacgcc ctcaactcta caaccattcc tgatggcatg 1380
ggagccaaca ttcccatgat gggcacccac atgccaatgg ctggagacat gaatggactc 1440
agccccaccc aggcactccc tccccactc tccatgccat ccacctccca ctgcacaccc 1500
ccacctcgt atcccacaga ttgcagcatt gtcaggatct ggcaagtctg a 1551

```

&lt;210&gt; 338

&lt;211&gt; 586

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 338

```

Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln
          5                      10                      15

```

```

Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Arg Asn
          20                      25                      30

```

```

Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser
          35                      40                      45

```

```

Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Pro Thr Phe Asp Ala
          50                      55                      60

```

```

Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro
          65                      70                      75                      80

```

```

His Ser Ser Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala
          85                      90                      95

```

```

Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala
          100                      105                      110

```

```

Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly
          115                      120                      125

```

```

Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr
          130                      135                      140

```

```

Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn
          145                      150                      155                      160

```

```

Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn
          165                      170                      175

```

```

Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val

```

180	185	190
Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val		
195	200	205
Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg		
210	215	220
Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val		
225	230	235 240
Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg		
	245 250	255
Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp		
	260 265	270
Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr		
	275 280	285
His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp		
	290 295	300
Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu		
305	310	315 320
Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His		
	325 330	335
Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu		
	340 345	350
Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser		
	355 360	365
Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val		
	370 375	380
Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr		
385	390	395 400
Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met		
	405 410	415
Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro		
	420 425	430
Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro		
	435 440	445
Tyr Pro Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys		
	450 455	460
Ser Ser Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr		
465	470 475	480





Ser	Ser	Thr	Ala	Lys	Ser	Ala	Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys	145	150	155	160
Lys	Leu	Tyr	Cys	Gln	Ile	Ala	Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val	165	170	175	
Met	Thr	Pro	Pro	Pro	Gln	Gly	Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr	180	185	190	
Lys	Lys	Ala	Glu	His	Val	Thr	Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His	195	200	205	
Glu	Leu	Ser	Arg	Glu	Phe	Asn	Glu	Gly	Gln	Ile	Ala	Pro	Pro	Ser	His	210	215	220	
Leu	Ile	Arg	Val	Glu	Gly	Asn	Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro	225	230	235	240
Ile	Thr	Gly	Arg	Gln	Ser	Val	Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val	245	250	255	
Gly	Thr	Glu	Phe	Thr	Thr	Val	Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser	260	265	270	
Cys	Val	Gly	Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu	275	280	285	
Glu	Thr	Arg	Asp	Gly	Gln	Val	Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg	290	295	300	
Ile	Cys	Ala	Cys	Pro	Gly	Arg	Asp	Arg	Lys	Ala	Asp	Glu	Asp	Ser	Ile	305	310	315	320
Arg	Lys	Gln	Gln	Val	Ser	Asp	Ser	Thr	Lys	Asn	Gly	Asp	Gly	Thr	Lys	325	330	335	
Arg	Pro	Phe	Arg	Gln	Asn	Thr	His	Gly	Ile	Gln	Met	Thr	Ser	Ile	Lys	340	345	350	
Lys	Arg	Arg	Ser	Pro	Asp	Asp	Glu	Leu	Leu	Tyr	Leu	Pro	Val	Arg	Gly	355	360	365	
Arg	Glu	Thr	Tyr	Glu	Met	Leu	Leu	Lys	Ile	Lys	Glu	Ser	Leu	Glu	Leu	370	375	380	
Met	Gln	Tyr	Leu	Pro	Gln	His	Thr	Ile	Glu	Thr	Tyr	Arg	Gln	Gln	Gln	385	390	395	400
Gln	Gln	Gln	His	Gln	His	Leu	Leu	Gln	Lys	Gln	Thr	Ser	Ile	Gln	Ser	405	410	415	
Pro	Ser	Ser	Tyr	Gly	Asn	Ser	Ser	Pro	Pro	Leu	Asn	Lys	Met	Asn	Ser	420	425	430	
Met	Asn	Lys	Leu	Pro	Ser	Val	Ser	Gln	Leu	Ile	Asn	Pro	Gln	Gln	Arg				

435	440	445
Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile		
450	455	460
Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu		
465	470	475
Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser		
485	490	495
His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Gly		
500	505	510
Phe Leu Ala Arg Leu Gly Cys Ser Ser Cys Leu Asp Tyr Phe Thr Thr		
515	520	525
Gln Gly Leu Thr Thr Ile Tyr Gln Ile Glu His Tyr Ser Met Asp Asp		
530	535	540
Leu Ala Ser Leu Lys Ile Pro Glu Gln Phe Arg His Ala Ile Trp Lys		
545	550	555
Gly Ile Leu Asp His Arg Gln Leu His Glu Phe Ser Ser Pro Ser His		
565	570	575
Leu Leu Arg Thr Pro Ser Ser Ala Ser Thr Val Ser Val Gly Ser Ser		
580	585	590
Glu Thr Arg Gly Glu Arg Val Ile Asp Ala Val Arg Phe Thr Leu Arg		
595	600	605
Gln Thr Ile Ser Phe Pro Pro Arg Asp Glu Trp Asn Asp Phe Asn Phe		
610	615	620
Asp Met Asp Ala Arg Arg Asn Lys Gln Gln Arg Ile Lys Glu Glu Gly		
625	630	635
		640

Glu

&lt;210&gt; 340

&lt;211&gt; 448

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 340

Met Ser Gln Ser Thr Gln Thr Asn Glu Phe Leu Ser Pro Glu Val Phe
5 10 15

Gln His Ile Trp Asp Phe Leu Glu Gln Pro Ile Cys Ser Val Gln Pro
20 25 30

Ile Asp Leu Asn Phe Val Asp Glu Pro Ser Glu Asp Gly Ala Thr Asn
35 40 45

Lys Ile Glu Ile Ser Met Asp Cys Ile Arg Met Gln Asp Ser Asp Leu  
 50 55 60  
 Ser Asp Pro Met Trp Pro Gln Tyr Thr Asn Leu Gly Leu Leu Asn Ser  
 65 70 75 80  
 Met Asp Gln Gln Ile Gln Asn Gly Ser Ser Ser Thr Ser Pro Tyr Asn  
 85 90 95  
 Thr Asp His Ala Gln Asn Ser Val Thr Ala Pro Ser Pro Tyr Ala Gln  
 100 105 110  
 Pro Ser Ser Thr Phe Asp Ala Leu Ser Pro Ser Pro Ala Ile Pro Ser  
 115 120 125  
 Asn Thr Asp Tyr Pro Gly Pro His Ser Phe Asp Val Ser Phe Gln Gln  
 130 135 140  
 Ser Ser Thr Ala Lys Ser Ala Thr Trp Thr Tyr Ser Thr Glu Leu Lys  
 145 150 155 160  
 Lys Leu Tyr Cys Gln Ile Ala Lys Thr Cys Pro Ile Gln Ile Lys Val  
 165 170 175  
 Met Thr Pro Pro Pro Gln Gly Ala Val Ile Arg Ala Met Pro Val Tyr  
 180 185 190  
 Lys Lys Ala Glu His Val Thr Glu Val Val Lys Arg Cys Pro Asn His  
 195 200 205  
 Glu Leu Ser Arg Glu Phe Asn Glu Gly Gln Ile Ala Pro Pro Ser His  
 210 215 220  
 Leu Ile Arg Val Glu Gly Asn Ser His Ala Gln Tyr Val Glu Asp Pro  
 225 230 235 240  
 Ile Thr Gly Arg Gln Ser Val Leu Val Pro Tyr Glu Pro Pro Gln Val  
 245 250 255  
 Gly Thr Glu Phe Thr Thr Val Leu Tyr Asn Phe Met Cys Asn Ser Ser  
 260 265 270  
 Cys Val Gly Gly Met Asn Arg Arg Pro Ile Leu Ile Ile Val Thr Leu  
 275 280 285  
 Glu Thr Arg Asp Gly Gln Val Leu Gly Arg Arg Cys Phe Glu Ala Arg  
 290 295 300  
 Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile  
 305 310 315 320  
 Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys  
 325 330 335

Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys  
 340 345 350  
 Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly  
 355 360 365  
 Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu  
 370 375 380  
 Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln  
 385 390 395 400  
 Gln Gln Gln His Gln His Leu Leu Gln Lys His Leu Leu Ser Ala Cys  
 405 410 415  
 Phe Arg Asn Glu Leu Val Glu Pro Arg Arg Glu Thr Pro Lys Gln Ser  
 420 425 430  
 Asp Val Phe Phe Arg His Ser Lys Pro Pro Asn Arg Ser Val Tyr Pro  
 435 440 445  
 <210> 341  
 <211> 356  
 <212> PRT  
 <213> Homo sapiens  
 <400> 341  
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln  
 5 10 15  
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn  
 20 25 30  
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser  
 35 40 45  
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala  
 50 55 60  
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro  
 65 70 75 80  
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala  
 85 90 95  
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala  
 100 105 110  
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly  
 115 120 125  
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr  
 130 135 140  
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn

158

145	150	155	160
Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn	165	170	175
Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val	180	185	190
Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val	195	200	205
Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg	210	215	220
Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val	225	230	235
Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg	245	250	255
Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp	260	265	270
Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Ser Arg Gln Asn Thr	275	280	285
His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp	290	295	300
Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu	305	310	315
Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His	325	330	335
Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu	340	345	350
Leu Gln Lys Gln	355		
<210> 342			
<211> 680			
<212> PRT			
<213> Homo sapiens			
<400> 342			
Met Asn Phe Glu Thr Ser Arg Cys Ala Thr Leu Gln Tyr Cys Pro Asp	5	10	15
Pro Tyr Ile Gln Arg Phe Val Glu Thr Pro Ala His Phe Ser Trp Lys	20	25	30
Glu Ser Tyr Tyr Arg Ser Thr Met Ser Gln Ser Thr Gln Thr Asn Glu	35	40	45

Phe Leu Ser Pro Glu Val Phe Gln His Ile Trp Asp Phe Leu Glu Gln  
 50 55 60  
 Pro Ile Cys Ser Val Gln Pro Ile Asp Leu Asn Phe Val Asp Glu Pro  
 65 70 75 80  
 Ser Glu Asp Gly Ala Thr Asn Lys Ile Glu Ile Ser Met Asp Cys Ile  
 85 90 95  
 Arg Met Gln Asp Ser Asp Leu Ser Asp Pro Met Trp Pro Gln Tyr Thr  
 100 105 110  
 Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn Gly Ser  
 115 120 125  
 Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser Val Thr  
 130 135 140  
 Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala Leu Ser  
 145 150 155 160  
 Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro His Ser  
 165 170 175  
 Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala Thr Trp  
 180 185 190  
 Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala Lys Thr  
 195 200 205  
 Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly Ala Val  
 210 215 220  
 Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr Glu Val  
 225 230 235 240  
 Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn Glu Gly  
 245 250 255  
 Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn Ser His  
 260 265 270  
 Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val Leu Val  
 275 280 285  
 Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val Leu Tyr  
 290 295 300  
 Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg Arg Pro  
 305 310 315 320  
 Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val Leu Gly  
 325 330 335

Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg Asp Arg  
 340 345 350  
 Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp Ser Thr  
 355 360 365  
 Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr His Gly  
 370 375 380  
 Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp Glu Leu  
 385 390 395 400  
 Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu Leu Lys  
 405 410 415  
 Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His Thr Ile  
 420 425 430  
 Glu Thr Tyr Arg Gln Gln Gln Gln Gln Gln His Gln His Leu Leu Gln  
 435 440 445  
 Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser Ser Pro  
 450 455 460  
 Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val Ser Gln  
 465 470 475 480  
 Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr Ile Pro  
 485 490 495  
 Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met Pro Met  
 500 505 510  
 Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro Pro Pro  
 515 520 525  
 Leu Ser Met Pro Ser Thr Ser Gln Cys Thr Pro Pro Pro Pro Tyr Pro  
 530 535 540  
 Thr Asp Cys Ser Ile Val Ser Phe Leu Ala Arg Leu Gly Cys Ser Ser  
 545 550 555 560  
 Cys Leu Asp Tyr Phe Thr Thr Gln Gly Leu Thr Thr Ile Tyr Gln Ile  
 565 570 575  
 Glu His Tyr Ser Met Asp Asp Leu Ala Ser Leu Lys Ile Pro Glu Gln  
 580 585 590  
 Phe Arg His Ala Ile Trp Lys Gly Ile Leu Asp His Arg Gln Leu His  
 595 600 605  
 Glu Phe Ser Ser Pro Ser His Leu Leu Arg Thr Pro Ser Ser Ala Ser  
 610 615 620  
 Thr Val Ser Val Gly Ser Ser Glu Thr Arg Gly Glu Arg Val Ile Asp



625                      630                      635                      640  
 Ala Val Arg Phe Thr Leu Arg Gln Thr Ile Ser Phe Pro Pro Arg Asp  
                                 645                      650                      655  
 Glu Trp Asn Asp Phe Asn Phe Asp Met Asp Ala Arg Arg Asn Lys Gln  
                                 660                      665                      670  
 Gln Arg Ile Lys Glu Glu Gly Glu  
                                 675                      680  
  
 <210> 343  
 <211> 461  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 343  
 Met Leu Tyr Leu Glu Asn Asn Ala Gln Thr Gln Phe Ser Glu Pro Gln  
                                 5                      10                      15  
 Tyr Thr Asn Leu Gly Leu Leu Asn Ser Met Asp Gln Gln Ile Gln Asn  
                                 20                      25                      30  
 Gly Ser Ser Ser Thr Ser Pro Tyr Asn Thr Asp His Ala Gln Asn Ser  
                                 35                      40                      45  
 Val Thr Ala Pro Ser Pro Tyr Ala Gln Pro Ser Ser Thr Phe Asp Ala  
                                 50                      55                      60  
 Leu Ser Pro Ser Pro Ala Ile Pro Ser Asn Thr Asp Tyr Pro Gly Pro  
                                 65                      70                      75                      80  
 His Ser Phe Asp Val Ser Phe Gln Gln Ser Ser Thr Ala Lys Ser Ala  
                                 85                      90                      95  
 Thr Trp Thr Tyr Ser Thr Glu Leu Lys Lys Leu Tyr Cys Gln Ile Ala  
                                 100                      105                      110  
 Lys Thr Cys Pro Ile Gln Ile Lys Val Met Thr Pro Pro Pro Gln Gly  
                                 115                      120                      125  
 Ala Val Ile Arg Ala Met Pro Val Tyr Lys Lys Ala Glu His Val Thr  
                                 130                      135                      140  
 Glu Val Val Lys Arg Cys Pro Asn His Glu Leu Ser Arg Glu Phe Asn  
                                 145                      150                      155                      160  
 Glu Gly Gln Ile Ala Pro Pro Ser His Leu Ile Arg Val Glu Gly Asn  
                                 165                      170                      175  
 Ser His Ala Gln Tyr Val Glu Asp Pro Ile Thr Gly Arg Gln Ser Val  
                                 180                      185                      190  
 Leu Val Pro Tyr Glu Pro Pro Gln Val Gly Thr Glu Phe Thr Thr Val  
                                 195                      200                      205

Leu Tyr Asn Phe Met Cys Asn Ser Ser Cys Val Gly Gly Met Asn Arg  
 210 215 220  
 Arg Pro Ile Leu Ile Ile Val Thr Leu Glu Thr Arg Asp Gly Gln Val  
 225 230 235 240  
 Leu Gly Arg Arg Cys Phe Glu Ala Arg Ile Cys Ala Cys Pro Gly Arg  
 245 250 255  
 Asp Arg Lys Ala Asp Glu Asp Ser Ile Arg Lys Gln Gln Val Ser Asp  
 260 265 270  
 Ser Thr Lys Asn Gly Asp Gly Thr Lys Arg Pro Phe Arg Gln Asn Thr  
 275 280 285  
 His Gly Ile Gln Met Thr Ser Ile Lys Lys Arg Arg Ser Pro Asp Asp  
 290 295 300  
 Glu Leu Leu Tyr Leu Pro Val Arg Gly Arg Glu Thr Tyr Glu Met Leu  
 305 310 315 320  
 Leu Lys Ile Lys Glu Ser Leu Glu Leu Met Gln Tyr Leu Pro Gln His  
 325 330 335  
 Thr Ile Glu Thr Tyr Arg Gln Gln Gln Gln Gln His Gln His Leu  
 340 345 350  
 Leu Gln Lys Gln Thr Ser Ile Gln Ser Pro Ser Ser Tyr Gly Asn Ser  
 355 360 365  
 Ser Pro Pro Leu Asn Lys Met Asn Ser Met Asn Lys Leu Pro Ser Val  
 370 375 380  
 Ser Gln Leu Ile Asn Pro Gln Gln Arg Asn Ala Leu Thr Pro Thr Thr  
 385 390 395 400  
 Ile Pro Asp Gly Met Gly Ala Asn Ile Pro Met Met Gly Thr His Met  
 405 410 415  
 Pro Met Ala Gly Asp Met Asn Gly Leu Ser Pro Thr Gln Ala Leu Pro  
 420 425 430  
 Pro Pro Leu Ser Met Pro Ser Thr Ser His Cys Thr Pro Pro Pro Pro  
 435 440 445  
 Tyr Pro Thr Asp Cys Ser Ile Val Arg Ile Trp Gln Val  
 450 455 460

&lt;210&gt; 344

&lt;211&gt; 516

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 344

Met	Ser	Gln	Ser	Thr	Gln	Thr	Asn	Glu	Phe	Leu	Ser	Pro	Glu	Val	Phe	5	10	15	
Gln	His	Ile	Trp	Asp	Phe	Leu	Glu	Gln	Pro	Ile	Cys	Ser	Val	Gln	Pro	20	25	30	
Ile	Asp	Leu	Asn	Phe	Val	Asp	Glu	Pro	Ser	Glu	Asp	Gly	Ala	Thr	Asn	35	40	45	
Lys	Ile	Glu	Ile	Ser	Met	Asp	Cys	Ile	Arg	Met	Gln	Asp	Ser	Asp	Leu	50	55	60	
Ser	Asp	Pro	Met	Trp	Pro	Gln	Tyr	Thr	Asn	Leu	Gly	Leu	Leu	Asn	Ser	65	70	75	80
Met	Asp	Gln	Gln	Ile	Gln	Asn	Gly	Ser	Ser	Ser	Thr	Ser	Pro	Tyr	Asn	85	90	95	
Thr	Asp	His	Ala	Gln	Asn	Ser	Val	Thr	Ala	Pro	Ser	Pro	Tyr	Ala	Gln	100	105	110	
Pro	Ser	Ser	Thr	Phe	Asp	Ala	Leu	Ser	Pro	Ser	Pro	Ala	Ile	Pro	Ser	115	120	125	
Asn	Thr	Asp	Tyr	Pro	Gly	Pro	His	Ser	Phe	Asp	Val	Ser	Phe	Gln	Gln	130	135	140	
Ser	Ser	Thr	Ala	Lys	Ser	Ala	Thr	Trp	Thr	Tyr	Ser	Thr	Glu	Leu	Lys	145	150	155	160
Lys	Leu	Tyr	Cys	Gln	Ile	Ala	Lys	Thr	Cys	Pro	Ile	Gln	Ile	Lys	Val	165	170	175	
Met	Thr	Pro	Pro	Pro	Gln	Gly	Ala	Val	Ile	Arg	Ala	Met	Pro	Val	Tyr	180	185	190	
Lys	Lys	Ala	Glu	His	Val	Thr	Glu	Val	Val	Lys	Arg	Cys	Pro	Asn	His	195	200	205	
Glu	Leu	Ser	Arg	Glu	Phe	Asn	Glu	Gly	Gln	Ile	Ala	Pro	Pro	Ser	His	210	215	220	
Leu	Ile	Arg	Val	Glu	Gly	Asn	Ser	His	Ala	Gln	Tyr	Val	Glu	Asp	Pro	225	230	235	240
Ile	Thr	Gly	Arg	Gln	Ser	Val	Leu	Val	Pro	Tyr	Glu	Pro	Pro	Gln	Val	245	250	255	
Gly	Thr	Glu	Phe	Thr	Thr	Val	Leu	Tyr	Asn	Phe	Met	Cys	Asn	Ser	Ser	260	265	270	
Cys	Val	Gly	Gly	Met	Asn	Arg	Arg	Pro	Ile	Leu	Ile	Ile	Val	Thr	Leu	275	280	285	
Glu	Thr	Arg	Asp	Gly	Gln	Val	Leu	Gly	Arg	Arg	Cys	Phe	Glu	Ala	Arg				

290	295	300
Ile Cys Ala Cys Pro Gly Arg Asp Arg Lys Ala Asp Glu Asp Ser Ile		
305	310	315 320
Arg Lys Gln Gln Val Ser Asp Ser Thr Lys Asn Gly Asp Gly Thr Lys		
	325	330 335
Arg Pro Phe Arg Gln Asn Thr His Gly Ile Gln Met Thr Ser Ile Lys		
	340	345 350
Lys Arg Arg Ser Pro Asp Asp Glu Leu Leu Tyr Leu Pro Val Arg Gly		
	355	360 365
Arg Glu Thr Tyr Glu Met Leu Leu Lys Ile Lys Glu Ser Leu Glu Leu		
	370	375 380
Met Gln Tyr Leu Pro Gln His Thr Ile Glu Thr Tyr Arg Gln Gln Gln		
385	390	395 400
Gln Gln Gln His Gln His Leu Leu Gln Lys Gln Thr Ser Ile Gln Ser		
	405	410 415
Pro Ser Ser Tyr Gly Asn Ser Ser Pro Pro Leu Asn Lys Met Asn Ser		
	420	425 430
Met Asn Lys Leu Pro Ser Val Ser Gln Leu Ile Asn Pro Gln Gln Arg		
	435	440 445
Asn Ala Leu Thr Pro Thr Thr Ile Pro Asp Gly Met Gly Ala Asn Ile		
	450	455 460
Pro Met Met Gly Thr His Met Pro Met Ala Gly Asp Met Asn Gly Leu		
465	470	475 480
Ser Pro Thr Gln Ala Leu Pro Pro Pro Leu Ser Met Pro Ser Thr Ser		
	485	490 495
His Cys Thr Pro Pro Pro Pro Tyr Pro Thr Asp Cys Ser Ile Val Arg		
	500	505 510
Ile Trp Gln Val		
	515	

&lt;210&gt; 345

&lt;211&gt; 1800

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 345

gcgcctcatt gccactgcag tgactaaagc tgggaagacg ctgggtcagtt cacctgcccc 60  
 actggttggt ttttaaaca attctgatac aggcgacatc ctactgacc gagcaaagat 120  
 tgacattcgt atcatcactg tgcaccattg gcttctaggc actccagtgg ggtaggagaa 180

```

ggaggtctga aaccctcgca gagggatctt gccctcatte tttgggtctg aaacactggc 240
agtcgttggg aacaggactc agggataaac cagcgcaatg gattggggga cgctgcacac 300
tttcatcggg ggtgtcaaca aacactccac cagcatcggg aaggtgtgga tcacagtcac 360
ctttattttc cgagtcataa tcctagtggg ggctgccag gaagtgtggg gtgacgagca 420
agaggacttc gtctgcaaca cactgcaacc gggatgcaaa aatgtgtgct atgaccactt 480
tttcccggtg tcccacatcc ggctgtgggc cctccagctg atcttcgtct ccaccccagc 540
gctgctggg gccatgcatg tggcctacta caggcacgaa accactcgca agttcaggcg 600
aggagagaag aggaatgatt tcaaagacat agaggacatt aaaaagcaca aggttcggat 660
agagggggtc ctgtgggtga cgtacaccag cagcatcttt ttccgaatca tctttgaagc 720
agcctttatg tatgtgtttt acttccttta caatgggtac cacctgccct ggggtgtgaa 780
atgtgggatt gacccctgcc ccaaccttgt tgactgcttt atttctaggc caacagagaa 840
gaccgtgttt accattttta tgatttctgc gtctgtgatt tgcattgctg ttaacgtggc 900
agagttgtgc tacctgctgc tgaaagtgtg ttttaggaga tcaaagagag cacagacgca 960
aaaaaatcac cccaatcatg ccctaaagga gagtaagcag aatgaaatga atgagctgat 1020
ttcagatagt ggtcaaaatg caatcacagg tttcccaagc taaacatttc aaggtaaaat 1080
gtagctgctg cataaggaga cttctgtctt ctccagaagg caataccaac ctgaaagtgc 1140
cttctgtagc ctgaagagtt tgtaaatgac tttcataata aatagacact tgagttaact 1200
ttttgtagga tacttgctcc attcatacac aacgtaatca aatatgtggt ccatctctga 1260
aaacaagaga ctgcttgaca aaggagcatt gcagtcactt tgacagggtc cttttaagtg 1320
gactctctga caaagtgggt actttctgaa aatttatata actgttggtg ataaggaaca 1380
tttatccagg aattgatacg tttattagga aaagatattt ttataggctt ggatgttttt 1440
agttccgact ttgaatttat ataaagtatt tttataatga ctggctcttc ttacctggaa 1500
aaacatgcga tgtaggtttt agaattacac cacaagtatc taaatttcca acttacaaag 1560
ggtcctatct tgtaaataat gttttgcatt gtctgttggc aaatttgtga actgtcatga 1620
tacgtttaag gtgggaaagt gttcattgca caatatattt ttactgcttt ctgaatgtag 1680
acggaacagt gtggaagcag aaggcttttt taactcatcc gtttgccga tcgttgca 1740
ccactgggag atgtggatgt ggttgctctc ttttgctcgt ccccggtggt taacccttct 1800

```

&lt;210&gt; 346

&lt;211&gt; 261

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 346

```

Met Asp Trp Gly Thr Leu His Thr Phe Ile Gly Gly Val Asn Lys His
      5                      10                      15

```

```

Ser Thr Ser Ile Gly Lys Val Trp Ile Thr Val Ile Phe Ile Phe Arg
      20                      25                      30

```

```

Val Met Ile Leu Val Val Ala Ala Gln Glu Val Trp Gly Asp Glu Gln
      35                      40                      45

```

```

Glu Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys Lys Asn Val Cys
      50                      55                      60

```

```

Tyr Asp His Phe Phe Pro Val Ser His Ile Arg Leu Trp Ala Leu Gln
      65                      70                      75                      80

```

```

Leu Ile Phe Val Ser Thr Pro Ala Leu Leu Val Ala Met His Val Ala
      85                      90                      95

```

```

Tyr Tyr Arg His Glu Thr Thr Arg Lys Phe Arg Arg Gly Glu Lys Arg
      100                     105                     110

```

Asn Asp Phe Lys Asp Ile Glu Asp Ile Lys Lys His Lys Val Arg Ile  
 115 120 125  
 Glu Gly Ser Leu Trp Trp Thr Tyr Thr Ser Ser Ile Phe Phe Arg Ile  
 130 135 140  
 Ile Phe Glu Ala Ala Phe Met Tyr Val Phe Tyr Phe Leu Tyr Asn Gly  
 145 150 155 160  
 Tyr His Leu Pro Trp Val Leu Lys Cys Gly Ile Asp Pro Cys Pro Asn  
 165 170 175  
 Leu Val Asp Cys Phe Ile Ser Arg Pro Thr Glu Lys Thr Val Phe Thr  
 180 185 190  
 Ile Phe Met Ile Ser Ala Ser Val Ile Cys Met Leu Leu Asn Val Ala  
 195 200 205  
 Glu Leu Cys Tyr Leu Leu Leu Lys Val Cys Phe Arg Arg Ser Lys Arg  
 210 215 220  
 Ala Gln Thr Gln Lys Asn His Pro Asn His Ala Leu Lys Glu Ser Lys  
 225 230 235 240  
 Gln Asn Glu Met Asn Glu Leu Ile Ser Asp Ser Gly Gln Asn Ala Ile  
 245 250 255  
 Thr Gly Phe Pro Ser  
 260

&lt;210&gt; 347

&lt;211&gt; 1740

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 347

atgaacaaac tgtatatcgg aaacctcagc gagaacgccg cccctcggga cctagaaagt 60  
 atcttcaagg acgccaagat cccggtgtcg ggacccttcc tgggtgaagac tggctacgcg 120  
 ttcgtggact gcccggaaga gagctgggccc ctcaaggcca tcgaggcgct ttcaggtaaa 180  
 atagaactgc acgggaaacc catagaagtt gagcactcgg tccccaaaag gcaaaggatt 240  
 cggaacttc agatacgaaa tatccgcct catttacagt gggaggtgct ggatagttta 300  
 ctagtccagt atggagtggg ggagagctgt gagcaagtga acactgactc ggaaactgca 360  
 gttgtaaatg taacctattc cagtaaggac caagctagac aagcactaga caaactgaat 420  
 ggatttcagt tagagaattt caccttgaaa gttagcctata tccctgatga aacggccgcc 480  
 cagcaaaacc ccttgcaaga gccccgaggt cgccgggggc ttgggcagag gggctcctca 540  
 aggcaggggt ctccaggatc cgtatccaag cagaaacccat gtgatttgcc tctgcgcctg 600  
 ctggttccca cccaatttgt tggagccatc ataggaaaag aaggtgccac cattcggaac 660  
 atcaccaaac agaccagtc taaaatcgat gtccaccgta aagaaaatgc gggggctgct 720  
 gagaagtcca ttactatcct ctctactcct gaaggcacct ctgcggcttg taagtctatt 780  
 ctggagatta tgcataagga agctcaagat ataaaattca cagaagagat ccccttgaag 840  
 atttttagtc ataataactt tggttgacgt cttattggta aagaaggaag aaatcttaaa 900  
 aaaattgagc aagacacaga cactaaaatc acgatatctc cattgcagga attgacgctg 960

<213> Homo sapiens

Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Glu Asn Ala Ala Pro Ser  
5 10 15

Asp Leu Glu Ser Ile Phe Lys Asp Ala Lys Ile Pro Val Ser Gly Pro  
20 25 30

Phe Leu Val Lys Thr Gly Tyr Ala Phe Val Asp Cys Pro Asp Glu Ser  
35 40 45

Trp Ala Leu Lys Ala Ile Glu Ala Leu Ser Gly Lys Ile Glu Leu His  
50 55 60

Gly Lys Pro Ile Glu Val Glu His Ser Val Pro Lys Arg Gln Arg Ile  
65 70 75 80

Arg Lys Leu Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu Val  
85 90 95

Leu Asp Ser Leu Leu Val Gln Tyr Gly Val Val Glu Ser Cys Glu Gln  
100 105 110

Val	Asn	Thr	Asp	Ser	Glu	Thr	Ala	Val	Val	Asn	Val	Thr	Tyr	Ser	Ser
		115					120					125			

Lys Asp Gln Ala Arg Gln Ala Leu Asp Lys Leu Asn Gly Phe Gln Leu  
130 135 140

Glu Asn Phe Thr Leu Lys Val Ala Tyr Ile Pro Asp Glu Thr Ala Ala  
145 150 155 160

Gln Gln Asn Pro Leu Gln Gln Pro Arg Gly Arg Arg Gly Leu Gly Gln  
165 170 175

Arg Gly Ser Ser Arg Gln Gly Ser Pro Gly Ser Val Ser Lys Gln Lys

180					185					190						
Pro	Cys	Asp	Leu	Pro	Leu	Arg	Leu	Leu	Val	Pro	Thr	Gln	Phe	Val	Gly	
195					200					205						
Ala	Ile	Ile	Gly	Lys	Glu	Gly	Ala	Thr	Ile	Arg	Asn	Ile	Thr	Lys	Gln	
210					215					220						
Thr	Gln	Ser	Lys	Ile	Asp	Val	His	Arg	Lys	Glu	Asn	Ala	Gly	Ala	Ala	
225					230					235					240	
Glu	Lys	Ser	Ile	Thr	Ile	Leu	Ser	Thr	Pro	Glu	Gly	Thr	Ser	Ala	Ala	
245					250					255						
Cys	Lys	Ser	Ile	Leu	Glu	Ile	Met	His	Lys	Glu	Ala	Gln	Asp	Ile	Lys	
260					265					270						
Phe	Thr	Glu	Glu	Ile	Pro	Leu	Lys	Ile	Leu	Ala	His	Asn	Asn	Phe	Val	
275					280					285						
Gly	Arg	Leu	Ile	Gly	Lys	Glu	Gly	Arg	Asn	Leu	Lys	Lys	Ile	Glu	Gln	
290					295					300						
Asp	Thr	Asp	Thr	Lys	Ile	Thr	Ile	Ser	Pro	Leu	Gln	Glu	Leu	Thr	Leu	
305					310					315					320	
Tyr	Asn	Pro	Glu	Arg	Thr	Ile	Thr	Val	Lys	Gly	Asn	Val	Glu	Thr	Cys	
325					330					335						
Ala	Lys	Ala	Glu	Glu	Glu	Ile	Met	Lys	Lys	Ile	Arg	Glu	Ser	Tyr	Glu	
340					345					350						
Asn	Asp	Ile	Ala	Ser	Met	Asn	Leu	Gln	Ala	His	Leu	Ile	Pro	Gly	Leu	
355					360					365						
Asn	Leu	Asn	Ala	Leu	Gly	Leu	Phe	Pro	Pro	Thr	Ser	Gly	Met	Pro	Pro	
370					375					380						
Pro	Thr	Ser	Gly	Pro	Pro	Ser	Ala	Met	Thr	Pro	Pro	Tyr	Pro	Gln	Phe	
385					390					395					400	
Glu	Gln	Ser	Glu	Thr	Glu	Thr	Val	His	Leu	Phe	Ile	Pro	Ala	Leu	Ser	
405					410					415						
Val	Gly	Ala	Ile	Ile	Gly	Lys	Gln	Gly	Gln	His	Ile	Lys	Gln	Leu	Ser	
420					425					430						
Arg	Phe	Ala	Gly	Ala	Ser	Ile	Lys	Ile	Ala	Pro	Ala	Glu	Ala	Pro	Asp	
435					440					445						
Ala	Lys	Val	Arg	Met	Val	Ile	Ile	Thr	Gly	Pro	Pro	Glu	Ala	Gln	Phe	
450					455					460						
Lys	Ala	Gln	Gly	Arg	Ile	Tyr	Gly	Lys	Ile	Lys	Glu	Glu	Asn	Phe	Val	
465					470					475					480	



Ser Pro Lys Glu Glu Val Lys Leu Glu Ala His Ile Arg Val Pro Ser  
                     485                    490                    495

Phe Ala Ala Gly Arg Val Ile Gly Lys Gly Gly Lys Thr Val Asn Glu  
                     500                    505                    510

Leu Gln Asn Leu Ser Ser Ala Glu Val Val Val Pro Arg Asp Gln Thr  
                     515                    520                    525

Pro Asp Glu Asn Asp Gln Val Val Val Lys Ile Thr Gly His Phe Tyr  
                     530                    535                    540

Ala Cys Gln Val Ala Gln Arg Lys Ile Gln Glu Ile Leu Thr Gln Val  
                     545                    550                    555                    560

Lys Gln His Gln Gln Gln Lys Ala Leu Gln Ser Gly Pro Pro Gln Ser  
                     565                    570                    575

Arg Arg Lys

<210> 349

<211> 207

<212> DNA

<213> Homo sapiens

<400> 349

atgtggcagc ccctcttctt caagtggctc ttgtcctggt gccctgggag ttctcaaatt 60  
 gctgcagcag cctccaccca gcctgaggat gacatcaata cacagaggaa gaagagtcag 120  
 gaaaagatga gagaagttac agactctcct gggcgacccc gagagcttac cattcctcag 180  
 acttcttcac atggtgctaa cagatttt 207

<210> 350

<211> 69

<212> PRT

<213> Homo sapiens

<400> 350

Met Trp Gln Pro Leu Phe Phe Lys Trp Leu Leu Ser Cys Cys Pro Gly  
                     5                    10                    15

Ser Ser Gln Ile Ala Ala Ala Ala Ser Thr Gln Pro Glu Asp Asp Ile  
                     20                    25                    30

Asn Thr Gln Arg Lys Lys Ser Gln Glu Lys Met Arg Glu Val Thr Asp  
                     35                    40                    45

Ser Pro Gly Arg Pro Arg Glu Leu Thr Ile Pro Gln Thr Ser Ser His  
                     50                    55                    60

Gly Ala Asn Arg Phe  
                     65